

08/23/2020

To: [REDACTED]

Your COVID-19 test result is Negative.

If you feel well and do not have a fever or cough, you may go about your normal activity abiding by your state and local health department recommendation in regards to 'Stay at Home' or 'Shelter in Place' orders. There are times when a second test is needed. Contact your primary health care provider or local Public Health Department if you have a question about re-testing.

Regardless of your result, it is still important for you to take the following actions for care at home:

- Wash hands thoroughly and frequently with soap and water for at least 20 seconds. If soap and water are not readily available, use an alcohol based hand sanitizer that contains at least 60% alcohol. Avoid touching eyes, nose, and mouth with unwashed hands.
- To cough or sneeze, cover mouth and nose with a tissue and immediately dispose of it. If no tissue is available, cough/sneeze into the inside of elbow, not hands. Wash hands thoroughly with soap and water immediately following.
- Avoid sharing eating utensils, towels, linens, clothes or other items. Wash items thoroughly with soap and water.
- Practice physical distancing. This includes avoiding crowded public places where close contact with others may occur. Maintain distance of 6 feet (2 meters) from others, when possible. Avoid contact with people who are sick.
- Use household detergent and water to clean frequently touched surfaces such as tabletops, light switches, handles, phones, keyboards, toilets, faucets, and doorknobs. Dirty surfaces should be cleaned, then disinfected using common household disinfectant.

If you have additional questions please contact your primary provider. It has been our great privilege in assisting you in your healthcare.

Patient Name: [REDACTED]

Ordering Provider Name: Teske, Milton

DOB: [REDACTED]

Patient MRN:

Location: Kings County Public Health Laboratory

Phone: (559) 972-7393

Sample ID: [REDACTED]

Hospital Sample ID Number: [REDACTED]

Coronavirus Disease 2019 PCR-Upper Respiratory

Collected: 8/24/2020 1:57 PM

Received: 8/24/2020 4:13 PM

Approval Date: 8/25/2020 12:45 PM

TaqPath COVID-19 Combo Kit Result

SARS-CoV-2 Not Detected

Reference Range

Not Detected

The factsheets for healthcare providers and patients are available at: <https://www.themofisher.com/us/en/home/clinical/clinical-genomics/pathogen-detection-solutions/taqpath-covid-19-diagnostic-kit.html>

The tests performed at the TCPHL have been made available by the FDA under an Emergency Use Authorization (EUA). Their use within the United States is limited to qualified laboratories, including the Tulare County Public Health Lab, with training, facilities and equipment appropriate for specimen handling, testing and interpretation of the results of these real-time RT-PCR assays. The EUA for these tests are supported by the Secretary of Health and Human Services' declaration that circumstances exist to justify the use of in-vitro diagnostics under EUA for the detection and/or diagnosis of SARS-CoV-2. This EUA will remain in effect for the duration of the SARS-CoV-2 emergency, unless terminated or revoked by the FDA. Results should be considered in the context of clinical observations and epidemiological data.

A laboratory result of "Not Detected" does not conclusively rule out disease. Tests on additional samples may be pending at the Tulare County Public Health Laboratory (TCPHL). Please review results as soon as they become available.

Reporting Laboratories: Tulare Public Health Lab (CLIA ID: 05D0667647)
Lab Director: Miriam Lachica, MA
1062 South "K" Street, Tulare, CA 93274
Ph: 559.685.5750

Report Status: END OF REPORT (Final)

08/23/2020

To: [REDACTED]

Your COVID-19 test result is Negative.

If you feel well and do not have a fever or cough, you may go about your normal activity abiding by your state and local health department recommendation in regards to 'Stay at Home' or 'Shelter in Place' orders. There are times when a second test is needed. Contact your primary health care provider or local Public Health Department if you have a question about re-testing.

Regardless of your result, it is still important for you to take the following actions for care at home:

- Wash hands thoroughly and frequently with soap and water for at least 20 seconds. If soap and water are not readily available, use an alcohol based hand sanitizer that contains at least 60% alcohol. Avoid touching eyes, nose, and mouth with unwashed hands.
- To cough or sneeze, cover mouth and nose with a tissue and immediately dispose of it. If no tissue is available, cough/sneeze into the inside of elbow, not hands. Wash hands thoroughly with soap and water immediately following.
- Avoid sharing eating utensils, towels, linens, clothes or other items. Wash items thoroughly with soap and water.
- Practice physical distancing. This includes avoiding crowded public places where close contact with others may occur. Maintain distance of 6 feet (2 meters) from others, when possible. Avoid contact with people who are sick.
- Use household detergent and water to clean frequently touched surfaces such as tabletops, light switches, handles, phones, keyboards, toilets, faucets, and doorknobs. Dirty surfaces should be cleaned, then disinfected using common household disinfectant.

If you have additional questions please contact your primary provider. It has been our great privilege in assisting you in your healthcare.

08/24/2020

To: [REDACTED]

Your COVID-19 test result is Negative.

If you feel well and do not have a fever or cough, you may go about your normal activity abiding by your state and local health department recommendation in regards to 'Stay at Home' or 'Shelter in Place' orders. There are times when a second test is needed. Contact your primary health care provider or local Public Health Department if you have a question about re-testing.

Regardless of your result, it is still important for you to take the following actions for care at home:

- Wash hands thoroughly and frequently with soap and water for at least 20 seconds. If soap and water are not readily available, use an alcohol based hand sanitizer that contains at least 60% alcohol. Avoid touching eyes, nose, and mouth with unwashed hands.
- To cough or sneeze, cover mouth and nose with a tissue and immediately dispose of it. If no tissue is available, cough/sneeze into the inside of elbow, not hands. Wash hands thoroughly with soap and water immediately following.
- Avoid sharing eating utensils, towels, linens, clothes or other items. Wash items thoroughly with soap and water.
- Practice physical distancing. This includes avoiding crowded public places where close contact with others may occur. Maintain distance of 6 feet (2 meters) from others, when possible. Avoid contact with people who are sick.
- Use household detergent and water to clean frequently touched surfaces such as tabletops, light switches, handles, phones, keyboards, toilets, faucets, and doorknobs. Dirty surfaces should be cleaned, then disinfected using common household disinfectant.

If you have additional questions please contact your primary provider. It has been our great privilege in assisting you in your healthcare.

08/24/2020

To: [REDACTED]

Your COVID-19 test result is Negative.

If you feel well and do not have a fever or cough, you may go about your normal activity abiding by your state and local health department recommendation in regards to 'Stay at Home' or 'Shelter in Place' orders. There are times when a second test is needed. Contact your primary health care provider or local Public Health Department if you have a question about re-testing.

Regardless of your result, it is still important for you to take the following actions for care at home:

- Wash hands thoroughly and frequently with soap and water for at least 20 seconds. If soap and water are not readily available, use an alcohol based hand sanitizer that contains at least 60% alcohol. Avoid touching eyes, nose, and mouth with unwashed hands.
- To cough or sneeze, cover mouth and nose with a tissue and immediately dispose of it. If no tissue is available, cough/sneeze into the inside of elbow, not hands. Wash hands thoroughly with soap and water immediately following.
- Avoid sharing eating utensils, towels, linens, clothes or other items. Wash items thoroughly with soap and water.
- Practice physical distancing. This includes avoiding crowded public places where close contact with others may occur. Maintain distance of 6 feet (2 meters) from others, when possible. Avoid contact with people who are sick.
- Use household detergent and water to clean frequently touched surfaces such as tabletops, light switches, handles, phones, keyboards, toilets, faucets, and doorknobs. Dirty surfaces should be cleaned, then disinfected using common household disinfectant.

If you have additional questions please contact your primary provider. It has been our great privilege in assisting you in your healthcare.

08/23/2020

To: [REDACTED]

Your COVID-19 test result is Negative.

If you feel well and do not have a fever or cough, you may go about your normal activity abiding by your state and local health department recommendation in regards to 'Stay at Home' or 'Shelter in Place' orders. There are times when a second test is needed. Contact your primary health care provider or local Public Health Department if you have a question about re-testing.

Regardless of your result, it is still important for you to take the following actions for care at home:

- Wash hands thoroughly and frequently with soap and water for at least 20 seconds. If soap and water are not readily available, use an alcohol based hand sanitizer that contains at least 60% alcohol. Avoid touching eyes, nose, and mouth with unwashed hands.
- To cough or sneeze, cover mouth and nose with a tissue and immediately dispose of it. If no tissue is available, cough/sneeze into the inside of elbow, not hands. Wash hands thoroughly with soap and water immediately following.
- Avoid sharing eating utensils, towels, linens, clothes or other items. Wash items thoroughly with soap and water.
- Practice physical distancing. This includes avoiding crowded public places where close contact with others may occur. Maintain distance of 6 feet (2 meters) from others, when possible. Avoid contact with people who are sick.
- Use household detergent and water to clean frequently touched surfaces such as tabletops, light switches, handles, phones, keyboards, toilets, faucets, and doorknobs. Dirty surfaces should be cleaned, then disinfected using common household disinfectant.

If you have additional questions please contact your primary provider. It has been our great privilege in assisting you in your healthcare.

08/23/2020

To: **Your COVID-19 test result is Negative.**

If you feel well and do not have a fever or cough, you may go about your normal activity abiding by your state and local health department recommendation in regards to 'Stay at Home' or 'Shelter in Place' orders. There are times when a second test is needed. Contact your primary health care provider or local Public Health Department if you have a question about re-testing.

Regardless of your result, it is still important for you to take the following actions for care at home:

- Wash hands thoroughly and frequently with soap and water for at least 20 seconds. If soap and water are not readily available, use an alcohol based hand sanitizer that contains at least 60% alcohol. Avoid touching eyes, nose, and mouth with unwashed hands.
- To cough or sneeze, cover mouth and nose with a tissue and immediately dispose of it. If no tissue is available, cough/sneeze into the inside of elbow, not hands. Wash hands thoroughly with soap and water immediately following.
- Avoid sharing eating utensils, towels, linens, clothes or other items. Wash items thoroughly with soap and water.
- Practice physical distancing. This includes avoiding crowded public places where close contact with others may occur. Maintain distance of 6 feet (2 meters) from others, when possible. Avoid contact with people who are sick.
- Use household detergent and water to clean frequently touched surfaces such as tabletops, light switches, handles, phones, keyboards, toilets, faucets, and doorknobs. Dirty surfaces should be cleaned, then disinfected using common household disinfectant.

If you have additional questions please contact your primary provider. It has been our great privilege in assisting you in your healthcare.

08/24/2020

To: [REDACTED]

Your COVID-19 test result is Negative.

If you feel well and do not have a fever or cough, you may go about your normal activity abiding by your state and local health department recommendation in regards to 'Stay at Home' or 'Shelter in Place' orders. There are times when a second test is needed. Contact your primary health care provider or local Public Health Department if you have a question about re-testing.

Regardless of your result, it is still important for you to take the following actions for care at home:

- Wash hands thoroughly and frequently with soap and water for at least 20 seconds. If soap and water are not readily available, use an alcohol based hand sanitizer that contains at least 60% alcohol. Avoid touching eyes, nose, and mouth with unwashed hands.
- To cough or sneeze, cover mouth and nose with a tissue and immediately dispose of it. If no tissue is available, cough/sneeze into the inside of elbow, not hands. Wash hands thoroughly with soap and water immediately following.
- Avoid sharing eating utensils, towels, linens, clothes or other items. Wash items thoroughly with soap and water.
- Practice physical distancing. This includes avoiding crowded public places where close contact with others may occur. Maintain distance of 6 feet (2 meters) from others, when possible. Avoid contact with people who are sick.
- Use household detergent and water to clean frequently touched surfaces such as tabletops, light switches, handles, phones, keyboards, toilets, faucets, and doorknobs. Dirty surfaces should be cleaned, then disinfected using common household disinfectant.

If you have additional questions please contact your primary provider. It has been our great privilege in assisting you in your healthcare.

08/25/2020

To: [REDACTED]

Your COVID-19 test result is Negative.

If you feel well and do not have a fever or cough, you may go about your normal activity abiding by your state and local health department recommendation in regards to 'Stay at Home' or 'Shelter in Place' orders. There are times when a second test is needed. Contact your primary health care provider or local Public Health Department if you have a question about re-testing.

Regardless of your result, it is still important for you to take the following actions for care at home:

- Wash hands thoroughly and frequently with soap and water for at least 20 seconds. If soap and water are not readily available, use an alcohol based hand sanitizer that contains at least 60% alcohol. Avoid touching eyes, nose, and mouth with unwashed hands.
- To cough or sneeze, cover mouth and nose with a tissue and immediately dispose of it. If no tissue is available, cough/sneeze into the inside of elbow, not hands. Wash hands thoroughly with soap and water immediately following.
- Avoid sharing eating utensils, towels, linens, clothes or other items. Wash items thoroughly with soap and water.
- Practice physical distancing. This includes avoiding crowded public places where close contact with others may occur. Maintain distance of 6 feet (2 meters) from others, when possible. Avoid contact with people who are sick.
- Use household detergent and water to clean frequently touched surfaces such as tabletops, light switches, handles, phones, keyboards, toilets, faucets, and doorknobs. Dirty surfaces should be cleaned, then disinfected using common household disinfectant.

If you have additional questions please contact your primary provider. It has been our great privilege in assisting you in your healthcare.

08/24/2020

To: [REDACTED]

Your COVID-19 test result is Negative.

If you feel well and do not have a fever or cough, you may go about your normal activity abiding by your state and local health department recommendation in regards to 'Stay at Home' or 'Shelter in Place' orders. There are times when a second test is needed. Contact your primary health care provider or local Public Health Department if you have a question about re-testing.

Regardless of your result, it is still important for you to take the following actions for care at home:

- Wash hands thoroughly and frequently with soap and water for at least 20 seconds. If soap and water are not readily available, use an alcohol based hand sanitizer that contains at least 60% alcohol. Avoid touching eyes, nose, and mouth with unwashed hands.
- To cough or sneeze, cover mouth and nose with a tissue and immediately dispose of it. If no tissue is available, cough/sneeze into the inside of elbow, not hands. Wash hands thoroughly with soap and water immediately following.
- Avoid sharing eating utensils, towels, linens, clothes or other items. Wash items thoroughly with soap and water.
- Practice physical distancing. This includes avoiding crowded public places where close contact with others may occur. Maintain distance of 6 feet (2 meters) from others, when possible. Avoid contact with people who are sick.
- Use household detergent and water to clean frequently touched surfaces such as tabletops, light switches, handles, phones, keyboards, toilets, faucets, and doorknobs. Dirty surfaces should be cleaned, then disinfected using common household disinfectant.

If you have additional questions please contact your primary provider. It has been our great privilege in assisting you in your healthcare.



08/23/2020

To: [REDACTED]

Your COVID-19 test result is Negative.

If you feel well and do not have a fever or cough, you may go about your normal activity abiding by your state and local health department recommendation in regards to 'Stay at Home' or 'Shelter in Place' orders. There are times when a second test is needed. Contact your primary health care provider or local Public Health Department if you have a question about re-testing.

Regardless of your result, it is still important for you to take the following actions for care at home:

- Wash hands thoroughly and frequently with soap and water for at least 20 seconds. If soap and water are not readily available, use an alcohol based hand sanitizer that contains at least 60% alcohol. Avoid touching eyes, nose, and mouth with unwashed hands.
- To cough or sneeze, cover mouth and nose with a tissue and immediately dispose of it. If no tissue is available, cough/sneeze into the inside of elbow, not hands. Wash hands thoroughly with soap and water immediately following.
- Avoid sharing eating utensils, towels, linens, clothes or other items. Wash items thoroughly with soap and water.
- Practice physical distancing. This includes avoiding crowded public places where close contact with others may occur. Maintain distance of 6 feet (2 meters) from others, when possible. Avoid contact with people who are sick.
- Use household detergent and water to clean frequently touched surfaces such as tabletops, light switches, handles, phones, keyboards, toilets, faucets, and doorknobs. Dirty surfaces should be cleaned, then disinfected using common household disinfectant.

If you have additional questions please contact your primary provider. It has been our great privilege in assisting you in your healthcare.

08/24/2020

To: [REDACTED]

Your COVID-19 test result is Negative.

If you feel well and do not have a fever or cough, you may go about your normal activity abiding by your state and local health department recommendation in regards to 'Stay at Home' or 'Shelter in Place' orders. There are times when a second test is needed. Contact your primary health care provider or local Public Health Department if you have a question about re-testing.

Regardless of your result, it is still important for you to take the following actions for care at home:

- Wash hands thoroughly and frequently with soap and water for at least 20 seconds. If soap and water are not readily available, use an alcohol based hand sanitizer that contains at least 60% alcohol. Avoid touching eyes, nose, and mouth with unwashed hands.
- To cough or sneeze, cover mouth and nose with a tissue and immediately dispose of it. If no tissue is available, cough/sneeze into the inside of elbow, not hands. Wash hands thoroughly with soap and water immediately following.
- Avoid sharing eating utensils, towels, linens, clothes or other items. Wash items thoroughly with soap and water.
- Practice physical distancing. This includes avoiding crowded public places where close contact with others may occur. Maintain distance of 6 feet (2 meters) from others, when possible. Avoid contact with people who are sick.
- Use household detergent and water to clean frequently touched surfaces such as tabletops, light switches, handles, phones, keyboards, toilets, faucets, and doorknobs. Dirty surfaces should be cleaned, then disinfected using common household disinfectant.

If you have additional questions please contact your primary provider. It has been our great privilege in assisting you in your healthcare.

08/23/2020

To: [REDACTED]

Your COVID-19 test result is Negative.

If you feel well and do not have a fever or cough, you may go about your normal activity abiding by your state and local health department recommendation in regards to 'Stay at Home' or 'Shelter in Place' orders. There are times when a second test is needed. Contact your primary health care provider or local Public Health Department if you have a question about re-testing.

Regardless of your result, it is still important for you to take the following actions for care at home:

- Wash hands thoroughly and frequently with soap and water for at least 20 seconds. If soap and water are not readily available, use an alcohol based hand sanitizer that contains at least 60% alcohol. Avoid touching eyes, nose, and mouth with unwashed hands.
- To cough or sneeze, cover mouth and nose with a tissue and immediately dispose of it. If no tissue is available, cough/sneeze into the inside of elbow, not hands. Wash hands thoroughly with soap and water immediately following.
- Avoid sharing eating utensils, towels, linens, clothes or other items. Wash items thoroughly with soap and water.
- Practice physical distancing. This includes avoiding crowded public places where close contact with others may occur. Maintain distance of 6 feet (2 meters) from others, when possible. Avoid contact with people who are sick.
- Use household detergent and water to clean frequently touched surfaces such as tabletops, light switches, handles, phones, keyboards, toilets, faucets, and doorknobs. Dirty surfaces should be cleaned, then disinfected using common household disinfectant.

If you have additional questions please contact your primary provider. It has been our great privilege in assisting you in your healthcare.

08/24/2020

To: [REDACTED]

Your COVID-19 test result is Negative.

If you feel well and do not have a fever or cough, you may go about your normal activity abiding by your state and local health department recommendation in regards to 'Stay at Home' or 'Shelter in Place' orders. There are times when a second test is needed. Contact your primary health care provider or local Public Health Department if you have a question about re-testing.

Regardless of your result, it is still important for you to take the following actions for care at home:

- Wash hands thoroughly and frequently with soap and water for at least 20 seconds. If soap and water are not readily available, use an alcohol based hand sanitizer that contains at least 60% alcohol. Avoid touching eyes, nose, and mouth with unwashed hands.
- To cough or sneeze, cover mouth and nose with a tissue and immediately dispose of it. If no tissue is available, cough/sneeze into the inside of elbow, not hands. Wash hands thoroughly with soap and water immediately following.
- Avoid sharing eating utensils, towels, linens, clothes or other items. Wash items thoroughly with soap and water.
- Practice physical distancing. This includes avoiding crowded public places where close contact with others may occur. Maintain distance of 6 feet (2 meters) from others, when possible. Avoid contact with people who are sick.
- Use household detergent and water to clean frequently touched surfaces such as tabletops, light switches, handles, phones, keyboards, toilets, faucets, and doorknobs. Dirty surfaces should be cleaned, then disinfected using common household disinfectant.

If you have additional questions please contact your primary provider. It has been our great privilege in assisting you in your healthcare.

08/24/2020

To: [REDACTED]

Your COVID-19 test result is Negative.

If you feel well and do not have a fever or cough, you may go about your normal activity abiding by your state and local health department recommendation in regards to 'Stay at Home' or 'Shelter in Place' orders. There are times when a second test is needed. Contact your primary health care provider or local Public Health Department if you have a question about re-testing.

Regardless of your result, it is still important for you to take the following actions for care at home:

- Wash hands thoroughly and frequently with soap and water for at least 20 seconds. If soap and water are not readily available, use an alcohol based hand sanitizer that contains at least 60% alcohol. Avoid touching eyes, nose, and mouth with unwashed hands.
- To cough or sneeze, cover mouth and nose with a tissue and immediately dispose of it. If no tissue is available, cough/sneeze into the inside of elbow, not hands. Wash hands thoroughly with soap and water immediately following.
- Avoid sharing eating utensils, towels, linens, clothes or other items. Wash items thoroughly with soap and water.
- Practice physical distancing. This includes avoiding crowded public places where close contact with others may occur. Maintain distance of 6 feet (2 meters) from others, when possible. Avoid contact with people who are sick.
- Use household detergent and water to clean frequently touched surfaces such as tabletops, light switches, handles, phones, keyboards, toilets, faucets, and doorknobs. Dirty surfaces should be cleaned, then disinfected using common household disinfectant.

If you have additional questions please contact your primary provider. It has been our great privilege in assisting you in your healthcare.

08/23/2020

To: [REDACTED]

Your COVID-19 test result is Negative.

If you feel well and do not have a fever or cough, you may go about your normal activity abiding by your state and local health department recommendation in regards to 'Stay at Home' or 'Shelter in Place' orders. There are times when a second test is needed. Contact your primary health care provider or local Public Health Department if you have a question about re-testing.

Regardless of your result, it is still important for you to take the following actions for care at home:

- Wash hands thoroughly and frequently with soap and water for at least 20 seconds. If soap and water are not readily available, use an alcohol based hand sanitizer that contains at least 60% alcohol. Avoid touching eyes, nose, and mouth with unwashed hands.
- To cough or sneeze, cover mouth and nose with a tissue and immediately dispose of it. If no tissue is available, cough/sneeze into the inside of elbow, not hands. Wash hands thoroughly with soap and water immediately following.
- Avoid sharing eating utensils, towels, linens, clothes or other items. Wash items thoroughly with soap and water.
- Practice physical distancing. This includes avoiding crowded public places where close contact with others may occur. Maintain distance of 6 feet (2 meters) from others, when possible. Avoid contact with people who are sick.
- Use household detergent and water to clean frequently touched surfaces such as tabletops, light switches, handles, phones, keyboards, toilets, faucets, and doorknobs. Dirty surfaces should be cleaned, then disinfected using common household disinfectant.

If you have additional questions please contact your primary provider. It has been our great privilege in assisting you in your healthcare.

08/23/2020

To: [REDACTED]

Your COVID-19 test result is Negative.

If you feel well and do not have a fever or cough, you may go about your normal activity abiding by your state and local health department recommendation in regards to 'Stay at Home' or 'Shelter in Place' orders. There are times when a second test is needed. Contact your primary health care provider or local Public Health Department if you have a question about re-testing.

Regardless of your result, it is still important for you to take the following actions for care at home:

- Wash hands thoroughly and frequently with soap and water for at least 20 seconds. If soap and water are not readily available, use an alcohol based hand sanitizer that contains at least 60% alcohol. Avoid touching eyes, nose, and mouth with unwashed hands.
- To cough or sneeze, cover mouth and nose with a tissue and immediately dispose of it. If no tissue is available, cough/sneeze into the inside of elbow, not hands. Wash hands thoroughly with soap and water immediately following.
- Avoid sharing eating utensils, towels, linens, clothes or other items. Wash items thoroughly with soap and water.
- Practice physical distancing. This includes avoiding crowded public places where close contact with others may occur. Maintain distance of 6 feet (2 meters) from others, when possible. Avoid contact with people who are sick.
- Use household detergent and water to clean frequently touched surfaces such as tabletops, light switches, handles, phones, keyboards, toilets, faucets, and doorknobs. Dirty surfaces should be cleaned, then disinfected using common household disinfectant.

If you have additional questions please contact your primary provider. It has been our great privilege in assisting you in your healthcare.

08/23/2020

To: [REDACTED]

Your COVID-19 test result is Negative.

If you feel well and do not have a fever or cough, you may go about your normal activity abiding by your state and local health department recommendation in regards to 'Stay at Home' or 'Shelter in Place' orders. There are times when a second test is needed. Contact your primary health care provider or local Public Health Department if you have a question about re-testing.

Regardless of your result, it is still important for you to take the following actions for care at home:

- Wash hands thoroughly and frequently with soap and water for at least 20 seconds. If soap and water are not readily available, use an alcohol based hand sanitizer that contains at least 60% alcohol. Avoid touching eyes, nose, and mouth with unwashed hands.
- To cough or sneeze, cover mouth and nose with a tissue and immediately dispose of it. If no tissue is available, cough/sneeze into the inside of elbow, not hands. Wash hands thoroughly with soap and water immediately following.
- Avoid sharing eating utensils, towels, linens, clothes or other items. Wash items thoroughly with soap and water.
- Practice physical distancing. This includes avoiding crowded public places where close contact with others may occur. Maintain distance of 6 feet (2 meters) from others, when possible. Avoid contact with people who are sick.
- Use household detergent and water to clean frequently touched surfaces such as tabletops, light switches, handles, phones, keyboards, toilets, faucets, and doorknobs. Dirty surfaces should be cleaned, then disinfected using common household disinfectant.

If you have additional questions please contact your primary provider. It has been our great privilege in assisting you in your healthcare.



08/24/2020

To: [REDACTED]

Your COVID-19 test result is Negative.

If you feel well and do not have a fever or cough, you may go about your normal activity abiding by your state and local health department recommendation in regards to 'Stay at Home' or 'Shelter in Place' orders. There are times when a second test is needed. Contact your primary health care provider or local Public Health Department if you have a question about re-testing.

Regardless of your result, it is still important for you to take the following actions for care at home:

- Wash hands thoroughly and frequently with soap and water for at least 20 seconds. If soap and water are not readily available, use an alcohol based hand sanitizer that contains at least 60% alcohol. Avoid touching eyes, nose, and mouth with unwashed hands.
- To cough or sneeze, cover mouth and nose with a tissue and immediately dispose of it. If no tissue is available, cough/sneeze into the inside of elbow, not hands. Wash hands thoroughly with soap and water immediately following.
- Avoid sharing eating utensils, towels, linens, clothes or other items. Wash items thoroughly with soap and water.
- Practice physical distancing. This includes avoiding crowded public places where close contact with others may occur. Maintain distance of 6 feet (2 meters) from others, when possible. Avoid contact with people who are sick.
- Use household detergent and water to clean frequently touched surfaces such as tabletops, light switches, handles, phones, keyboards, toilets, faucets, and doorknobs. Dirty surfaces should be cleaned, then disinfected using common household disinfectant.

If you have additional questions please contact your primary provider. It has been our great privilege in assisting you in your healthcare.

08/23/2020

To: [REDACTED]

Your COVID-19 test result is Negative.

If you feel well and do not have a fever or cough, you may go about your normal activity abiding by your state and local health department recommendation in regards to 'Stay at Home' or 'Shelter in Place' orders. There are times when a second test is needed. Contact your primary health care provider or local Public Health Department if you have a question about re-testing.

Regardless of your result, it is still important for you to take the following actions for care at home:

- Wash hands thoroughly and frequently with soap and water for at least 20 seconds. If soap and water are not readily available, use an alcohol based hand sanitizer that contains at least 60% alcohol. Avoid touching eyes, nose, and mouth with unwashed hands.
- To cough or sneeze, cover mouth and nose with a tissue and immediately dispose of it. If no tissue is available, cough/sneeze into the inside of elbow, not hands. Wash hands thoroughly with soap and water immediately following.
- Avoid sharing eating utensils, towels, linens, clothes or other items. Wash items thoroughly with soap and water.
- Practice physical distancing. This includes avoiding crowded public places where close contact with others may occur. Maintain distance of 6 feet (2 meters) from others, when possible. Avoid contact with people who are sick.
- Use household detergent and water to clean frequently touched surfaces such as tabletops, light switches, handles, phones, keyboards, toilets, faucets, and doorknobs. Dirty surfaces should be cleaned, then disinfected using common household disinfectant.

If you have additional questions please contact your primary provider. It has been our great privilege in assisting you in your healthcare.

08/23/2020

To: [REDACTED]

Your COVID-19 test result is Negative.

If you feel well and do not have a fever or cough, you may go about your normal activity abiding by your state and local health department recommendation in regards to 'Stay at Home' or 'Shelter in Place' orders. There are times when a second test is needed. Contact your primary health care provider or local Public Health Department if you have a question about re-testing.

Regardless of your result, it is still important for you to take the following actions for care at home:

- Wash hands thoroughly and frequently with soap and water for at least 20 seconds. If soap and water are not readily available, use an alcohol based hand sanitizer that contains at least 60% alcohol. Avoid touching eyes, nose, and mouth with unwashed hands.
- To cough or sneeze, cover mouth and nose with a tissue and immediately dispose of it. If no tissue is available, cough/sneeze into the inside of elbow, not hands. Wash hands thoroughly with soap and water immediately following.
- Avoid sharing eating utensils, towels, linens, clothes or other items. Wash items thoroughly with soap and water.
- Practice physical distancing. This includes avoiding crowded public places where close contact with others may occur. Maintain distance of 6 feet (2 meters) from others, when possible. Avoid contact with people who are sick.
- Use household detergent and water to clean frequently touched surfaces such as tabletops, light switches, handles, phones, keyboards, toilets, faucets, and doorknobs. Dirty surfaces should be cleaned, then disinfected using common household disinfectant.

If you have additional questions please contact your primary provider. It has been our great privilege in assisting you in your healthcare.

11/12/2020

To: [REDACTED]
DOB: [REDACTED]

The result of your COVID-19 Nasal RT-PCR test that was administered on 11/05/2020 is Negative.

Your Public Health Department has been notified of this result as required by law.

If you feel well and do not have a fever or cough, you may go about your normal activity abiding by your state and local health department recommendation in regards to 'Stay at Home' or 'Shelter in Place' orders.

Regardless of your result, it is still important for you to take the following actions for care at home:

- Wash hands thoroughly and frequently with soap and water for at least 20 seconds. If soap and water are not readily available, use an alcohol based hand sanitizer that contains at least 60% alcohol. Avoid touching eyes, nose, and mouth with unwashed hands.
- To cough or sneeze, cover mouth and nose with a tissue and immediately dispose of it. If no tissue is available, cough/sneeze into the inside of elbow, not hands. Wash hands thoroughly with soap and water immediately following.
- Avoid sharing eating utensils, towels, linens, clothes or other items. Wash items thoroughly with soap and water.
- Practice physical distancing. This includes avoiding crowded public places where close contact with others may occur. Maintain distance of 6 feet (2 meters) from others, when possible. Avoid contact with people who are sick.
- Use cloth face coverings when you are:
 - Inside of, or in line to enter, any indoor public place
 - Using public transportation, a taxi, private car service, or ride-sharing vehicle
 - Outside and unable to physical distance 6 feet (2 meters) away from others
- Use household detergent and water to clean frequently touched surfaces such as tabletops, light switches, handles, phones, keyboards, toilets, faucets, and doorknobs. Dirty surfaces should be cleaned, then disinfected using common household disinfectant.
- Open windows and use a fan (if possible) in shared spaces for good airflow.
- Be alert for symptoms. Watch for fever, cough, shortness of breath, or other symptoms of COVID-19. Take your temperature if symptoms develop. Follow CDC guidance if symptoms develop.

If you were recently exposed to someone with COVID-19, you should still stay at home and self-quarantine (separate yourself from others) for 14 days, starting from the most recent day that you were possibly exposed to COVID-19. You should continue to monitor for symptoms for up to 14 days after your last possible exposure. If you have additional questions please contact your primary provider. It has been our great privilege in assisting you in your healthcare.

11/12/2020

Para: [REDACTED]

Fecha de nacimiento: [REDACTED]

El resultado de su RT-PCR prueba de COVID-19 Nasal, realizada en 11/05/2020 es Negative.

Según lo exigido por la ley, se notificó este resultado a su Departamento de Salud Pública.

Si se siente bien y no tiene fiebre ni tos, puede reanudar sus actividades normales siguiendo las recomendaciones de su Departamento de Salud local y estatal con respecto a las órdenes de Quedarse en Casa o Refugio Designado.

Independientemente de su resultado, aún es importante que tome las siguientes medidas de cuidado en su hogar:

- Lávese bien las manos frecuentemente con agua y jabón durante al menos 20 segundos. Si no dispone de agua y jabón, use un desinfectante para manos que contenga al menos el 60% de alcohol. Evite tocarse los ojos, la nariz y la boca con las manos sin lavar.
- Para toser o estornudar, cúbrase la boca y la nariz con un pañuelo de papel y deséchelo inmediatamente. Si no dispone de pañuelos de papel, tosa/estornude en el pliegue del codo, no en las manos. Lávese bien las manos con agua y jabón inmediatamente después.
- Evite compartir utensilios, toallas, ropa de cama, ropa u otros artículos. Lave bien los artículos con agua y jabón.
- Practique el distanciamiento físico. Esto incluye evitar los lugares públicos concurridos donde podría haber un contacto estrecho con otras personas. Mantenga una distancia de 6 pies (2 metros) de otras personas, cuando sea posible. Evite el contacto con personas que estén enfermas.
- Use una mascarilla o un barbijo de tela casero cuando se encuentre en las siguientes situaciones:
 - Dentro de, o en la cola para ingresar en, cualquier lugar público cerrado
 - Usando el transporte público, un taxi, un servicio de automóvil privado o vehículo de viajes compartidos
 - Al aire libre sin poder mantener una distancia física de 6 pies (2 metros) de otras personas
- Use detergente de uso doméstico y agua para limpiar las superficies de contacto frecuente como encimeras, interruptores de luz, barandas, teléfonos, teclados, inodoros, canillas y picaportes. Las superficies sucias se deben limpiar, luego desinfectar con un desinfectante de uso doméstico común.
- Abra las ventanas y use un ventilador (si es posible) en espacios compartidos para que haya una buena circulación de aire.
- Esté alerta a los síntomas. Esté atento a la aparición de fiebre, tos, dificultad para respirar (disnea) u otros síntomas de COVID-19. Si aparecen síntomas, tómese la temperatura. Si aparecen síntomas, siga las recomendaciones de los CDC.



Si recientemente estuvo expuesto a alguien con COVID-19, debería quedarse en casa y ponerse en cuarentena (aislarse de los demás) durante 14 días, contados desde el último día en que estuvo posiblemente expuesto a la COVID-19. Debería seguir controlando los síntomas hasta 14 días después de su última posible exposición. Si tiene más preguntas, comuníquese con su proveedor de atención primaria. Ha sido un enorme privilegio ayudarle con su atención de la salud.

11/12/2020

To: [REDACTED]
DOB: [REDACTED]

The result of your COVID-19 Nasal RT-PCR test that was administered on 11/05/2020 is Negative.

Your Public Health Department has been notified of this result as required by law.

If you feel well and do not have a fever or cough, you may go about your normal activity abiding by your state and local health department recommendation in regards to 'Stay at Home' or 'Shelter in Place' orders.

Regardless of your result, it is still important for you to take the following actions for care at home:

- Wash hands thoroughly and frequently with soap and water for at least 20 seconds. If soap and water are not readily available, use an alcohol based hand sanitizer that contains at least 60% alcohol. Avoid touching eyes, nose, and mouth with unwashed hands.
- To cough or sneeze, cover mouth and nose with a tissue and immediately dispose of it. If no tissue is available, cough/sneeze into the inside of elbow, not hands. Wash hands thoroughly with soap and water immediately following.
- Avoid sharing eating utensils, towels, linens, clothes or other items. Wash items thoroughly with soap and water.
- Practice physical distancing. This includes avoiding crowded public places where close contact with others may occur. Maintain distance of 6 feet (2 meters) from others, when possible. Avoid contact with people who are sick.
- Use cloth face coverings when you are:
 - Inside of, or in line to enter, any indoor public place
 - Using public transportation, a taxi, private car service, or ride-sharing vehicle
 - Outside and unable to physical distance 6 feet (2 meters) away from others
- Use household detergent and water to clean frequently touched surfaces such as tabletops, light switches, handles, phones, keyboards, toilets, faucets, and doorknobs. Dirty surfaces should be cleaned, then disinfected using common household disinfectant.
- Open windows and use a fan (if possible) in shared spaces for good airflow.
- Be alert for symptoms. Watch for fever, cough, shortness of breath, or other symptoms of COVID-19. Take your temperature if symptoms develop. Follow CDC guidance if symptoms develop.

If you were recently exposed to someone with COVID-19, you should still stay at home and self-quarantine (separate yourself from others) for 14 days, starting from the most recent day that you were possibly exposed to COVID-19. You should continue to monitor for symptoms for up to 14 days after your last possible exposure. If you have additional questions please contact your primary provider. It has been our great privilege in assisting you in your healthcare.

11/12/2020

Para: [REDACTED]

Fecha de nacimiento: [REDACTED]

El resultado de su RT-PCR prueba de COVID-19 Nasal, realizada en 11/05/2020 es Negative.

Según lo exigido por la ley, se notificó este resultado a su Departamento de Salud Pública.

Si se siente bien y no tiene fiebre ni tos, puede reanudar sus actividades normales siguiendo las recomendaciones de su Departamento de Salud local y estatal con respecto a las órdenes de Quedarse en Casa o Refugio Designado.

Independientemente de su resultado, aún es importante que tome las siguientes medidas de cuidado en su hogar:

- Lávese bien las manos frecuentemente con agua y jabón durante al menos 20 segundos. Si no dispone de agua y jabón, use un desinfectante para manos que contenga al menos el 60% de alcohol. Evite tocarse los ojos, la nariz y la boca con las manos sin lavar.
- Para toser o estornudar, cúbrase la boca y la nariz con un pañuelo de papel y deséchelo inmediatamente. Si no dispone de pañuelos de papel, tosa/estornude en el pliegue del codo, no en las manos. Lávese bien las manos con agua y jabón inmediatamente después.
- Evite compartir utensilios, toallas, ropa de cama, ropa u otros artículos. Lave bien los artículos con agua y jabón.
- Practique el distanciamiento físico. Esto incluye evitar los lugares públicos concurridos donde podría haber un contacto estrecho con otras personas. Mantenga una distancia de 6 pies (2 metros) de otras personas, cuando sea posible. Evite el contacto con personas que estén enfermas.
- Use una mascarilla o un barbijo de tela casero cuando se encuentre en las siguientes situaciones:
 - Dentro de, o en la cola para ingresar en, cualquier lugar público cerrado
 - Usando el transporte público, un taxi, un servicio de automóvil privado o vehículo de viajes compartidos
 - Al aire libre sin poder mantener una distancia física de 6 pies (2 metros) de otras personas
- Use detergente de uso doméstico y agua para limpiar las superficies de contacto frecuente como encimeras, interruptores de luz, barandas, teléfonos, teclados, inodoros, canillas y picaportes. Las superficies sucias se deben limpiar, luego desinfectar con un desinfectante de uso doméstico común.
- Abra las ventanas y use un ventilador (si es posible) en espacios compartidos para que haya una buena circulación de aire.
- Esté alerta a los síntomas. Esté atento a la aparición de fiebre, tos, dificultad para respirar (disnea) u otros síntomas de COVID-19. Si aparecen síntomas, tómese la temperatura. Si aparecen síntomas, siga las recomendaciones de los CDC.



Si recientemente estuvo expuesto a alguien con COVID-19, debería quedarse en casa y ponerse en cuarentena (aislarse de los demás) durante 14 días, contados desde el último día en que estuvo posiblemente expuesto a la COVID-19. Debería seguir controlando los síntomas hasta 14 días después de su última posible exposición. Si tiene más preguntas, comuníquese con su proveedor de atención primaria. Ha sido un enorme privilegio ayudarle con su atención de la salud.

11/12/2020

To: [REDACTED]
DOB: [REDACTED]

The result of your COVID-19 Nasal RT-PCR test that was administered on 11/05/2020 is Negative.

Your Public Health Department has been notified of this result as required by law.

If you feel well and do not have a fever or cough, you may go about your normal activity abiding by your state and local health department recommendation in regards to 'Stay at Home' or 'Shelter in Place' orders.

Regardless of your result, it is still important for you to take the following actions for care at home:

- Wash hands thoroughly and frequently with soap and water for at least 20 seconds. If soap and water are not readily available, use an alcohol based hand sanitizer that contains at least 60% alcohol. Avoid touching eyes, nose, and mouth with unwashed hands.
- To cough or sneeze, cover mouth and nose with a tissue and immediately dispose of it. If no tissue is available, cough/sneeze into the inside of elbow, not hands. Wash hands thoroughly with soap and water immediately following.
- Avoid sharing eating utensils, towels, linens, clothes or other items. Wash items thoroughly with soap and water.
- Practice physical distancing. This includes avoiding crowded public places where close contact with others may occur. Maintain distance of 6 feet (2 meters) from others, when possible. Avoid contact with people who are sick.
- Use cloth face coverings when you are:
 - Inside of, or in line to enter, any indoor public place
 - Using public transportation, a taxi, private car service, or ride-sharing vehicle
 - Outside and unable to physical distance 6 feet (2 meters) away from others
- Use household detergent and water to clean frequently touched surfaces such as tabletops, light switches, handles, phones, keyboards, toilets, faucets, and doorknobs. Dirty surfaces should be cleaned, then disinfected using common household disinfectant.
- Open windows and use a fan (if possible) in shared spaces for good airflow.
- Be alert for symptoms. Watch for fever, cough, shortness of breath, or other symptoms of COVID-19. Take your temperature if symptoms develop. Follow CDC guidance if symptoms develop.

If you were recently exposed to someone with COVID-19, you should still stay at home and self-quarantine (separate yourself from others) for 14 days, starting from the most recent day that you were possibly exposed to COVID-19. You should continue to monitor for symptoms for up to 14 days after your last possible exposure. If you have additional questions please contact your primary provider. It has been our great privilege in assisting you in your healthcare.

11/12/2020

Para: [REDACTED]

Fecha de nacimiento: [REDACTED]

El resultado de su RT-PCR prueba de COVID-19 Nasal, realizada en 11/05/2020 es Negative.

Según lo exigido por la ley, se notificó este resultado a su Departamento de Salud Pública.

Si se siente bien y no tiene fiebre ni tos, puede reanudar sus actividades normales siguiendo las recomendaciones de su Departamento de Salud local y estatal con respecto a las órdenes de Quedarse en Casa o Refugio Designado.

Independientemente de su resultado, aún es importante que tome las siguientes medidas de cuidado en su hogar:

- Lávese bien las manos frecuentemente con agua y jabón durante al menos 20 segundos. Si no dispone de agua y jabón, use un desinfectante para manos que contenga al menos el 60% de alcohol. Evite tocarse los ojos, la nariz y la boca con las manos sin lavar.
- Para toser o estornudar, cúbrase la boca y la nariz con un pañuelo de papel y deséchelo inmediatamente. Si no dispone de pañuelos de papel, tosa/estornude en el pliegue del codo, no en las manos. Lávese bien las manos con agua y jabón inmediatamente después.
- Evite compartir utensilios, toallas, ropa de cama, ropa u otros artículos. Lave bien los artículos con agua y jabón.
- Practique el distanciamiento físico. Esto incluye evitar los lugares públicos concurridos donde podría haber un contacto estrecho con otras personas. Mantenga una distancia de 6 pies (2 metros) de otras personas, cuando sea posible. Evite el contacto con personas que estén enfermas.
- Use una mascarilla o un barbijo de tela casero cuando se encuentre en las siguientes situaciones:
 - Dentro de, o en la cola para ingresar en, cualquier lugar público cerrado
 - Usando el transporte público, un taxi, un servicio de automóvil privado o vehículo de viajes compartidos
 - Al aire libre sin poder mantener una distancia física de 6 pies (2 metros) de otras personas
- Use detergente de uso doméstico y agua para limpiar las superficies de contacto frecuente como encimeras, interruptores de luz, barandas, teléfonos, teclados, inodoros, canillas y picaportes. Las superficies sucias se deben limpiar, luego desinfectar con un desinfectante de uso doméstico común.
- Abra las ventanas y use un ventilador (si es posible) en espacios compartidos para que haya una buena circulación de aire.
- Esté alerta a los síntomas. Esté atento a la aparición de fiebre, tos, dificultad para respirar (disnea) u otros síntomas de COVID-19. Si aparecen síntomas, tómese la temperatura. Si aparecen síntomas, siga las recomendaciones de los CDC.



Si recientemente estuvo expuesto a alguien con COVID-19, debería quedarse en casa y ponerse en cuarentena (aislarse de los demás) durante 14 días, contados desde el último día en que estuvo posiblemente expuesto a la COVID-19. Debería seguir controlando los síntomas hasta 14 días después de su última posible exposición. Si tiene más preguntas, comuníquese con su proveedor de atención primaria. Ha sido un enorme privilegio ayudarle con su atención de la salud.

Patient Name: [REDACTED]

Ordering Provider Name: Teske, Milton

DOB: [REDACTED]

Patient MRN:

Location: Kings County Public Health Laboratory

Phone: (559) 972-7393

Sample ID: [REDACTED]

Hospital Sample ID Number: [REDACTED]

Coronavirus Disease 2019 PCR-Upper Respiratory

Collected: 8/24/2020 1:47 PM

Received: 8/24/2020 4:14 PM

Approval Date: 8/25/2020 12:45 PM

TaqPath COVID-19 Combo Kit Result**SARS-CoV-2 Not Detected**

Reference Range

Not Detected

The factsheets for healthcare providers and patients are available at: <https://www.thermofisher.com/us/en/home/clinical/clinical-genomics/pathogen-detection-solutions/taqpath-covid-19-diagnostic-kit.html>

The tests performed at the TCPHL have been made available by the FDA under an Emergency Use Authorization (EUA). Their use within the United States is limited to qualified laboratories, including the Tulare County Public Health Lab, with training, facilities and equipment appropriate for specimen handling, testing and interpretation of the results of these real-time RT-PCR assays. The EUA for these tests are supported by the Secretary of Health and Human Services' declaration that circumstances exist to justify the use of in-vitro diagnostics under EUA for the detection and/or diagnosis of SARS-CoV-2. This EUA will remain in effect for the duration of the SARS-CoV-2 emergency, unless terminated or revoked by the FDA. Results should be considered in the context of clinical observations and epidemiological data.

A laboratory result of "Not Detected" does not conclusively rule out disease. Tests on additional samples may be pending at the Tulare County Public Health Laboratory (TCPHL). Please review results as soon as they become available.

Reporting Laboratories: Tulare Public Health Lab (CLIA ID: 05D0667647)
Lab Director: Miriam Lachica, MA
1062 South "K" Street, Tulare, CA 93274
Ph: 559.685.5750

Report Status: END OF REPORT (Final)

08/24/2020

To: [REDACTED]

Your COVID-19 test result is Negative.

If you feel well and do not have a fever or cough, you may go about your normal activity abiding by your state and local health department recommendation in regards to 'Stay at Home' or 'Shelter in Place' orders. There are times when a second test is needed. Contact your primary health care provider or local Public Health Department if you have a question about re-testing.

Regardless of your result, it is still important for you to take the following actions for care at home:

- Wash hands thoroughly and frequently with soap and water for at least 20 seconds. If soap and water are not readily available, use an alcohol based hand sanitizer that contains at least 60% alcohol. Avoid touching eyes, nose, and mouth with unwashed hands.
- To cough or sneeze, cover mouth and nose with a tissue and immediately dispose of it. If no tissue is available, cough/sneeze into the inside of elbow, not hands. Wash hands thoroughly with soap and water immediately following.
- Avoid sharing eating utensils, towels, linens, clothes or other items. Wash items thoroughly with soap and water.
- Practice physical distancing. This includes avoiding crowded public places where close contact with others may occur. Maintain distance of 6 feet (2 meters) from others, when possible. Avoid contact with people who are sick.
- Use household detergent and water to clean frequently touched surfaces such as tabletops, light switches, handles, phones, keyboards, toilets, faucets, and doorknobs. Dirty surfaces should be cleaned, then disinfected using common household disinfectant.

If you have additional questions please contact your primary provider. It has been our great privilege in assisting you in your healthcare.

08/23/2020

To: [REDACTED]

Your COVID-19 test result is Negative.

If you feel well and do not have a fever or cough, you may go about your normal activity abiding by your state and local health department recommendation in regards to 'Stay at Home' or 'Shelter in Place' orders. There are times when a second test is needed. Contact your primary health care provider or local Public Health Department if you have a question about re-testing.

Regardless of your result, it is still important for you to take the following actions for care at home:

- Wash hands thoroughly and frequently with soap and water for at least 20 seconds. If soap and water are not readily available, use an alcohol based hand sanitizer that contains at least 60% alcohol. Avoid touching eyes, nose, and mouth with unwashed hands.
- To cough or sneeze, cover mouth and nose with a tissue and immediately dispose of it. If no tissue is available, cough/sneeze into the inside of elbow, not hands. Wash hands thoroughly with soap and water immediately following.
- Avoid sharing eating utensils, towels, linens, clothes or other items. Wash items thoroughly with soap and water.
- Practice physical distancing. This includes avoiding crowded public places where close contact with others may occur. Maintain distance of 6 feet (2 meters) from others, when possible. Avoid contact with people who are sick.
- Use household detergent and water to clean frequently touched surfaces such as tabletops, light switches, handles, phones, keyboards, toilets, faucets, and doorknobs. Dirty surfaces should be cleaned, then disinfected using common household disinfectant.

If you have additional questions please contact your primary provider. It has been our great privilege in assisting you in your healthcare.



08/23/2020

To: [REDACTED]

Your COVID-19 test result is Negative.

If you feel well and do not have a fever or cough, you may go about your normal activity abiding by your state and local health department recommendation in regards to 'Stay at Home' or 'Shelter in Place' orders. There are times when a second test is needed. Contact your primary health care provider or local Public Health Department if you have a question about re-testing.

Regardless of your result, it is still important for you to take the following actions for care at home:

- Wash hands thoroughly and frequently with soap and water for at least 20 seconds. If soap and water are not readily available, use an alcohol based hand sanitizer that contains at least 60% alcohol. Avoid touching eyes, nose, and mouth with unwashed hands.
- To cough or sneeze, cover mouth and nose with a tissue and immediately dispose of it. If no tissue is available, cough/sneeze into the inside of elbow, not hands. Wash hands thoroughly with soap and water immediately following.
- Avoid sharing eating utensils, towels, linens, clothes or other items. Wash items thoroughly with soap and water.
- Practice physical distancing. This includes avoiding crowded public places where close contact with others may occur. Maintain distance of 6 feet (2 meters) from others, when possible. Avoid contact with people who are sick.
- Use household detergent and water to clean frequently touched surfaces such as tabletops, light switches, handles, phones, keyboards, toilets, faucets, and doorknobs. Dirty surfaces should be cleaned, then disinfected using common household disinfectant.

If you have additional questions please contact your primary provider. It has been our great privilege in assisting you in your healthcare.

Patient Name: [REDACTED]

Ordering Provider Name: Teske, Milton

DOB: [REDACTED]

Patient MRN: [REDACTED]

Location: Kings County Public Health Laboratory

Phone: (559) 972-7393

Sample ID: [REDACTED]

Hospital Sample ID Number: [REDACTED]

Coronavirus Disease 2019 PCR-Upper Respiratory

Collected: 8/24/2020 1:49 PM

Received: 8/24/2020 4:12 PM

Approval Date: 8/25/2020 12:45 PM

TaqPath COVID-19 Combo Kit Result

SARS-CoV-2 Not Detected

Reference Range

Not Detected

The factsheets for healthcare providers and patients are available at: <https://www.thermofisher.com/us/en/home/clinical/clinical-genomics/pathogen-detection-solutions/taqpath-covid-19-diagnostic-kit.html>

The tests performed at the TCPHL have been made available by the FDA under an Emergency Use Authorization (EUA). Their use within the United States is limited to qualified laboratories, including the Tulare County Public Health Lab, with training, facilities and equipment appropriate for specimen handling, testing and interpretation of the results of these real-time RT-PCR assays. The EUA for these tests are supported by the Secretary of Health and Human Services' declaration that circumstances exist to justify the use of in-vitro diagnostics under EUA for the detection and/or diagnosis of SARS-CoV-2. This EUA will remain in effect for the duration of the SARS-CoV-2 emergency, unless terminated or revoked by the FDA. Results should be considered in the context of clinical observations and epidemiological data.

A laboratory result of "Not Detected" does not conclusively rule out disease. Tests on additional samples may be pending at the Tulare County Public Health Laboratory (TCPHL). Please review results as soon as they become available.

Reporting Laboratories: Tulare Public Health Lab (CLIA ID: 05D0667647)
Lab Director: Miriam Lachica, MA
1062 South "K" Street, Tulare, CA 93274
Ph: 559.685.5750

Report Status: END OF REPORT (Final)

08/23/2020

To: **Your COVID-19 test result is Negative.**

If you feel well and do not have a fever or cough, you may go about your normal activity abiding by your state and local health department recommendation in regards to 'Stay at Home' or 'Shelter in Place' orders. There are times when a second test is needed. Contact your primary health care provider or local Public Health Department if you have a question about re-testing.

Regardless of your result, it is still important for you to take the following actions for care at home:

- Wash hands thoroughly and frequently with soap and water for at least 20 seconds. If soap and water are not readily available, use an alcohol based hand sanitizer that contains at least 60% alcohol. Avoid touching eyes, nose, and mouth with unwashed hands.
- To cough or sneeze, cover mouth and nose with a tissue and immediately dispose of it. If no tissue is available, cough/sneeze into the inside of elbow, not hands. Wash hands thoroughly with soap and water immediately following.
- Avoid sharing eating utensils, towels, linens, clothes or other items. Wash items thoroughly with soap and water.
- Practice physical distancing. This includes avoiding crowded public places where close contact with others may occur. Maintain distance of 6 feet (2 meters) from others, when possible. Avoid contact with people who are sick.
- Use household detergent and water to clean frequently touched surfaces such as tabletops, light switches, handles, phones, keyboards, toilets, faucets, and doorknobs. Dirty surfaces should be cleaned, then disinfected using common household disinfectant.

If you have additional questions please contact your primary provider. It has been our great privilege in assisting you in your healthcare.

Patient Name: [REDACTED]

Ordering Provider Name: Teske, Milton

DOB: [REDACTED]

Patient MRN:

Location: Kings County Public Health Laboratory

Phone: (559) 972-7393

Sample ID: [REDACTED]

Hospital Sample ID Number [REDACTED]

Coronavirus Disease 2019 PCR-Upper Respiratory

Collected: 8/24/2020 1:51 PM

Received: 8/24/2020 4:14 PM

Approval Date: 8/25/2020 12:45 PM

TaqPath COVID-19 Combo Kit Result

SARS-CoV-2 Not Detected

Reference Range

Not Detected

The factsheets for healthcare providers and patients are available at: <https://www.thermofisher.com/us/en/home/clinical/clinical-genomics/pathogen-detection-solutions/taqpath-covid-19-diagnostic-kit.html>

The tests performed at the TCPHL have been made available by the FDA under an Emergency Use Authorization (EUA). Their use within the United States is limited to qualified laboratories, including the Tulare County Public Health Lab, with training, facilities and equipment appropriate for specimen handling, testing and interpretation of the results of these real-time RT-PCR assays. The EUA for these tests are supported by the Secretary of Health and Human Services' declaration that circumstances exist to justify the use of in-vitro diagnostics under EUA for the detection and/or diagnosis of SARS-CoV-2. This EUA will remain in effect for the duration of the SARS-CoV-2 emergency, unless terminated or revoked by the FDA. Results should be considered in the context of clinical observations and epidemiological data.

A laboratory result of "Not Detected" does not conclusively rule out disease. Tests on additional samples may be pending at the Tulare County Public Health Laboratory (TCPHL). Please review results as soon as they become available.

Reporting Laboratories: Tulare Public Health Lab (CLIA ID: 05D0867647)
Lab Director: Miriam Lachica, MA
1062 South "K" Street, Tulare, CA 93274
Ph: 559.685.5750

Report Status: END OF REPORT (Final)

08/23/2020

To: [REDACTED]

Your COVID-19 test result is Negative.

If you feel well and do not have a fever or cough, you may go about your normal activity abiding by your state and local health department recommendation in regards to 'Stay at Home' or 'Shelter in Place' orders. There are times when a second test is needed. Contact your primary health care provider or local Public Health Department if you have a question about re-testing.

Regardless of your result, it is still important for you to take the following actions for care at home:

- Wash hands thoroughly and frequently with soap and water for at least 20 seconds. If soap and water are not readily available, use an alcohol based hand sanitizer that contains at least 60% alcohol. Avoid touching eyes, nose, and mouth with unwashed hands.
- To cough or sneeze, cover mouth and nose with a tissue and immediately dispose of it. If no tissue is available, cough/sneeze into the inside of elbow, not hands. Wash hands thoroughly with soap and water immediately following.
- Avoid sharing eating utensils, towels, linens, clothes or other items. Wash items thoroughly with soap and water.
- Practice physical distancing. This includes avoiding crowded public places where close contact with others may occur. Maintain distance of 6 feet (2 meters) from others, when possible. Avoid contact with people who are sick.
- Use household detergent and water to clean frequently touched surfaces such as tabletops, light switches, handles, phones, keyboards, toilets, faucets, and doorknobs. Dirty surfaces should be cleaned, then disinfected using common household disinfectant.

If you have additional questions please contact your primary provider. It has been our great privilege in assisting you in your healthcare.

08/23/2020

To: [REDACTED]

Your COVID-19 test result is Negative.

If you feel well and do not have a fever or cough, you may go about your normal activity abiding by your state and local health department recommendation in regards to 'Stay at Home' or 'Shelter in Place' orders. There are times when a second test is needed. Contact your primary health care provider or local Public Health Department if you have a question about re-testing.

Regardless of your result, it is still important for you to take the following actions for care at home:

- Wash hands thoroughly and frequently with soap and water for at least 20 seconds. If soap and water are not readily available, use an alcohol based hand sanitizer that contains at least 60% alcohol. Avoid touching eyes, nose, and mouth with unwashed hands.
- To cough or sneeze, cover mouth and nose with a tissue and immediately dispose of it. If no tissue is available, cough/sneeze into the inside of elbow, not hands. Wash hands thoroughly with soap and water immediately following.
- Avoid sharing eating utensils, towels, linens, clothes or other items. Wash items thoroughly with soap and water.
- Practice physical distancing. This includes avoiding crowded public places where close contact with others may occur. Maintain distance of 6 feet (2 meters) from others, when possible. Avoid contact with people who are sick.
- Use household detergent and water to clean frequently touched surfaces such as tabletops, light switches, handles, phones, keyboards, toilets, faucets, and doorknobs. Dirty surfaces should be cleaned, then disinfected using common household disinfectant.

If you have additional questions please contact your primary provider. It has been our great privilege in assisting you in your healthcare.

08/23/2020

To: [REDACTED]**Your COVID-19 test result is Negative.**

If you feel well and do not have a fever or cough, you may go about your normal activity abiding by your state and local health department recommendation in regards to 'Stay at Home' or 'Shelter in Place' orders. There are times when a second test is needed. Contact your primary health care provider or local Public Health Department if you have a question about re-testing.

Regardless of your result, it is still important for you to take the following actions for care at home:

- Wash hands thoroughly and frequently with soap and water for at least 20 seconds. If soap and water are not readily available, use an alcohol based hand sanitizer that contains at least 60% alcohol. Avoid touching eyes, nose, and mouth with unwashed hands.
- To cough or sneeze, cover mouth and nose with a tissue and immediately dispose of it. If no tissue is available, cough/sneeze into the inside of elbow, not hands. Wash hands thoroughly with soap and water immediately following.
- Avoid sharing eating utensils, towels, linens, clothes or other items. Wash items thoroughly with soap and water.
- Practice physical distancing. This includes avoiding crowded public places where close contact with others may occur. Maintain distance of 6 feet (2 meters) from others, when possible. Avoid contact with people who are sick.
- Use household detergent and water to clean frequently touched surfaces such as tabletops, light switches, handles, phones, keyboards, toilets, faucets, and doorknobs. Dirty surfaces should be cleaned, then disinfected using common household disinfectant.

If you have additional questions please contact your primary provider. It has been our great privilege in assisting you in your healthcare.

08/23/2020

To: [REDACTED]

Your COVID-19 test result is Negative.

If you feel well and do not have a fever or cough, you may go about your normal activity abiding by your state and local health department recommendation in regards to 'Stay at Home' or 'Shelter in Place' orders. There are times when a second test is needed. Contact your primary health care provider or local Public Health Department if you have a question about re-testing.

Regardless of your result, it is still important for you to take the following actions for care at home:

- Wash hands thoroughly and frequently with soap and water for at least 20 seconds. If soap and water are not readily available, use an alcohol based hand sanitizer that contains at least 60% alcohol. Avoid touching eyes, nose, and mouth with unwashed hands.
- To cough or sneeze, cover mouth and nose with a tissue and immediately dispose of it. If no tissue is available, cough/sneeze into the inside of elbow, not hands. Wash hands thoroughly with soap and water immediately following.
- Avoid sharing eating utensils, towels, linens, clothes or other items. Wash items thoroughly with soap and water.
- Practice physical distancing. This includes avoiding crowded public places where close contact with others may occur. Maintain distance of 6 feet (2 meters) from others, when possible. Avoid contact with people who are sick.
- Use household detergent and water to clean frequently touched surfaces such as tabletops, light switches, handles, phones, keyboards, toilets, faucets, and doorknobs. Dirty surfaces should be cleaned, then disinfected using common household disinfectant.

If you have additional questions please contact your primary provider. It has been our great privilege in assisting you in your healthcare.

Patient Name: [REDACTED]

Ordering Provider Name: Teske, Milton

DOB: [REDACTED]

Patient MRN:

Location: Kings County Public Health Laboratory

Phone: (559) 972-7393

Sample ID: [REDACTED]

Hospital Sample ID Number: [REDACTED]

Coronavirus Disease 2019 PCR-Upper Respiratory

Collected: 8/24/2020 1:55 PM

Received: 8/24/2020 4:13 PM

Approval Date: 8/25/2020 12:45 PM

TaqPath COVID-19 Combo Kit Result**SARS-CoV-2 Not Detected**

Reference Range

Not Detected

The factsheets for healthcare providers and patients are available at: <https://www.thermofisher.com/us/en/home/clinical/clinical-genomics/pathogen-detection-solutions/taqpath-covid-19-diagnostic-kit.html>

The tests performed at the TCPHL have been made available by the FDA under an Emergency Use Authorization (EUA). Their use within the United States is limited to qualified laboratories, including the Tulare County Public Health Lab, with training, facilities and equipment appropriate for specimen handling, testing and interpretation of the results of these real-time RT-PCR assays. The EUA for these tests are supported by the Secretary of Health and Human Services' declaration that circumstances exist to justify the use of in-vitro diagnostics under EUA for the detection and/or diagnosis of SARS-CoV-2. This EUA will remain in effect for the duration of the SARS-CoV-2 emergency, unless terminated or revoked by the FDA. Results should be considered in the context of clinical observations and epidemiological data.

A laboratory result of "Not Detected" does not conclusively rule out disease. Tests on additional samples may be pending at the Tulare County Public Health Laboratory (TCPHL). Please review results as soon as they become available.

Reporting Laboratories: Tulare Public Health Lab (CLIA ID: 05D0667647)
Lab Director: Miriam Lachica, MA
1062 South "K" Street, Tulare, CA 93274
Ph: 559.685.5750

Report Status: END OF REPORT (Final)

08/23/2020

To: [REDACTED]**Your COVID-19 test result is Negative.**

If you feel well and do not have a fever or cough, you may go about your normal activity abiding by your state and local health department recommendation in regards to 'Stay at Home' or 'Shelter in Place' orders. There are times when a second test is needed. Contact your primary health care provider or local Public Health Department if you have a question about re-testing.

Regardless of your result, it is still important for you to take the following actions for care at home:

- Wash hands thoroughly and frequently with soap and water for at least 20 seconds. If soap and water are not readily available, use an alcohol based hand sanitizer that contains at least 60% alcohol. Avoid touching eyes, nose, and mouth with unwashed hands.
- To cough or sneeze, cover mouth and nose with a tissue and immediately dispose of it. If no tissue is available, cough/sneeze into the inside of elbow, not hands. Wash hands thoroughly with soap and water immediately following.
- Avoid sharing eating utensils, towels, linens, clothes or other items. Wash items thoroughly with soap and water.
- Practice physical distancing. This includes avoiding crowded public places where close contact with others may occur. Maintain distance of 6 feet (2 meters) from others, when possible. Avoid contact with people who are sick.
- Use household detergent and water to clean frequently touched surfaces such as tabletops, light switches, handles, phones, keyboards, toilets, faucets, and doorknobs. Dirty surfaces should be cleaned, then disinfected using common household disinfectant.

If you have additional questions please contact your primary provider. It has been our great privilege in assisting you in your healthcare.

Patient Name: [REDACTED]

Ordering Provider Name: Teske, Milton

DOB: [REDACTED]

Patient MRN:

Location: Kings County Public Health Laboratory

Phone: [REDACTED]

Sample ID: [REDACTED]

Hospital Sample ID Number: [REDACTED]

Coronavirus Disease 2019 PCR-Upper Respiratory

Collected: 8/24/2020 1:53 PM

Received: 8/24/2020 4:15 PM

Approval Date: 8/25/2020 12:45 PM

TaqPath COVID-19 Combo Kit Result**SARS-CoV-2 Not Detected**

Reference Range

Not Detected

The factsheets for healthcare providers and patients are available at: <https://www.themofisher.com/us/en/home/clinical/clinical-genomics/pathogen-detection-solutions/taqpath-covid-19-diagnostic-kit.html>

The tests performed at the TCPHL have been made available by the FDA under an Emergency Use Authorization (EUA). Their use within the United States is limited to qualified laboratories, including the Tulare County Public Health Lab, with training, facilities and equipment appropriate for specimen handling, testing and interpretation of the results of these real-time RT-PCR assays. The EUA for these tests are supported by the Secretary of Health and Human Services' declaration that circumstances exist to justify the use of in-vitro diagnostics under EUA for the detection and/or diagnosis of SARS-CoV-2. This EUA will remain in effect for the duration of the SARS-CoV-2 emergency, unless terminated or revoked by the FDA. Results should be considered in the context of clinical observations and epidemiological data.

A laboratory result of "Not Detected" does not conclusively rule out disease. Tests on additional samples may be pending at the Tulare County Public Health Laboratory (TCPHL). Please review results as soon as they become available.

Reporting Laboratories: Tulare Public Health Lab (CLIA ID: 05D0667647)
Lab Director: Miriam Lachica, MA
1062 South "K" Street, Tulare, CA 93274
Ph: 559.685.5750

Report Status: END OF REPORT (Final)

08/24/2020

To: [REDACTED]

Your COVID-19 test result is Negative.

If you feel well and do not have a fever or cough, you may go about your normal activity abiding by your state and local health department recommendation in regards to 'Stay at Home' or 'Shelter in Place' orders. There are times when a second test is needed. Contact your primary health care provider or local Public Health Department if you have a question about re-testing.

Regardless of your result, it is still important for you to take the following actions for care at home:

- Wash hands thoroughly and frequently with soap and water for at least 20 seconds. If soap and water are not readily available, use an alcohol based hand sanitizer that contains at least 60% alcohol. Avoid touching eyes, nose, and mouth with unwashed hands.
- To cough or sneeze, cover mouth and nose with a tissue and immediately dispose of it. If no tissue is available, cough/sneeze into the inside of elbow, not hands. Wash hands thoroughly with soap and water immediately following.
- Avoid sharing eating utensils, towels, linens, clothes or other items. Wash items thoroughly with soap and water.
- Practice physical distancing. This includes avoiding crowded public places where close contact with others may occur. Maintain distance of 6 feet (2 meters) from others, when possible. Avoid contact with people who are sick.
- Use household detergent and water to clean frequently touched surfaces such as tabletops, light switches, handles, phones, keyboards, toilets, faucets, and doorknobs. Dirty surfaces should be cleaned, then disinfected using common household disinfectant.

If you have additional questions please contact your primary provider. It has been our great privilege in assisting you in your healthcare.

08/23/2020

To: [REDACTED]**Your COVID-19 test result is Negative.**

If you feel well and do not have a fever or cough, you may go about your normal activity abiding by your state and local health department recommendation in regards to 'Stay at Home' or 'Shelter in Place' orders. There are times when a second test is needed. Contact your primary health care provider or local Public Health Department if you have a question about re-testing.

Regardless of your result, it is still important for you to take the following actions for care at home:

- Wash hands thoroughly and frequently with soap and water for at least 20 seconds. If soap and water are not readily available, use an alcohol based hand sanitizer that contains at least 60% alcohol. Avoid touching eyes, nose, and mouth with unwashed hands.
- To cough or sneeze, cover mouth and nose with a tissue and immediately dispose of it. If no tissue is available, cough/sneeze into the inside of elbow, not hands. Wash hands thoroughly with soap and water immediately following.
- Avoid sharing eating utensils, towels, linens, clothes or other items. Wash items thoroughly with soap and water.
- Practice physical distancing. This includes avoiding crowded public places where close contact with others may occur. Maintain distance of 6 feet (2 meters) from others, when possible. Avoid contact with people who are sick.
- Use household detergent and water to clean frequently touched surfaces such as tabletops, light switches, handles, phones, keyboards, toilets, faucets, and doorknobs. Dirty surfaces should be cleaned, then disinfected using common household disinfectant.

If you have additional questions please contact your primary provider. It has been our great privilege in assisting you in your healthcare.

08/24/2020

To: [REDACTED]

Your COVID-19 test result is Negative.

If you feel well and do not have a fever or cough, you may go about your normal activity abiding by your state and local health department recommendation in regards to 'Stay at Home' or 'Shelter in Place' orders. There are times when a second test is needed. Contact your primary health care provider or local Public Health Department if you have a question about re-testing.

Regardless of your result, it is still important for you to take the following actions for care at home:

- Wash hands thoroughly and frequently with soap and water for at least 20 seconds. If soap and water are not readily available, use an alcohol based hand sanitizer that contains at least 60% alcohol. Avoid touching eyes, nose, and mouth with unwashed hands.
- To cough or sneeze, cover mouth and nose with a tissue and immediately dispose of it. If no tissue is available, cough/sneeze into the inside of elbow, not hands. Wash hands thoroughly with soap and water immediately following.
- Avoid sharing eating utensils, towels, linens, clothes or other items. Wash items thoroughly with soap and water.
- Practice physical distancing. This includes avoiding crowded public places where close contact with others may occur. Maintain distance of 6 feet (2 meters) from others, when possible. Avoid contact with people who are sick.
- Use household detergent and water to clean frequently touched surfaces such as tabletops, light switches, handles, phones, keyboards, toilets, faucets, and doorknobs. Dirty surfaces should be cleaned, then disinfected using common household disinfectant.

If you have additional questions please contact your primary provider. It has been our great privilege in assisting you in your healthcare.

08/24/2020

To: [REDACTED]

Your COVID-19 test result is Negative.

If you feel well and do not have a fever or cough, you may go about your normal activity abiding by your state and local health department recommendation in regards to 'Stay at Home' or 'Shelter in Place' orders. There are times when a second test is needed. Contact your primary health care provider or local Public Health Department if you have a question about re-testing.

Regardless of your result, it is still important for you to take the following actions for care at home:

- Wash hands thoroughly and frequently with soap and water for at least 20 seconds. If soap and water are not readily available, use an alcohol based hand sanitizer that contains at least 60% alcohol. Avoid touching eyes, nose, and mouth with unwashed hands.
- To cough or sneeze, cover mouth and nose with a tissue and immediately dispose of it. If no tissue is available, cough/sneeze into the inside of elbow, not hands. Wash hands thoroughly with soap and water immediately following.
- Avoid sharing eating utensils, towels, linens, clothes or other items. Wash items thoroughly with soap and water.
- Practice physical distancing. This includes avoiding crowded public places where close contact with others may occur. Maintain distance of 6 feet (2 meters) from others, when possible. Avoid contact with people who are sick.
- Use household detergent and water to clean frequently touched surfaces such as tabletops, light switches, handles, phones, keyboards, toilets, faucets, and doorknobs. Dirty surfaces should be cleaned, then disinfected using common household disinfectant.

If you have additional questions please contact your primary provider. It has been our great privilege in assisting you in your healthcare.

08/23/2020

To: [REDACTED]

Your COVID-19 test result is Negative.

If you feel well and do not have a fever or cough, you may go about your normal activity abiding by your state and local health department recommendation in regards to 'Stay at Home' or 'Shelter in Place' orders. There are times when a second test is needed. Contact your primary health care provider or local Public Health Department if you have a question about re-testing.

Regardless of your result, it is still important for you to take the following actions for care at home:

- Wash hands thoroughly and frequently with soap and water for at least 20 seconds. If soap and water are not readily available, use an alcohol based hand sanitizer that contains at least 60% alcohol. Avoid touching eyes, nose, and mouth with unwashed hands.
- To cough or sneeze, cover mouth and nose with a tissue and immediately dispose of it. If no tissue is available, cough/sneeze into the inside of elbow, not hands. Wash hands thoroughly with soap and water immediately following.
- Avoid sharing eating utensils, towels, linens, clothes or other items. Wash items thoroughly with soap and water.
- Practice physical distancing. This includes avoiding crowded public places where close contact with others may occur. Maintain distance of 6 feet (2 meters) from others, when possible. Avoid contact with people who are sick.
- Use household detergent and water to clean frequently touched surfaces such as tabletops, light switches, handles, phones, keyboards, toilets, faucets, and doorknobs. Dirty surfaces should be cleaned, then disinfected using common household disinfectant.

If you have additional questions please contact your primary provider. It has been our great privilege in assisting you in your healthcare.

08/23/2020

To: [REDACTED]

Your COVID-19 test result is Negative.

If you feel well and do not have a fever or cough, you may go about your normal activity abiding by your state and local health department recommendation in regards to 'Stay at Home' or 'Shelter in Place' orders. There are times when a second test is needed. Contact your primary health care provider or local Public Health Department if you have a question about re-testing.

Regardless of your result, it is still important for you to take the following actions for care at home:

- Wash hands thoroughly and frequently with soap and water for at least 20 seconds. If soap and water are not readily available, use an alcohol based hand sanitizer that contains at least 60% alcohol. Avoid touching eyes, nose, and mouth with unwashed hands.
- To cough or sneeze, cover mouth and nose with a tissue and immediately dispose of it. If no tissue is available, cough/sneeze into the inside of elbow, not hands. Wash hands thoroughly with soap and water immediately following.
- Avoid sharing eating utensils, towels, linens, clothes or other items. Wash items thoroughly with soap and water.
- Practice physical distancing. This includes avoiding crowded public places where close contact with others may occur. Maintain distance of 6 feet (2 meters) from others, when possible. Avoid contact with people who are sick.
- Use household detergent and water to clean frequently touched surfaces such as tabletops, light switches, handles, phones, keyboards, toilets, faucets, and doorknobs. Dirty surfaces should be cleaned, then disinfected using common household disinfectant.

If you have additional questions please contact your primary provider. It has been our great privilege in assisting you in your healthcare.

08/24/2020

To: [REDACTED]

Your COVID-19 test result is Negative.

If you feel well and do not have a fever or cough, you may go about your normal activity abiding by your state and local health department recommendation in regards to 'Stay at Home' or 'Shelter in Place' orders. There are times when a second test is needed. Contact your primary health care provider or local Public Health Department if you have a question about re-testing.

Regardless of your result, it is still important for you to take the following actions for care at home:

- Wash hands thoroughly and frequently with soap and water for at least 20 seconds. If soap and water are not readily available, use an alcohol based hand sanitizer that contains at least 60% alcohol. Avoid touching eyes, nose, and mouth with unwashed hands.
- To cough or sneeze, cover mouth and nose with a tissue and immediately dispose of it. If no tissue is available, cough/sneeze into the inside of elbow, not hands. Wash hands thoroughly with soap and water immediately following.
- Avoid sharing eating utensils, towels, linens, clothes or other items. Wash items thoroughly with soap and water.
- Practice physical distancing. This includes avoiding crowded public places where close contact with others may occur. Maintain distance of 6 feet (2 meters) from others, when possible. Avoid contact with people who are sick.
- Use household detergent and water to clean frequently touched surfaces such as tabletops, light switches, handles, phones, keyboards, toilets, faucets, and doorknobs. Dirty surfaces should be cleaned, then disinfected using common household disinfectant.

If you have additional questions please contact your primary provider. It has been our great privilege in assisting you in your healthcare.



08/23/2020

To: [REDACTED]

Your COVID-19 test result is Negative.

If you feel well and do not have a fever or cough, you may go about your normal activity abiding by your state and local health department recommendation in regards to 'Stay at Home' or 'Shelter in Place' orders. There are times when a second test is needed. Contact your primary health care provider or local Public Health Department if you have a question about re-testing.

Regardless of your result, it is still important for you to take the following actions for care at home:

- Wash hands thoroughly and frequently with soap and water for at least 20 seconds. If soap and water are not readily available, use an alcohol based hand sanitizer that contains at least 60% alcohol. Avoid touching eyes, nose, and mouth with unwashed hands.
- To cough or sneeze, cover mouth and nose with a tissue and immediately dispose of it. If no tissue is available, cough/sneeze into the inside of elbow, not hands. Wash hands thoroughly with soap and water immediately following.
- Avoid sharing eating utensils, towels, linens, clothes or other items. Wash items thoroughly with soap and water.
- Practice physical distancing. This includes avoiding crowded public places where close contact with others may occur. Maintain distance of 6 feet (2 meters) from others, when possible. Avoid contact with people who are sick.
- Use household detergent and water to clean frequently touched surfaces such as tabletops, light switches, handles, phones, keyboards, toilets, faucets, and doorknobs. Dirty surfaces should be cleaned, then disinfected using common household disinfectant.

If you have additional questions please contact your primary provider. It has been our great privilege in assisting you in your healthcare.

08/24/2020

To: [REDACTED]

Your COVID-19 test result is Negative.

If you feel well and do not have a fever or cough, you may go about your normal activity abiding by your state and local health department recommendation in regards to 'Stay at Home' or 'Shelter in Place' orders. There are times when a second test is needed. Contact your primary health care provider or local Public Health Department if you have a question about re-testing.

Regardless of your result, it is still important for you to take the following actions for care at home:

- Wash hands thoroughly and frequently with soap and water for at least 20 seconds. If soap and water are not readily available, use an alcohol based hand sanitizer that contains at least 60% alcohol. Avoid touching eyes, nose, and mouth with unwashed hands.
- To cough or sneeze, cover mouth and nose with a tissue and immediately dispose of it. If no tissue is available, cough/sneeze into the inside of elbow, not hands. Wash hands thoroughly with soap and water immediately following.
- Avoid sharing eating utensils, towels, linens, clothes or other items. Wash items thoroughly with soap and water.
- Practice physical distancing. This includes avoiding crowded public places where close contact with others may occur. Maintain distance of 6 feet (2 meters) from others, when possible. Avoid contact with people who are sick.
- Use household detergent and water to clean frequently touched surfaces such as tabletops, light switches, handles, phones, keyboards, toilets, faucets, and doorknobs. Dirty surfaces should be cleaned, then disinfected using common household disinfectant.

If you have additional questions please contact your primary provider. It has been our great privilege in assisting you in your healthcare.

08/23/2020

To: [REDACTED]

Your COVID-19 test result is Negative.

If you feel well and do not have a fever or cough, you may go about your normal activity abiding by your state and local health department recommendation in regards to 'Stay at Home' or 'Shelter in Place' orders. There are times when a second test is needed. Contact your primary health care provider or local Public Health Department if you have a question about re-testing.

Regardless of your result, it is still important for you to take the following actions for care at home:

- Wash hands thoroughly and frequently with soap and water for at least 20 seconds. If soap and water are not readily available, use an alcohol based hand sanitizer that contains at least 60% alcohol. Avoid touching eyes, nose, and mouth with unwashed hands.
- To cough or sneeze, cover mouth and nose with a tissue and immediately dispose of it. If no tissue is available, cough/sneeze into the inside of elbow, not hands. Wash hands thoroughly with soap and water immediately following.
- Avoid sharing eating utensils, towels, linens, clothes or other items. Wash items thoroughly with soap and water.
- Practice physical distancing. This includes avoiding crowded public places where close contact with others may occur. Maintain distance of 6 feet (2 meters) from others, when possible. Avoid contact with people who are sick.
- Use household detergent and water to clean frequently touched surfaces such as tabletops, light switches, handles, phones, keyboards, toilets, faucets, and doorknobs. Dirty surfaces should be cleaned, then disinfected using common household disinfectant.

If you have additional questions please contact your primary provider. It has been our great privilege in assisting you in your healthcare.

**Patient Report**Specimen ID: [REDACTED]
Control ID: [REDACTED]

Acct #: 04122570

Phone: (559) 852-2927

Rte: 00

Kings Co Adult Jail
1570 Kings Co Drive
Hanford CA 93230**Patient Details**DOB: [REDACTED]
Age(y/m/d): [REDACTED]
Gender: [REDACTED]
Patient ID: [REDACTED]**Specimen Details**Date collected: 07/27/2020 0000 Local
Date received: 07/31/2020
Date entered: 07/31/2020
Date reported: 08/02/2020 0707 ET**Physician Details**Ordering: S GUSTAVESO
Referring:
ID:
NPI: 1598777559**General Comments & Additional Information**

Total Volume: Not Provided

Fasting: No

Ordered Items

SARS-CoV-2, NAA

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
SARS-CoV-2, NAA	Detected Abnormal			Not Detected	01
Testing was performed using the cobas(R) SARS-CoV-2 test. This test was developed and its performance characteristics determined by LabCorp Laboratories. This test has not been FDA cleared or approved. This test has been authorized by FDA under an Emergency Use Authorization (EUA). This test is only authorized for the duration of time the declaration that circumstances exist justifying the authorization of the emergency use of in vitro diagnostic tests for detection of SARS-CoV-2 virus and/or diagnosis of COVID-19 infection under section 564(b)(1) of the Act, 21 U.S.C. 360bbb-3(b)(1), unless the authorization is terminated or revoked sooner. When diagnostic testing is negative, the possibility of a false negative result should be considered in the context of a patient's recent exposures and the presence of clinical signs and symptoms consistent with COVID-19. An individual without symptoms of COVID-19 and who is not shedding SARS-CoV-2 virus would expect to have a negative (not detected) result in this assay.					

01 CETWE LabCorp Phoenix
5005 S 40th St, Phoenix, AZ 85040-2969

Dir: Earle Collum, MD

For inquiries, the physician may contact Branch: 800-888-1113 Lab: 800-788-9743

**Patient Report****Specimen ID:** [REDACTED]
Control ID: [REDACTED]**Acct #:** 04122570**Phone:** (559) 852-2927**Rte:** 00Kings Co Adult Jail
1570 Kings Co Drive
Hanford CA 93230**Patient Details****DOB:** [REDACTED]
Age(y/m/d): [REDACTED]
Gender: [REDACTED]
Patient ID: [REDACTED]**Specimen Details****Date collected:** 08/18/2020 1015 Local
Date received: 08/18/2020
Date entered: 08/18/2020
Date reported: 08/20/2020 1309 ET**Physician Details****Ordering:**
Referring:
ID:
NPI:**Ordered Items**

SARS-CoV-2, NAA; Please note; One Specimen Identifier

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
-------	--------	------	-------	--------------------	-----

SARS-CoV-2, NAA	Not Detected			Not Detected	01
-----------------	--------------	--	--	--------------	----

Testing was performed using the Abbott RealTime SARS-CoV-2 assay. This test was developed and its performance characteristics determined by LabCorp Laboratories. This test has not been FDA cleared or approved. This test has been authorized by FDA under an Emergency Use Authorization (EUA). This test is only authorized for the duration of time the declaration that circumstances exist justifying the authorization of the emergency use of in vitro diagnostic tests for detection of SARS-CoV-2 virus and/or diagnosis of COVID-19 infection under section 564(b)(1) of the Act, 21 U.S.C. 360bbb-3(b)(1), unless the authorization is terminated or revoked sooner. When diagnostic testing is negative, the possibility of a false negative result should be considered in the context of a patient's recent exposures and the presence of clinical signs and symptoms consistent with COVID-19. An individual without symptoms of COVID-19 and who is not shedding SARS-CoV-2 virus would expect to have a negative (not detected) result in this assay.

Please note

01

The date and/or time of collection was not indicated on the requisition as required by state and federal law. The date of receipt of the specimen was used as the collection date if not supplied.

One Specimen Identifier

01

The specimen received included only one patient identifier on the primary collection container. Our laboratory accrediting agency states "All primary specimen containers must be labeled with 2 identifiers at the time of collection."

01	L9	Monogram Biosciences Inc 345 Oyster Point Blvd, S San Francisco, CA 94080-1913	Dir: Weidong Huang, MD
----	----	---	------------------------

For inquiries, the physician may contact **Branch: 800-888-1113 Lab: 800-777-0177**



Patient Report

Specimen ID: [REDACTED]
Control ID: [REDACTED]

Acct #: 04122570

Phone: (559) 852-2927

Rte: 00

Kings Co Adult Jail
1570 Kings Co Drive
Hanford CA 93230

Patient Details

DOB: [REDACTED]
Age(y/m/d): [REDACTED]
Gender: [REDACTED]
Patient ID: [REDACTED]

Specimen Details

Date collected: 08/18/2020 1240 Local
Date received: 08/19/2020
Date entered: 08/19/2020
Date reported: 08/20/2020 1109 ET

Physician Details

Ordering: S GUSTAVESO
Referring:
ID:
NPI: 1598777559

Ordered Items

SARS-CoV-2, NAA

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
SARS-CoV-2, NAA	Not Detected			Not Detected	01

Testing was performed using the Aptima SARS-CoV-2 assay. This test was developed and its performance characteristics determined by LabCorp Laboratories. This test has not been FDA cleared or approved. This test has been authorized by FDA under an Emergency Use Authorization (EUA). This test is only authorized for the duration of time the declaration that circumstances exist justifying the authorization of the emergency use of in vitro diagnostic tests for detection of SARS-CoV-2 virus and/or diagnosis of COVID-19 infection under section 564(b)(1) of the Act, 21 U.S.C. 360bbb-3(b)(1), unless the authorization is terminated or revoked sooner. When diagnostic testing is negative, the possibility of a false negative result should be considered in the context of a patient's recent exposures and the presence of clinical signs and symptoms consistent with COVID-19. An individual without symptoms of COVID-19 and who is not shedding SARS-CoV-2 virus would expect to have a negative (not detected) result in this assay.

01 SO LabCorp San Diego
13112 Evening Creek Dr So Ste 200, San Diego, CA
92128-4108

Dir: Jenny Galloway, MD

For inquiries, the physician may contact Branch: 800-888-1113 Lab: 858-668-3700

**Patient Report****Specimen ID:** [REDACTED]
Control ID: [REDACTED]**Acct #:** 04122570**Phone:** (559) 852-2927**Rte:** 00Kings Co Adult Jail
1570 Kings Co Drive
Hanford CA 93230**Patient Details****DOB:** [REDACTED]
Age(y/m/d): [REDACTED]
Gender: [REDACTED]
Patient ID: [REDACTED]**Specimen Details****Date collected:** 09/11/2020 1000 Local
Date received: 09/15/2020
Date entered: 09/15/2020
Date reported: 09/16/2020 0816 ET**Physician Details****Ordering:**
Referring:
ID:
NPI:**Ordered Items**

SARS-CoV-2, NAA

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
-------	--------	------	-------	--------------------	-----

SARS-CoV-2, NAA	Not Detected			Not Detected	01
-----------------	--------------	--	--	--------------	----

This nucleic acid amplification test was developed and its performance characteristics determined by LabCorp Laboratories. Nucleic acid amplification tests include PCR and TMA. This test has not been FDA cleared or approved. This test has been authorized by FDA under an Emergency Use Authorization (EUA). This test is only authorized for the duration of time the declaration that circumstances exist justifying the authorization of the emergency use of in vitro diagnostic tests for detection of SARS-CoV-2 virus and/or diagnosis of COVID-19 infection under section 564(b)(1) of the Act, 21 U.S.C. 360bbb-3(b)(1), unless the authorization is terminated or revoked sooner.

When diagnostic testing is negative, the possibility of a false negative result should be considered in the context of a patient's recent exposures and the presence of clinical signs and symptoms consistent with COVID-19. An individual without symptoms of COVID-19 and who is not shedding SARS-CoV-2 virus would expect to have a negative (not detected) result in this assay.

01 SEQCO Integrated Genetics Sequenom
3595 John Hopkins Court, San Diego, CA 92121-1121

Dir: Phillip Cacheris, MDPhD

For inquiries, the physician may contact **Branch: 800-888-1113 Lab: 877-821-7266**

**Patient Report**Specimen ID: [REDACTED]
Control ID: [REDACTED]

Acct #: 04122570

Phone: (559) 852-2927

Rte: 00

Kings Co Adult Jail
1570 Kings Co Drive
Hanford CA 93230**Patient Details**DOB: [REDACTED]
Age(y/m/d): [REDACTED]
Gender: [REDACTED]
Patient ID: [REDACTED]**Specimen Details**Date collected: 10/05/2020 1600 Local
Date received: 10/06/2020
Date entered: 10/06/2020
Date reported: 10/07/2020 0709 ET**Physician Details**Ordering: S GUSTAVESO
Referring:
ID:
NPI: 1598777559**General Comments & Additional Information**

Total Volume: Not Provided

Fasting: No

Ordered Items

SARS-CoV-2, NAA

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
SARS-CoV-2, NAA	Detected Abnormal			Not Detected	01
<p>This nucleic acid amplification test was developed and its performance characteristics determined by LabCorp Laboratories. Nucleic acid amplification tests include PCR and TMA. This test has not been FDA cleared or approved. This test has been authorized by FDA under an Emergency Use Authorization (EUA). This test is only authorized for the duration of time the declaration that circumstances exist justifying the authorization of the emergency use of in vitro diagnostic tests for detection of SARS-CoV-2 virus and/or diagnosis of COVID-19 infection under section 564(b) (1) of the Act, 21 U.S.C. 360bbb-3(b) (1), unless the authorization is terminated or revoked sooner.</p> <p>When diagnostic testing is negative, the possibility of a false negative result should be considered in the context of a patient's recent exposures and the presence of clinical signs and symptoms consistent with COVID-19. An individual without symptoms of COVID-19 and who is not shedding SARS-CoV-2 virus would expect to have a negative (not detected) result in this assay.</p>					

01 SEQCO Integrated Genetics Sequenom
3595 John Hopkins Court, San Diego, CA 92121-1121

Dir: Phillip Cacheris, MDPhD

For inquiries, the physician may contact Branch: 800-888-1113 Lab: 877-821-7266

**Patient Report**Specimen ID: [REDACTED]
Control ID: [REDACTED]

Acct #: 04122570

Phone: (559) 852-2927

Rte: 00

Kings Co Adult Jail
1570 Kings Co Drive
Hanford CA 93230**Patient Details**DOB: [REDACTED]
Age(y/m/d): [REDACTED]
Gender: [REDACTED]
Patient ID: [REDACTED]**Specimen Details**Date collected: 10/08/2020 1300 Local
Date received: 10/09/2020
Date entered: 10/09/2020
Date reported: 10/10/2020 0910 ET**Physician Details**Ordering: S GUSTAVESO
Referring:
ID:
NPI: 1598777559**General Comments & Additional Information**

Alternate Control Number: [REDACTED]

Alternate Patient ID: Not Provided

Ordered Items

SARS-CoV-2, NAA

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
SARS-CoV-2, NAA	Not Detected			Not Detected	01
<p>This nucleic acid amplification test was developed and its performance characteristics determined by LabCorp Laboratories. Nucleic acid amplification tests include PCR and TMA. This test has not been FDA cleared or approved. This test has been authorized by FDA under an Emergency Use Authorization (EUA). This test is only authorized for the duration of time the declaration that circumstances exist justifying the authorization of the emergency use of in vitro diagnostic tests for detection of SARS-CoV-2 virus and/or diagnosis of COVID-19 infection under section 564(b)(1) of the Act, 21 U.S.C. 360bbb-3(b)(1), unless the authorization is terminated or revoked sooner.</p> <p>When diagnostic testing is negative, the possibility of a false negative result should be considered in the context of a patient's recent exposures and the presence of clinical signs and symptoms consistent with COVID-19. An individual without symptoms of COVID-19 and who is not shedding SARS-CoV-2 virus would expect to have a negative (not detected) result in this assay.</p>					

01 SEQCO Integrated Genetics Sequenom
3595 John Hopkins Court, San Diego, CA 92121-1121

Dir: Phillip Cacheris, MDPhD

For inquiries, the physician may contact Branch: 800-888-1113 Lab: 877-821-7266

**Patient Report**Specimen ID: [REDACTED]
Control ID: [REDACTED]

Acct #: 04122570

Phone: (559) 852-2927

Rte: 00

Kings Co Adult Jail
1570 Kings Co Drive
Hanford CA 93230**Patient Details**DOB: [REDACTED]
Age(y/m/d): [REDACTED]
Gender: [REDACTED]
Patient ID: [REDACTED]**Specimen Details**Date collected: 10/08/2020 0000 Local
Date received: 10/09/2020
Date entered: 10/09/2020
Date reported: 10/10/2020 0910 ET**Physician Details**Ordering: S GUSTAVESO
Referring:
ID:
NPI: 1598777559**General Comments & Additional Information**

Alternate Control Number: [REDACTED]

Alternate Patient ID: Not Provided

Ordered Items

SARS-CoV-2, NAA

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
SARS-CoV-2, NAA	Not Detected			Not Detected	01
<p>This nucleic acid amplification test was developed and its performance characteristics determined by LabCorp Laboratories. Nucleic acid amplification tests include PCR and TMA. This test has not been FDA cleared or approved. This test has been authorized by FDA under an Emergency Use Authorization (EUA). This test is only authorized for the duration of time the declaration that circumstances exist justifying the authorization of the emergency use of in vitro diagnostic tests for detection of SARS-CoV-2 virus and/or diagnosis of COVID-19 infection under section 564(b)(1) of the Act, 21 U.S.C. 360bbb-3(b)(1), unless the authorization is terminated or revoked sooner.</p> <p>When diagnostic testing is negative, the possibility of a false negative result should be considered in the context of a patient's recent exposures and the presence of clinical signs and symptoms consistent with COVID-19. An individual without symptoms of COVID-19 and who is not shedding SARS-CoV-2 virus would expect to have a negative (not detected) result in this assay.</p>					

01 SEQCO Integrated Genetics Sequenom
3595 John Hopkins Court, San Diego, CA 92121-1121

Dir: Phillip Cacheris, MDPhD

For inquiries, the physician may contact Branch: 800-888-1113 Lab: 877-821-7266

**Patient Report**Specimen ID: [REDACTED]
Control ID: [REDACTED]

Acct #: 04122570

Phone: (559) 852-2927

Rte: 00

Kings Co Adult Jail
1570 Kings Co Drive
Hanford CA 93230**Patient Details**DOB: [REDACTED]
Age(y/m/d): [REDACTED]
Gender: [REDACTED]
Patient ID: [REDACTED]**Specimen Details**Date collected: 10/08/2020 1238 Local
Date received: 10/09/2020
Date entered: 10/09/2020
Date reported: 10/10/2020 0910 ET**Physician Details**Ordering: S GUSTAVESO
Referring:
ID:
NPI: 1598777559**General Comments & Additional Information**

Alternate Control Number: [REDACTED]

Alternate Patient ID: Not Provided

Ordered Items

SARS-CoV-2, NAA

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
SARS-CoV-2, NAA	Not Detected			Not Detected	01
<p>This nucleic acid amplification test was developed and its performance characteristics determined by LabCorp Laboratories. Nucleic acid amplification tests include PCR and TMA. This test has not been FDA cleared or approved. This test has been authorized by FDA under an Emergency Use Authorization (EUA). This test is only authorized for the duration of time the declaration that circumstances exist justifying the authorization of the emergency use of in vitro diagnostic tests for detection of SARS-CoV-2 virus and/or diagnosis of COVID-19 infection under section 564(b)(1) of the Act, 21 U.S.C. 360bbb-3(b)(1), unless the authorization is terminated or revoked sooner.</p> <p>When diagnostic testing is negative, the possibility of a false negative result should be considered in the context of a patient's recent exposures and the presence of clinical signs and symptoms consistent with COVID-19. An individual without symptoms of COVID-19 and who is not shedding SARS-CoV-2 virus would expect to have a negative (not detected) result in this assay.</p>					

01 SEQCO Integrated Genetics Sequenom
3595 John Hopkins Court, San Diego, CA 92121-1121

Dir: Phillip Cacheris, MDPhD

For inquiries, the physician may contact Branch: 800-888-1113 Lab: 877-821-7266



Patient Report


Specimen ID: [REDACTED]
Control ID: [REDACTED]

Acct #: 04122570

Phone: (559) 852-2927

Rte: 00

Kings Co Adult Jail
1570 Kings Co Drive
Hanford CA 93230



Patient Details

DOB: [REDACTED]
Age(y/m/d): [REDACTED]
Gender: [REDACTED]
Patient ID: [REDACTED]

Specimen Details

Date collected: 10/08/2020 1300 Local
Date received: 10/09/2020
Date entered: 10/09/2020
Date reported: 10/10/2020 0910 ET

Physician Details

Ordering: S GUSTAVESO
Referring:
ID:
NPI: 1598777559

General Comments & Additional Information

Alternate Control Number: [REDACTED]

Alternate Patient ID: Not Provided

Ordered Items

SARS-CoV-2, NAA

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
-------	--------	------	-------	--------------------	-----

SARS-CoV-2, NAA	Not Detected			Not Detected	01
-----------------	--------------	--	--	--------------	----

This nucleic acid amplification test was developed and its performance characteristics determined by LabCorp Laboratories. Nucleic acid amplification tests include PCR and TMA. This test has not been FDA cleared or approved. This test has been authorized by FDA under an Emergency Use Authorization (EUA). This test is only authorized for the duration of time the declaration that circumstances exist justifying the authorization of the emergency use of in vitro diagnostic tests for detection of SARS-CoV-2 virus and/or diagnosis of COVID-19 infection under section 564(b)(1) of the Act, 21 U.S.C. 360bbb-3(b)(1), unless the authorization is terminated or revoked sooner.


When diagnostic testing is negative, the possibility of a false negative result should be considered in the context of a patient's recent exposures and the presence of clinical signs and symptoms consistent with COVID-19. An individual without symptoms of COVID-19 and who is not shedding SARS-CoV-2 virus would expect to have a negative (not detected) result in this assay.

01 SEQCO Integrated Genetics Sequenom

3595 John Hopkins Court, San Diego, CA 92121-1121

Dir: Phillip Cacheris, MD PhD

For inquiries, the physician may contact Branch: 800-888-1113 Lab: 877-821-7266

**Patient Report****Specimen ID:** [REDACTED]
Control ID: [REDACTED]**Acct #:** 04122570**Phone:** (559) 852-2927**Rte:** 00Kings Co Adult Jail
1570 Kings Co Drive
Hanford CA 93230**Patient Details****DOB:** [REDACTED]
Age(y/m/d): [REDACTED]
Gender: [REDACTED]
Patient ID: [REDACTED]**Specimen Details****Date collected:** 10/08/2020 1300 Local
Date received: 10/09/2020
Date entered: 10/09/2020
Date reported: 10/10/2020 0910 ET**Physician Details****Ordering:** S GUSTAVESO
Referring:
ID:
NPI: 1598777559**Ordered Items**

SARS-CoV-2, NAA

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
-------	--------	------	-------	--------------------	-----

SARS-CoV-2, NAA	Not Detected			Not Detected	01
-----------------	--------------	--	--	--------------	----

This nucleic acid amplification test was developed and its performance characteristics determined by LabCorp Laboratories. Nucleic acid amplification tests include PCR and TMA. This test has not been FDA cleared or approved. This test has been authorized by FDA under an Emergency Use Authorization (EUA). This test is only authorized for the duration of time the declaration that circumstances exist justifying the authorization of the emergency use of in vitro diagnostic tests for detection of SARS-CoV-2 virus and/or diagnosis of COVID-19 infection under section 564(b)(1) of the Act, 21 U.S.C. 360bbb-3(b)(1), unless the authorization is terminated or revoked sooner.

When diagnostic testing is negative, the possibility of a false negative result should be considered in the context of a patient's recent exposures and the presence of clinical signs and symptoms consistent with COVID-19. An individual without symptoms of COVID-19 and who is not shedding SARS-CoV-2 virus would expect to have a negative (not detected) result in this assay.

01 SEQCO Integrated Genetics Sequenom
3595 John Hopkins Court, San Diego, CA 92121-1121

Dir: Phillip Cacheris, MDPhD

For inquiries, the physician may contact **Branch:** 800-888-1113 **Lab:** 877-821-7266

**Patient Report**Specimen ID: [REDACTED]
Control ID: [REDACTED]

Acct #: 04122570

Phone: (559) 852-2927

Rte: 00

Kings Co Adult Jail
1570 Kings Co Drive
Hanford CA 93230**Patient Details**DOB: [REDACTED]
Age(y/m/d): [REDACTED]
Gender: [REDACTED]
Patient ID: [REDACTED]**Specimen Details**Date collected: 10/08/2020 1300 Local
Date received: 10/09/2020
Date entered: 10/09/2020
Date reported: 10/10/2020 0910 ET**Physician Details**Ordering: S GUSTAVESO
Referring:
ID:
NPI: 1598777559**General Comments & Additional Information**Alternate Control Number: [REDACTED]
Total Volume: Not ProvidedAlternate Patient ID: Not Provided
Fasting: No**Ordered Items**

SARS-CoV-2, NAA

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
SARS-CoV-2, NAA	Not Detected			Not Detected	01
<p>This nucleic acid amplification test was developed and its performance characteristics determined by LabCorp Laboratories. Nucleic acid amplification tests include PCR and TMA. This test has not been FDA cleared or approved. This test has been authorized by FDA under an Emergency Use Authorization (EUA). This test is only authorized for the duration of time the declaration that circumstances exist justifying the authorization of the emergency use of in vitro diagnostic tests for detection of SARS-CoV-2 virus and/or diagnosis of COVID-19 infection under section 564(b)(1) of the Act, 21 U.S.C. 360bbb-3(b)(1), unless the authorization is terminated or revoked sooner.</p> <p>When diagnostic testing is negative, the possibility of a false negative result should be considered in the context of a patient's recent exposures and the presence of clinical signs and symptoms consistent with COVID-19. An individual without symptoms of COVID-19 and who is not shedding SARS-CoV-2 virus would expect to have a negative (not detected) result in this assay.</p>					

01 SEQCO Integrated Genetics Sequenom
3595 John Hopkins Court, San Diego, CA 92121-1121

Dir: Phillip Cacheris, MDPhD

For inquiries, the physician may contact Branch: 800-888-1113 Lab: 877-821-7266

**Patient Report**Specimen ID: [REDACTED]
Control ID: [REDACTED]

Acct #: 04122570

Phone: (559) 852-2927

Rte: 00

Kings Co Adult Jail
1570 Kings Co Drive
Hanford CA 93230**Patient Details**DOB: [REDACTED]
Age(y/m/d): [REDACTED]
Gender: [REDACTED]
Patient ID: [REDACTED]**Specimen Details**Date collected: 10/08/2020 1305 Local
Date received: 10/09/2020
Date entered: 10/09/2020
Date reported: 10/10/2020 0910 ET**Physician Details**Ordering: S GUSTAVESO
Referring:
ID:
NPI: 1598777559**General Comments & Additional Information**

Alternate Control Number: [REDACTED]

Alternate Patient ID: Not Provided

Ordered Items

SARS-CoV-2, NAA

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
SARS-CoV-2, NAA	Not Detected			Not Detected	01
<p>This nucleic acid amplification test was developed and its performance characteristics determined by LabCorp Laboratories. Nucleic acid amplification tests include PCR and TMA. This test has not been FDA cleared or approved. This test has been authorized by FDA under an Emergency Use Authorization (EUA). This test is only authorized for the duration of time the declaration that circumstances exist justifying the authorization of the emergency use of in vitro diagnostic tests for detection of SARS-CoV-2 virus and/or diagnosis of COVID-19 infection under section 564(b)(1) of the Act, 21 U.S.C. 360bbb-3(b)(1), unless the authorization is terminated or revoked sooner.</p> <p>When diagnostic testing is negative, the possibility of a false negative result should be considered in the context of a patient's recent exposures and the presence of clinical signs and symptoms consistent with COVID-19. An individual without symptoms of COVID-19 and who is not shedding SARS-CoV-2 virus would expect to have a negative (not detected) result in this assay.</p>					

01 SEQCO Integrated Genetics Sequenom
3595 John Hopkins Court, San Diego, CA 92121-1121

Dir: Phillip Cacheris, MDPhD

For inquiries, the physician may contact Branch: 800-888-1113 Lab: 877-821-7266

**Patient Report**Specimen ID: [REDACTED]
Control ID: [REDACTED]

Acct #: 04122570

Phone: (559) 852-2927

Rte: 00

Kings Co Adult Jail
1570 Kings Co Drive
Hanford CA 93230**Patient Details**DOB: [REDACTED]
Age(y/m/d): [REDACTED]
Gender: [REDACTED]
Patient ID: [REDACTED]**Specimen Details**Date collected: 10/08/2020 1305 Local
Date received: 10/09/2020
Date entered: 10/09/2020
Date reported: 10/10/2020 0910 ET**Physician Details**Ordering: S GUSTAVESO
Referring:
ID:
NPI: 1598777559**General Comments & Additional Information**

Alternate Control Number: [REDACTED]

Alternate Patient ID: [REDACTED]

Ordered Items

SARS-CoV-2, NAA

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
SARS-CoV-2, NAA	Not Detected			Not Detected	01
<p>This nucleic acid amplification test was developed and its performance characteristics determined by LabCorp Laboratories. Nucleic acid amplification tests include PCR and TMA. This test has not been FDA cleared or approved. This test has been authorized by FDA under an Emergency Use Authorization (EUA). This test is only authorized for the duration of time the declaration that circumstances exist justifying the authorization of the emergency use of in vitro diagnostic tests for detection of SARS-CoV-2 virus and/or diagnosis of COVID-19 infection under section 564(b)(1) of the Act, 21 U.S.C. 360bbb-3(b)(1), unless the authorization is terminated or revoked sooner.</p> <p>When diagnostic testing is negative, the possibility of a false negative result should be considered in the context of a patient's recent exposures and the presence of clinical signs and symptoms consistent with COVID-19. An individual without symptoms of COVID-19 and who is not shedding SARS-CoV-2 virus would expect to have a negative (not detected) result in this assay.</p>					

01 SEQCO Integrated Genetics Sequenom
3595 John Hopkins Court, San Diego, CA 92121-1121

Dir: Phillip Cacheris, MDPhD

For inquiries, the physician may contact Branch: 800-888-1113 Lab: 877-821-7266

**Patient Report**Specimen ID: [REDACTED]
Control ID: [REDACTED]

Acct #: 04122570

Phone: (559) 852-2927

Rte: 00

Kings Co Adult Jail
1570 Kings Co Drive
Hanford CA 93230**Patient Details**DOB: [REDACTED]
Age(y/m/d): [REDACTED]
Gender: [REDACTED]
Patient ID: [REDACTED]**Specimen Details**Date collected: 10/08/2020 1305 Local
Date received: 10/09/2020
Date entered: 10/09/2020
Date reported: 10/10/2020 0910 ET**Physician Details**Ordering: S GUSTAVESO
Referring:
ID:
NPI: 1598777559**General Comments & Additional Information**

Alternate Control Number: [REDACTED]

Alternate Patient ID: Not Provided

Ordered Items

SARS-CoV-2, NAA

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
SARS-CoV-2, NAA	Not Detected			Not Detected	01
<p>This nucleic acid amplification test was developed and its performance characteristics determined by LabCorp Laboratories. Nucleic acid amplification tests include PCR and TMA. This test has not been FDA cleared or approved. This test has been authorized by FDA under an Emergency Use Authorization (EUA). This test is only authorized for the duration of time the declaration that circumstances exist justifying the authorization of the emergency use of in vitro diagnostic tests for detection of SARS-CoV-2 virus and/or diagnosis of COVID-19 infection under section 564(b)(1) of the Act, 21 U.S.C. 360bbb-3(b)(1), unless the authorization is terminated or revoked sooner.</p> <p>When diagnostic testing is negative, the possibility of a false negative result should be considered in the context of a patient's recent exposures and the presence of clinical signs and symptoms consistent with COVID-19. An individual without symptoms of COVID-19 and who is not shedding SARS-CoV-2 virus would expect to have a negative (not detected) result in this assay.</p>					

01 SEQCO Integrated Genetics Sequenom
3595 John Hopkins Court, San Diego, CA 92121-1121

Dir: Phillip Cacheris, MD PhD


For inquiries, the physician may contact Branch: 800-888-1113 Lab: 877-821-7266

**Patient Report**Specimen ID: [REDACTED]
Control ID: [REDACTED]

Acct #: 04122570

Phone: (559) 852-2927

Rte: 00

Kings Co Adult Jail
1570 Kings Co Drive
Hanford CA 93230**Patient Details**DOB: [REDACTED]
Age(y/m/d): [REDACTED]
Gender: [REDACTED]
Patient ID: [REDACTED]**Specimen Details**Date collected: 10/23/2020 1537 Local
Date received: 10/24/2020
Date entered: 10/24/2020
Date reported: 10/25/2020 0707 ET**Physician Details**Ordering:
Referring:
ID: GUSTAVESON
NPI:**General Comments & Additional Information**

Total Volume: Not Provided

Fasting: No

Ordered Items

SARS-CoV-2, NAA

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
SARS-CoV-2, NAA	Not Detected			Not Detected	01
<p>This nucleic acid amplification test was developed and its performance characteristics determined by LabCorp Laboratories. Nucleic acid amplification tests include PCR and TMA. This test has not been FDA cleared or approved. This test has been authorized by FDA under an Emergency Use Authorization (EUA). This test is only authorized for the duration of time the declaration that circumstances exist justifying the authorization of the emergency use of in vitro diagnostic tests for detection of SARS-CoV-2 virus and/or diagnosis of COVID-19 infection under section 564(b)(1) of the Act, 21 U.S.C. 360bbb-3(b)(1), unless the authorization is terminated or revoked sooner.</p> <p>When diagnostic testing is negative, the possibility of a false negative result should be considered in the context of a patient's recent exposures and the presence of clinical signs and symptoms consistent with COVID-19. An individual without symptoms of COVID-19 and who is not shedding SARS-CoV-2 virus would expect to have a negative (not detected) result in this assay.</p>					

01 SEQCO Integrated Genetics Sequenom
3595 John Hopkins Court, San Diego, CA 92121-1121

Dir: Phillip Cacheris, MD PhD

For inquiries, the physician may contact Branch: 800-888-1113 Lab: 877-821-7266

**Patient Report**Specimen ID: [REDACTED]
Control ID: [REDACTED]

Acct #: 04122570

Phone: (559) 852-2927

Rte: 00

Kings Co Adult Jail
1570 Kings Co Drive
Hanford CA 93230**Patient Details**DOB: [REDACTED]
Age(y/m/d): [REDACTED]
Gender: [REDACTED]
Patient ID: [REDACTED]**Specimen Details**Date collected: 10/23/2020 1540 Local
Date received: 10/24/2020
Date entered: 10/24/2020
Date reported: 10/26/2020 1807 ET**Physician Details**Ordering: S GUSTAVESO
Referring:
ID: GUSTAVESON
NPI: 1598777559**General Comments & Additional Information**

Total Volume: Not Provided

Fasting: No

Ordered Items

SARS-CoV-2, NAA

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
SARS-CoV-2, NAA	Not Detected			Not Detected	01
<p>This nucleic acid amplification test was developed and its performance characteristics determined by LabCorp Laboratories. Nucleic acid amplification tests include PCR and TMA. This test has not been FDA cleared or approved. This test has been authorized by FDA under an Emergency Use Authorization (EUA). This test is only authorized for the duration of time the declaration that circumstances exist justifying the authorization of the emergency use of in vitro diagnostic tests for detection of SARS-CoV-2 virus and/or diagnosis of COVID-19 infection under section 564(b) (1) of the Act, 21 U.S.C. 360bbb-3(b) (1), unless the authorization is terminated or revoked sooner.</p> <p>When diagnostic testing is negative, the possibility of a false negative result should be considered in the context of a patient's recent exposures and the presence of clinical signs and symptoms consistent with COVID-19. An individual without symptoms of COVID-19 and who is not shedding SARS-CoV-2 virus would expect to have a negative (not detected) result in this assay.</p>					

01 SEQCO Integrated Genetics Sequenom
3595 John Hopkins Court, San Diego, CA 92121-1121

Dir: Phillip Cacheris, MDPhD

For inquiries, the physician may contact Branch: 800-888-1113 Lab: 877-821-7266

**Patient Report**Specimen ID: [REDACTED]
Control ID: [REDACTED]

Acct #: 04122570

Phone: (559) 852-2927

Rte: 00

Kings Co Adult Jail
1570 Kings Co Drive
Hanford CA 93230**Patient Details**DOB: [REDACTED]
Age(y/m/d): [REDACTED]
Gender: [REDACTED]
Patient ID: [REDACTED]**Specimen Details**Date collected: 10/23/2020 1530 Local
Date received: 10/24/2020
Date entered: 10/24/2020
Date reported: 10/25/2020 0707 ET**Physician Details**Ordering:
Referring:
ID: GUSTAVESON
NPI:**Ordered Items**

SARS-CoV-2, NAA

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
SARS-CoV-2, NAA	Not Detected			Not Detected	01

This nucleic acid amplification test was developed and its performance characteristics determined by LabCorp Laboratories. Nucleic acid amplification tests include PCR and TMA. This test has not been FDA cleared or approved. This test has been authorized by FDA under an Emergency Use Authorization (EUA). This test is only authorized for the duration of time the declaration that circumstances exist justifying the authorization of the emergency use of in vitro diagnostic tests for detection of SARS-CoV-2 virus and/or diagnosis of COVID-19 infection under section 564(b)(1) of the Act, 21 U.S.C. 360bbb-3(b)(1), unless the authorization is terminated or revoked sooner.

When diagnostic testing is negative, the possibility of a false negative result should be considered in the context of a patient's recent exposures and the presence of clinical signs and symptoms consistent with COVID-19. An individual without symptoms of COVID-19 and who is not shedding SARS-CoV-2 virus would expect to have a negative (not detected) result in this assay.

01 SEQCO Integrated Genetics Sequenom
3595 John Hopkins Court, San Diego, CA 92121-1121

Dir: Phillip Cacheris, MDPhD

For inquiries, the physician may contact Branch: 800-888-1113 Lab: 877-821-7266

**Patient Report**Specimen ID: [REDACTED]
Control ID: [REDACTED]

Acct #: 04122570

Phone: (559) 852-2927

Rte: 00

Kings Co Adult Jail
1570 Kings Co Drive
Hanford CA 93230**Patient Details**DOB: [REDACTED]
Age(y/m/d): [REDACTED]
Gender: [REDACTED]
Patient ID: [REDACTED]**Specimen Details**Date collected: 10/23/2020 1530 Local
Date received: 10/24/2020
Date entered: 10/24/2020
Date reported: 10/25/2020 0707 ET**Physician Details**Ordering:
Referring:
ID: GUSTAVESON
NPI:**Ordered Items**

SARS-CoV-2, NAA

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
-------	--------	------	-------	--------------------	-----

SARS-CoV-2, NAA	Not Detected			Not Detected	01
-----------------	--------------	--	--	--------------	----

This nucleic acid amplification test was developed and its performance characteristics determined by LabCorp Laboratories. Nucleic acid amplification tests include PCR and TMA. This test has not been FDA cleared or approved. This test has been authorized by FDA under an Emergency Use Authorization (EUA). This test is only authorized for the duration of time the declaration that circumstances exist justifying the authorization of the emergency use of in vitro diagnostic tests for detection of SARS-CoV-2 virus and/or diagnosis of COVID-19 infection under section 564(b)(1) of the Act, 21 U.S.C. 360bbb-3(b)(1), unless the authorization is terminated or revoked sooner.

When diagnostic testing is negative, the possibility of a false negative result should be considered in the context of a patient's recent exposures and the presence of clinical signs and symptoms consistent with COVID-19. An individual without symptoms of COVID-19 and who is not shedding SARS-CoV-2 virus would expect to have a negative (not detected) result in this assay.

01 SEQCO Integrated Genetics Sequenom
3595 John Hopkins Court, San Diego, CA 92121-1121

Dir: Phillip Cacheris, MD PhD

For inquiries, the physician may contact Branch: 800-888-1113 Lab: 877-821-7266

**Patient Report**Specimen ID: [REDACTED]
Control ID: [REDACTED]

Acct #: 04122570

Phone: (559) 852-2927

Rte: 00

Kings Co Adult Jail
1570 Kings Co Drive
Hanford CA 93230**Patient Details**DOB: [REDACTED]
Age(y/m/d): [REDACTED]
Gender: [REDACTED]
Patient ID: [REDACTED]**Specimen Details**Date collected: 10/23/2020 1340 Local
Date received: 10/24/2020
Date entered: 10/24/2020
Date reported: 10/25/2020 0707 ET**Physician Details**Ordering: [REDACTED]
Referring: [REDACTED]
ID: [REDACTED]
NPI: [REDACTED]**General Comments & Additional Information**

Total Volume: Not Provided

Fasting: No

Ordered Items


SARS-CoV-2, NAA

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
SARS-CoV-2, NAA	Not Detected			Not Detected	01
<p>This nucleic acid amplification test was developed and its performance characteristics determined by LabCorp Laboratories. Nucleic acid amplification tests include PCR and TMA. This test has not been FDA cleared or approved. This test has been authorized by FDA under an Emergency Use Authorization (EUA). This test is only authorized for the duration of time the declaration that circumstances exist justifying the authorization of the emergency use of in vitro diagnostic tests for detection of SARS-CoV-2 virus and/or diagnosis of COVID-19 infection under section 564(b)(1) of the Act, 21 U.S.C. 360bbb-3(b)(1), unless the authorization is terminated or revoked sooner.</p> <p>When diagnostic testing is negative, the possibility of a false negative result should be considered in the context of a patient's recent exposures and the presence of clinical signs and symptoms consistent with COVID-19. An individual without symptoms of COVID-19 and who is not shedding SARS-CoV-2 virus would expect to have a negative (not detected) result in this assay.</p>					

01 SEQCO Integrated Genetics Sequenom
3595 John Hopkins Court, San Diego, CA 92121-1121

Dir: Phillip Cacheris, MDPhD

For inquiries, the physician may contact Branch: 800-888-1113 Lab: 877-821-7266

**Patient Report****Specimen ID:** [REDACTED]
Control ID: [REDACTED]**Acct #:** 04122570**Phone:** (559) 852-2927**Rte:** 00Kings Co Adult Jail
1570 Kings Co Drive
Hanford CA 93230**Patient Details****DOB:** [REDACTED]
Age(y/m/d): [REDACTED]
Gender: [REDACTED]
Patient ID: [REDACTED]**Specimen Details****Date collected:** 10/23/2020 1545 Local
Date received: 10/24/2020
Date entered: 10/24/2020
Date reported: 10/25/2020 0707 ET**Physician Details****Ordering:**
Referring:
ID: GUSTAVESON
NPI:**General Comments & Additional Information****Total Volume:** Not Provided**Fasting:** No**Ordered Items**

SARS-CoV-2, NAA

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
SARS-CoV-2, NAA	Not Detected			Not Detected	01
<p>This nucleic acid amplification test was developed and its performance characteristics determined by LabCorp Laboratories. Nucleic acid amplification tests include PCR and TMA. This test has not been FDA cleared or approved. This test has been authorized by FDA under an Emergency Use Authorization (EUA). This test is only authorized for the duration of time the declaration that circumstances exist justifying the authorization of the emergency use of in vitro diagnostic tests for detection of SARS-CoV-2 virus and/or diagnosis of COVID-19 infection under section 564(b)(1) of the Act, 21 U.S.C. 360bbb-3(b)(1), unless the authorization is terminated or revoked sooner.</p> <p>When diagnostic testing is negative, the possibility of a false negative result should be considered in the context of a patient's recent exposures and the presence of clinical signs and symptoms consistent with COVID-19. An individual without symptoms of COVID-19 and who is not shedding SARS-CoV-2 virus would expect to have a negative (not detected) result in this assay.</p>					

01 SEQCO Integrated Genetics Sequenom
3595 John Hopkins Court, San Diego, CA 92121-1121

Dir: Phillip Cacheris, MDPhD

For inquiries, the physician may contact **Branch:** 800-888-1113 **Lab:** 877-821-7266

**Patient Report**Specimen ID: [REDACTED]
Control ID: [REDACTED]

Acct #: 04122570

Phone: (559) 852-2927

Rte: 00

Kings Co Adult Jail
1570 Kings Co Drive
Hanford CA 93230**Patient Details**DOB: [REDACTED]
Age(y/m/d): [REDACTED]
Gender: [REDACTED]
Patient ID: [REDACTED]**Specimen Details**Date collected: 10/23/2020 1530 Local
Date received: 10/24/2020
Date entered: 10/24/2020
Date reported: 10/25/2020 0707 ET**Physician Details**Ordering:
Referring:
ID: GUSTAVESON
NPI:**General Comments & Additional Information**

Total Volume: Not Provided

Fasting: No

Ordered Items

SARS-CoV-2, NAA

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
SARS-CoV-2, NAA	Not Detected			Not Detected	01
<p>This nucleic acid amplification test was developed and its performance characteristics determined by LabCorp Laboratories. Nucleic acid amplification tests include PCR and TMA. This test has not been FDA cleared or approved. This test has been authorized by FDA under an Emergency Use Authorization (EUA). This test is only authorized for the duration of time the declaration that circumstances exist justifying the authorization of the emergency use of in vitro diagnostic tests for detection of SARS-CoV-2 virus and/or diagnosis of COVID-19 infection under section 564(b)(1) of the Act, 21 U.S.C. 360bbb-3(b)(1), unless the authorization is terminated or revoked sooner.</p> <p>When diagnostic testing is negative, the possibility of a false negative result should be considered in the context of a patient's recent exposures and the presence of clinical signs and symptoms consistent with COVID-19. An individual without symptoms of COVID-19 and who is not shedding SARS-CoV-2 virus would expect to have a negative (not detected) result in this assay.</p>					

01 SEQCO Integrated Genetics Sequenom
3595 John Hopkins Court, San Diego, CA 92121-1121

Dir: Phillip Cacheris, MD PhD

For inquiries, the physician may contact Branch: 800-888-1113 Lab: 877-821-7266

**Patient Report**Specimen ID: [REDACTED]
Control ID: [REDACTED]

Acct #: 04122570

Phone: (559) 852-2927

Rte: 00

Kings Co Adult Jail
1570 Kings Co Drive
Hanford CA 93230**Patient Details**DOB: [REDACTED]
Age(y/m/d): [REDACTED]
Gender: [REDACTED]
Patient ID: [REDACTED]**Specimen Details**Date collected: 10/23/2020 1535 Local
Date received: 10/24/2020
Date entered: 10/24/2020
Date reported: 10/25/2020 0707 ET**Physician Details**Ordering:
Referring:
ID: GUSTAVESON
NPI:**General Comments & Additional Information**

Total Volume: Not Provided

Fasting: No

Ordered Items

SARS-CoV-2, NAA

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
SARS-CoV-2, NAA	Not Detected			Not Detected	01
<p>This nucleic acid amplification test was developed and its performance characteristics determined by LabCorp Laboratories. Nucleic acid amplification tests include PCR and TMA. This test has not been FDA cleared or approved. This test has been authorized by FDA under an Emergency Use Authorization (EUA). This test is only authorized for the duration of time the declaration that circumstances exist justifying the authorization of the emergency use of in vitro diagnostic tests for detection of SARS-CoV-2 virus and/or diagnosis of COVID-19 infection under section 564(b)(1) of the Act, 21 U.S.C. 360bbb-3(b)(1), unless the authorization is terminated or revoked sooner.</p> <p>When diagnostic testing is negative, the possibility of a false negative result should be considered in the context of a patient's recent exposures and the presence of clinical signs and symptoms consistent with COVID-19. An individual without symptoms of COVID-19 and who is not shedding SARS-CoV-2 virus would expect to have a negative (not detected) result in this assay.</p>					

01 SEQCO Integrated Genetics Sequenom

Dir: Phillip Cacheris, MDPH

3595 John Hopkins Court, San Diego, CA 92121-1121

For inquiries, the physician may contact Branch: 800-888-1113 Lab: 877-821-7266

**Patient Report**Specimen ID: [REDACTED]
Control ID: [REDACTED]

Acct #: 04122570

Phone: (559) 852-2927

Rte: 00

Kings Co Adult Jail
1570 Kings Co Drive
Hanford CA 93230**Patient Details**DOB: [REDACTED]
Age(y/m/d): [REDACTED]
Gender: [REDACTED]
Patient ID: [REDACTED]**Specimen Details**Date collected: 10/23/2020 1535 Local
Date received: 10/24/2020
Date entered: 10/24/2020
Date reported: 10/25/2020 0707 ET**Physician Details**Ordering:
Referring:
ID: GUSTAVESON
NPI:**General Comments & Additional Information**

Total Volume: Not Provided

Fasting: No

Ordered Items

SARS-CoV-2, NAA

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
SARS-CoV-2, NAA	Not Detected			Not Detected	01
<p>This nucleic acid amplification test was developed and its performance characteristics determined by LabCorp Laboratories. Nucleic acid amplification tests include PCR and TMA. This test has not been FDA cleared or approved. This test has been authorized by FDA under an Emergency Use Authorization (EUA). This test is only authorized for the duration of time the declaration that circumstances exist justifying the authorization of the emergency use of in vitro diagnostic tests for detection of SARS-CoV-2 virus and/or diagnosis of COVID-19 infection under section 564(b)(1) of the Act, 21 U.S.C. 360bbb-3(b)(1), unless the authorization is terminated or revoked sooner.</p> <p>When diagnostic testing is negative, the possibility of a false negative result should be considered in the context of a patient's recent exposures and the presence of clinical signs and symptoms consistent with COVID-19. An individual without symptoms of COVID-19 and who is not shedding SARS-CoV-2 virus would expect to have a negative (not detected) result in this assay.</p>					

01 SEQCO Integrated Genetics Sequenom
3595 John Hopkins Court, San Diego, CA 92121-1121

Dir: Phillip Cacheris, MD PhD

For inquiries, the physician may contact Branch: 800-888-1113 Lab: 877-821-7266

**Patient Report**Specimen ID: [REDACTED]
Control ID: [REDACTED]

Acct #: 04122570

Phone: (559) 852-2927

Rte: 00

Kings Co Adult Jail
1570 Kings Co Drive
Hanford CA 93230**Patient Details**DOB: [REDACTED]
Age(y/m/d): [REDACTED]
Gender: [REDACTED]
Patient ID: [REDACTED]**Specimen Details**Date collected: 10/23/2020 1530 Local
Date received: 10/24/2020
Date entered: 10/24/2020
Date reported: 10/25/2020 0707 ET**Physician Details**Ordering:
Referring:
ID: GUSTAVESON
NPI:**General Comments & Additional Information**

Total Volume: Not Provided

Fasting: No

Ordered Items

SARS-CoV-2, NAA

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
SARS-CoV-2, NAA	Not Detected			Not Detected	01

This nucleic acid amplification test was developed and its performance characteristics determined by LabCorp Laboratories. Nucleic acid amplification tests include PCR and TMA. This test has not been FDA cleared or approved. This test has been authorized by FDA under an Emergency Use Authorization (EUA). This test is only authorized for the duration of time the declaration that circumstances exist justifying the authorization of the emergency use of in vitro diagnostic tests for detection of SARS-CoV-2 virus and/or diagnosis of COVID-19 infection under section 564(b)(1) of the Act, 21 U.S.C. 360bbb-3(b)(1), unless the authorization is terminated or revoked sooner.

When diagnostic testing is negative, the possibility of a false negative result should be considered in the context of a patient's recent exposures and the presence of clinical signs and symptoms consistent with COVID-19. An individual without symptoms of COVID-19 and who is not shedding SARS-CoV-2 virus would expect to have a negative (not detected) result in this assay.

01 SEQCO Integrated Genetics Sequenom
3595 John Hopkins Court, San Diego, CA 92121-1121

Dir: Phillip Cacheris, MDPhD

For inquiries, the physician may contact Branch: 800-888-1113 Lab: 877-821-7266

**Patient Report**Specimen ID: [REDACTED]
Control ID: [REDACTED]

Acct #: 04122570

Phone: (559) 852-2927

Rte: 00

Kings Co Adult Jail
1570 Kings Co Drive
Hanford CA 93230**Patient Details**DOB: [REDACTED]
Age(y/m/d): [REDACTED]
Gender: [REDACTED]
Patient ID: [REDACTED]**Specimen Details**Date collected: 10/23/2020 1545 Local
Date received: 10/24/2020
Date entered: 10/24/2020
Date reported: 10/25/2020 0707 ET**Physician Details**Ordering:
Referring:
ID: GUSTAVESON
NPI:**General Comments & Additional Information**

Total Volume: Not Provided

Fasting: No

Ordered Items

SARS-CoV-2, NAA

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
SARS-CoV-2, NAA	Not Detected			Not Detected	01
<p>This nucleic acid amplification test was developed and its performance characteristics determined by LabCorp Laboratories. Nucleic acid amplification tests include PCR and TMA. This test has not been FDA cleared or approved. This test has been authorized by FDA under an Emergency Use Authorization (EUA). This test is only authorized for the duration of time the declaration that circumstances exist justifying the authorization of the emergency use of in vitro diagnostic tests for detection of SARS-CoV-2 virus and/or diagnosis of COVID-19 infection under section 564(b)(1) of the Act, 21 U.S.C. 360bbb-3(b)(1), unless the authorization is terminated or revoked sooner.</p> <p>When diagnostic testing is negative, the possibility of a false negative result should be considered in the context of a patient's recent exposures and the presence of clinical signs and symptoms consistent with COVID-19. An individual without symptoms of COVID-19 and who is not shedding SARS-CoV-2 virus would expect to have a negative (not detected) result in this assay.</p>					

01 SEQCO Integrated Genetics Sequenom
3595 John Hopkins Court, San Diego, CA 92121-1121

Dir: Phillip Cacheris, MDPhD

For inquiries, the physician may contact Branch: 800-888-1113 Lab: 877-821-7266

**Patient Report****Specimen ID:** [REDACTED]
Control ID: [REDACTED]**Acct #:** 04122570**Phone:** (559) 852-2927**Rte:** 00Kings Co Adult Jail
1570 Kings Co Drive
Hanford CA 93230**Patient Details****DOB:** [REDACTED]
Age(y/m/d): [REDACTED]
Gender: [REDACTED]
Patient ID: [REDACTED]**Specimen Details****Date collected:** 10/26/2020 1600 Local
Date received: 10/27/2020
Date entered: 10/27/2020
Date reported: 10/28/2020 0815 ET**Physician Details****Ordering:**
Referring:
ID:
NPI:**General Comments & Additional Information****Alternate Control Number:** [REDACTED]**Alternate Patient ID:** Not Provided**Ordered Items**

SARS-CoV-2, NAA

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
SARS-CoV-2, NAA	Not Detected			Not Detected	01
<p>This nucleic acid amplification test was developed and its performance characteristics determined by LabCorp Laboratories. Nucleic acid amplification tests include PCR and TMA. This test has not been FDA cleared or approved. This test has been authorized by FDA under an Emergency Use Authorization (EUA). This test is only authorized for the duration of time the declaration that circumstances exist justifying the authorization of the emergency use of in vitro diagnostic tests for detection of SARS-CoV-2 virus and/or diagnosis of COVID-19 infection under section 564(b)(1) of the Act, 21 U.S.C. 360bbb-3(b)(1), unless the authorization is terminated or revoked sooner.</p> <p>When diagnostic testing is negative, the possibility of a false negative result should be considered in the context of a patient's recent exposures and the presence of clinical signs and symptoms consistent with COVID-19. An individual without symptoms of COVID-19 and who is not shedding SARS-CoV-2 virus would expect to have a negative (not detected) result in this assay.</p>					

01 SEQCO Integrated Genetics Sequenom
3595 John Hopkins Court, San Diego, CA 92121-1121

Dir: Phillip Cacheris, MDPhD

For inquiries, the physician may contact **Branch:** 800-888-1113 **Lab:** 877-821-7266

**Patient Report**Specimen ID: [REDACTED]
Control ID: [REDACTED]

Acct #: 04122570

Phone: (559) 852-2927

Rte: 00

CA

Kings Co Adult Jail
1570 Kings Co Drive
Hanford CA 93230**Patient Details**DOB: [REDACTED]
Age(y/m/d): [REDACTED]
Gender: [REDACTED]
Patient ID: [REDACTED]**Specimen Details**Date collected: 10/27/2020 1602 Local
Date received: 10/28/2020
Date entered: 10/28/2020
Date reported: 10/29/2020 2007 ET**Physician Details**Ordering: X WESTON
Referring:
ID:
NPI:**Ordered Items**

SARS-CoV-2, NAA

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
SARS-CoV-2, NAA	Not Detected			Not Detected	01

This nucleic acid amplification test was developed and its performance characteristics determined by LabCorp Laboratories. Nucleic acid amplification tests include PCR and TMA. This test has not been FDA cleared or approved. This test has been authorized by FDA under an Emergency Use Authorization (EUA). This test is only authorized for the duration of time the declaration that circumstances exist justifying the authorization of the emergency use of in vitro diagnostic tests for detection of SARS-CoV-2 virus and/or diagnosis of COVID-19 infection under section 564(b)(1) of the Act, 21 U.S.C. 360bbb-3(b)(1), unless the authorization is terminated or revoked sooner.

When diagnostic testing is negative, the possibility of a false negative result should be considered in the context of a patient's recent exposures and the presence of clinical signs and symptoms consistent with COVID-19. An individual without symptoms of COVID-19 and who is not shedding SARS-CoV-2 virus would expect to have a negative (not detected) result in this assay.

01 SEQCO Integrated Genetics Sequenom
3595 John Hopkins Court, San Diego, CA 92121-1121

Dir: Phillip Cacheris, MDPhD

For inquiries, the physician may contact Branch: 800-888-1113 Lab: 877-821-7266

**Patient Report**Specimen ID: [REDACTED]
Control ID: [REDACTED]

Acct #: 04122570

Phone: (559) 852-2927

Rte: 00

Kings Co Adult Jail
1570 Kings Co Drive
Hanford CA 93230**Patient Details**DOB: [REDACTED]
Age(y/m/d): [REDACTED]
Gender: [REDACTED]
Patient ID: [REDACTED]**Specimen Details**Date collected: 10/29/2020 1515 Local
Date received: 10/30/2020
Date entered: 10/30/2020
Date reported: 10/31/2020 0708 ET**Physician Details**Ordering: S GUSTAVESO
Referring:
ID:
NPI: 1598777559**General Comments & Additional Information**

Clinical Info: SRC: NASAL

Alternate Control Number: Not Provided

Total Volume: Not Provided

Alternate Patient ID: [REDACTED]

Fasting: No

Ordered Items

SARS-CoV-2, NAA

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
SARS-CoV-2, NAA	Not Detected			Not Detected	01
<p>This nucleic acid amplification test was developed and its performance characteristics determined by LabCorp Laboratories. Nucleic acid amplification tests include PCR and TMA. This test has not been FDA cleared or approved. This test has been authorized by FDA under an Emergency Use Authorization (EUA). This test is only authorized for the duration of time the declaration that circumstances exist justifying the authorization of the emergency use of in vitro diagnostic tests for detection of SARS-CoV-2 virus and/or diagnosis of COVID-19 infection under section 564(b)(1) of the Act, 21 U.S.C. 360bbb-3(b)(1), unless the authorization is terminated or revoked sooner.</p> <p>When diagnostic testing is negative, the possibility of a false negative result should be considered in the context of a patient's recent exposures and the presence of clinical signs and symptoms consistent with COVID-19. An individual without symptoms of COVID-19 and who is not shedding SARS-CoV-2 virus would expect to have a negative (not detected) result in this assay.</p>					

01 SEQCO Integrated Genetics Sequenom
3595 John Hopkins Court, San Diego, CA 92121-1121

Dir: Phillip Cacheris, MDPhD

For inquiries, the physician may contact Branch: 800-888-1113 Lab: 877-821-7266

**Patient Report**

Specimen ID: [REDACTED]

Acct #: 04122570

Phone: (559) 852-2927

Rte: 00

Control ID: [REDACTED]

Kings Co Adult Jail
1570 Kings Co Drive
Hanford CA 93230**Patient Details**

DOB: [REDACTED]

Age(y/m/d): [REDACTED]

Gender: [REDACTED]

Patient ID: [REDACTED]

Specimen Details

Date collected: 11/05/2020 1200 Local

Date received: 11/06/2020

Date entered: 11/06/2020

Date reported: 11/07/2020 0709 ET

Physician Details

Ordering:

Referring:

ID: LIBERSTEIN

NPI:

Ordered Items

SARS-CoV-2, NAA

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
SARS-CoV-2, NAA	Not Detected			Not Detected	01

This nucleic acid amplification test was developed and its performance characteristics determined by LabCorp Laboratories. Nucleic acid amplification tests include PCR and TMA. This test has not been FDA cleared or approved. This test has been authorized by FDA under an Emergency Use Authorization (EUA). This test is only authorized for the duration of time the declaration that circumstances exist justifying the authorization of the emergency use of in vitro diagnostic tests for detection of SARS-CoV-2 virus and/or diagnosis of COVID-19 infection under section 564(b)(1) of the Act, 21 U.S.C. 360bbb-3(b)(1), unless the authorization is terminated or revoked sooner.

When diagnostic testing is negative, the possibility of a false negative result should be considered in the context of a patient's recent exposures and the presence of clinical signs and symptoms consistent with COVID-19. An individual without symptoms of COVID-19 and who is not shedding SARS-CoV-2 virus would expect to have a negative (not detected) result in this assay.

01 SEQCO Integrated Genetics Sequenom

Dir: Phillip Cacheris, MDPhD

3595 John Hopkins Court, San Diego, CA 92121-1121

For inquiries, the physician may contact Branch: 800-888-1113 Lab: 877-821-7266

**Patient Report**Specimen ID: [REDACTED]
Control ID: [REDACTED]

Acct #: 04122570

Phone: (559) 852-2927

Rte: 00

Kings Co Adult Jail
1570 Kings Co Drive
Hanford CA 93230**Patient Details**DOB: [REDACTED]
Age(y/m/d): [REDACTED]
Gender: [REDACTED]
Patient ID: [REDACTED]**Specimen Details**Date collected: 11/05/2020 1200 Local
Date received: 11/06/2020
Date entered: 11/06/2020
Date reported: 11/07/2020 0709 ET**Physician Details**Ordering: LIBERSTEI
Referring:
ID: LIBERSTEIN
NPI:**Ordered Items**

SARS-CoV-2, NAA

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
SARS-CoV-2, NAA	Not Detected			Not Detected	01

This nucleic acid amplification test was developed and its performance characteristics determined by LabCorp Laboratories. Nucleic acid amplification tests include PCR and TMA. This test has not been FDA cleared or approved. This test has been authorized by FDA under an Emergency Use Authorization (EUA). This test is only authorized for the duration of time the declaration that circumstances exist justifying the authorization of the emergency use of in vitro diagnostic tests for detection of SARS-CoV-2 virus and/or diagnosis of COVID-19 infection under section 564(b)(1) of the Act, 21 U.S.C. 360bbb-3(b)(1), unless the authorization is terminated or revoked sooner.

When diagnostic testing is negative, the possibility of a false negative result should be considered in the context of a patient's recent exposures and the presence of clinical signs and symptoms consistent with COVID-19. An individual without symptoms of COVID-19 and who is not shedding SARS-CoV-2 virus would expect to have a negative (not detected) result in this assay.

01 SEQCO Integrated Genetics Sequenom
3595 John Hopkins Court, San Diego, CA 92121-1121

Dir: Phillip Cacheris, MDPH

For inquiries, the physician may contact Branch: 800-888-1113 Lab: 877-821-7266



Patient Report

Specimen ID: [REDACTED]
Control ID: [REDACTED]

Acct #: 04122570

Phone: (559) 852-2927

Rte: 00

Kings Co Adult Jail
1570 Kings Co Drive
Hanford CA 93230

Patient Details

DOB: [REDACTED]
Age(y/m/d): [REDACTED]
Gender: [REDACTED]
Patient ID: [REDACTED]

Specimen Details

Date collected: 11/05/2020 1200 Local
Date received: 11/06/2020
Date entered: 11/06/2020
Date reported: 11/07/2020 0709 ET

Physician Details

Ordering:
Referring:
ID:
NPI:

Ordered Items

SARS-CoV-2, NAA

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
SARS-CoV-2, NAA	Not Detected			Not Detected	01

This nucleic acid amplification test was developed and its performance characteristics determined by LabCorp Laboratories. Nucleic acid amplification tests include PCR and TMA. This test has not been FDA cleared or approved. This test has been authorized by FDA under an Emergency Use Authorization (EUA). This test is only authorized for the duration of time the declaration that circumstances exist justifying the authorization of the emergency use of in vitro diagnostic tests for detection of SARS-CoV-2 virus and/or diagnosis of COVID-19 infection under section 564(b)(1) of the Act, 21 U.S.C. 360bbb-3(b)(1), unless the authorization is terminated or revoked sooner.

When diagnostic testing is negative, the possibility of a false negative result should be considered in the context of a patient's recent exposures and the presence of clinical signs and symptoms consistent with COVID-19. An individual without symptoms of COVID-19 and who is not shedding SARS-CoV-2 virus would expect to have a negative (not detected) result in this assay.

01 SEQCO Integrated Genetics Sequenom
3595 John Hopkins Court, San Diego, CA 92121-1121

Dir: Phillip Cacheris, MD PhD

For inquiries, the physician may contact Branch: 800-888-1113 Lab: 877-821-7266



Patient Report

Specimen ID: [REDACTED]
Control ID: [REDACTED]

Acct #: 04122570

Phone: (559) 852-2927

Rte: 00

Kings Co Adult Jail
1570 Kings Co Drive
Hanford CA 93230

Patient Details

DOB: [REDACTED]
Age(y/m/d): [REDACTED]
Gender: [REDACTED]
Patient ID: [REDACTED]

Specimen Details

Date collected: 11/05/2020 1200 Local
Date received: 11/06/2020
Date entered: 11/06/2020
Date reported: 11/07/2020 0709 ET

Physician Details

Ordering:
Referring:
ID:
NPI:

Ordered Items

SARS-CoV-2, NAA

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
SARS-CoV-2, NAA	Not Detected			Not Detected	01

This nucleic acid amplification test was developed and its performance characteristics determined by LabCorp Laboratories. Nucleic acid amplification tests include PCR and TMA. This test has not been FDA cleared or approved. This test has been authorized by FDA under an Emergency Use Authorization (EUA). This test is only authorized for the duration of time the declaration that circumstances exist justifying the authorization of the emergency use of in vitro diagnostic tests for detection of SARS-CoV-2 virus and/or diagnosis of COVID-19 infection under section 564(b)(1) of the Act, 21 U.S.C. 360bbb-3(b)(1), unless the authorization is terminated or revoked sooner.

When diagnostic testing is negative, the possibility of a false negative result should be considered in the context of a patient's recent exposures and the presence of clinical signs and symptoms consistent with COVID-19. An individual without symptoms of COVID-19 and who is not shedding SARS-CoV-2 virus would expect to have a negative (not detected) result in this assay.

01 SEQCO Integrated Genetics Sequenom
3595 John Hopkins Court, San Diego, CA 92121-1121

Dir: Phillip Cacheris, MDPhD

For inquiries, the physician may contact Branch: 800-888-1113 Lab: 877-821-7266



Patient Report

Specimen ID: [REDACTED]
Control ID: [REDACTED]

Acct #: 04122570

Phone: (559) 852-2927

Rte: 00

Kings Co Adult Jail
1570 Kings Co Drive
Hanford CA 93230

Patient Details

DOB: [REDACTED]
Age(y/m/d): [REDACTED]
Gender: [REDACTED]
Patient ID: [REDACTED]

Specimen Details

Date collected: 11/05/2020 1200 Local
Date received: 11/06/2020
Date entered: 11/06/2020
Date reported: 11/07/2020 0709 ET

Physician Details

Ordering: LIBERSTEI
Referring:
ID:
NPI:

Ordered Items

SARS-CoV-2, NAA

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
SARS-CoV-2, NAA	Not Detected			Not Detected	01

This nucleic acid amplification test was developed and its performance characteristics determined by LabCorp Laboratories. Nucleic acid amplification tests include PCR and TMA. This test has not been FDA cleared or approved. This test has been authorized by FDA under an Emergency Use Authorization (EUA). This test is only authorized for the duration of time the declaration that circumstances exist justifying the authorization of the emergency use of in vitro diagnostic tests for detection of SARS-CoV-2 virus and/or diagnosis of COVID-19 infection under section 564(b)(1) of the Act, 21 U.S.C. 360bbb-3(b)(1), unless the authorization is terminated or revoked sooner.

When diagnostic testing is negative, the possibility of a false negative result should be considered in the context of a patient's recent exposures and the presence of clinical signs and symptoms consistent with COVID-19. An individual without symptoms of COVID-19 and who is not shedding SARS-CoV-2 virus would expect to have a negative (not detected) result in this assay.

01 SEQCO Integrated Genetics Sequenom
3595 John Hopkins Court, San Diego, CA 92121-1121

Dir: Phillip Cacheris, MD PhD

For inquiries, the physician may contact Branch: 800-888-1113 Lab: 877-821-7266

**Patient Report****Specimen ID:** [REDACTED]
Control ID: [REDACTED]**Acct #:** 04122570**Phone:** (559) 852-2927**Rte:** 00Kings Co Adult Jail
1570 Kings Co Drive
Hanford CA 93230**Patient Details****DOB:** [REDACTED]
Age(y/m/d): [REDACTED]
Gender: [REDACTED]
Patient ID: [REDACTED]**Specimen Details****Date collected:** 11/05/2020 1200 Local
Date received: 11/06/2020
Date entered: 11/06/2020
Date reported: 11/07/2020 0709 ET**Physician Details****Ordering:**
Referring:
ID:
NPI:**Ordered Items**

SARS-CoV-2, NAA

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
SARS-CoV-2, NAA	Not Detected			Not Detected	01

This nucleic acid amplification test was developed and its performance characteristics determined by LabCorp Laboratories. Nucleic acid amplification tests include PCR and TMA. This test has not been FDA cleared or approved. This test has been authorized by FDA under an Emergency Use Authorization (EUA). This test is only authorized for the duration of time the declaration that circumstances exist justifying the authorization of the emergency use of in vitro diagnostic tests for detection of SARS-CoV-2 virus and/or diagnosis of COVID-19 infection under section 564(b)(1) of the Act, 21 U.S.C. 360bbb-3(b)(1), unless the authorization is terminated or revoked sooner.

When diagnostic testing is negative, the possibility of a false negative result should be considered in the context of a patient's recent exposures and the presence of clinical signs and symptoms consistent with COVID-19. An individual without symptoms of COVID-19 and who is not shedding SARS-CoV-2 virus would expect to have a negative (not detected) result in this assay.

01 SEQCO Integrated Genetics Sequenom
3595 John Hopkins Court, San Diego, CA 92121-1121

Dir: Phillip Cacheris, MDPhD

For inquiries, the physician may contact **Branch: 800-888-1113 Lab: 877-821-7266**



Patient Report

Specimen ID: [REDACTED]


Acct #: 04122570

Phone: (559) 852-2927

Rte: 00

Control ID: [REDACTED]

Kings Co Adult Jail
1570 Kings Co Drive
Hanford CA 93230



Patient Details

DOB: [REDACTED]
Age(y/m/d): [REDACTED]
Gender: [REDACTED]
Patient ID: [REDACTED]

Specimen Details

Date collected: 11/05/2020 1200 Local
Date received: 11/06/2020
Date entered: 11/06/2020
Date reported: 11/07/2020 0709 ET

Physician Details

Ordering: LIBERSTEI
Referring:
ID:
NPI:

Ordered Items

SARS-CoV-2, NAA

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
SARS-CoV-2, NAA	Not Detected			Not Detected	01
<p>This nucleic acid amplification test was developed and its performance characteristics determined by LabCorp Laboratories. Nucleic acid amplification tests include PCR and TMA. This test has not been FDA cleared or approved. This test has been authorized by FDA under an Emergency Use Authorization (EUA). This test is only authorized for the duration of time the declaration that circumstances exist justifying the authorization of the emergency use of in vitro diagnostic tests for detection of SARS-CoV-2 virus and/or diagnosis of COVID-19 infection under section 564(b)(1) of the Act, 21 U.S.C. 360bbb-3(b)(1), unless the authorization is terminated or revoked sooner.</p> <p>When diagnostic testing is negative, the possibility of a false negative result should be considered in the context of a patient's recent exposures and the presence of clinical signs and symptoms consistent with COVID-19. An individual without symptoms of COVID-19 and who is not shedding SARS-CoV-2 virus would expect to have a negative (not detected) result in this assay.</p>					

01 SEQCO Integrated Genetics Sequenom
3595 John Hopkins Court, San Diego, CA 92121-1121

Dir: Phillip Cacheris, MDPhD

For inquiries, the physician may contact Branch: 800-888-1113 Lab: 877-821-7266

**Patient Report**Specimen ID: [REDACTED]
Control ID: [REDACTED]

Acct #: 04122570

Phone: (559) 852-2927

Rte: 00

Kings Co Adult Jail
1570 Kings Co Drive
Hanford CA 93230**Patient Details**DOB: [REDACTED]
Age(y/m/d): [REDACTED]
Gender: [REDACTED]
Patient ID: [REDACTED]**Specimen Details**Date collected: 11/05/2020 1200 Local
Date received: 11/06/2020
Date entered: 11/06/2020
Date reported: 11/07/2020 0709 ET**Physician Details**Ordering:
Referring:
ID:
NPI:**General Comments & Additional Information**

Total Volume: Not Provided

Fasting: No

Ordered Items

SARS-CoV-2, NAA

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
SARS-CoV-2, NAA	Not Detected			Not Detected	01
<p>This nucleic acid amplification test was developed and its performance characteristics determined by LabCorp Laboratories. Nucleic acid amplification tests include PCR and TMA. This test has not been FDA cleared or approved. This test has been authorized by FDA under an Emergency Use Authorization (EUA). This test is only authorized for the duration of time the declaration that circumstances exist justifying the authorization of the emergency use of in vitro diagnostic tests for detection of SARS-CoV-2 virus and/or diagnosis of COVID-19 infection under section 564(b)(1) of the Act, 21 U.S.C. 360bbb-3(b)(1), unless the authorization is terminated or revoked sooner.</p> <p>When diagnostic testing is negative, the possibility of a false negative result should be considered in the context of a patient's recent exposures and the presence of clinical signs and symptoms consistent with COVID-19. An individual without symptoms of COVID-19 and who is not shedding SARS-CoV-2 virus would expect to have a negative (not detected) result in this assay.</p>					

01 SEQCO Integrated Genetics Sequenom
3595 John Hopkins Court, San Diego, CA 92121-1121

Dir: Phillip Cacheris, MDPhD

For inquiries, the physician may contact Branch: 800-888-1113 Lab: 877-821-7266



Patient Report

Specimen ID: [REDACTED]
Control ID: [REDACTED]

Acct #: 04122570

Phone: (559) 852-2927

Rte: 00

Kings Co Adult Jail
1570 Kings Co Drive
Hanford CA 93230



Patient Details

DOB: [REDACTED]
Age(y/m/d): [REDACTED]
Gender: [REDACTED]
Patient ID: [REDACTED]

Specimen Details

Date collected: 11/05/2020 1200 Local
Date received: 11/06/2020
Date entered: 11/06/2020
Date reported: 11/07/2020 0709 ET

Physician Details

Ordering:
Referring:
ID:
NPI:

General Comments & Additional Information

Total Volume: Not Provided

Fasting: No

Ordered Items

SARS-CoV-2, NAA

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
SARS-CoV-2, NAA	Not Detected			Not Detected	01

This nucleic acid amplification test was developed and its performance characteristics determined by LabCorp Laboratories. Nucleic acid amplification tests include PCR and TMA. This test has not been FDA cleared or approved. This test has been authorized by FDA under an Emergency Use Authorization (EUA). This test is only authorized for the duration of time the declaration that circumstances exist justifying the authorization of the emergency use of in vitro diagnostic tests for detection of SARS-CoV-2 virus and/or diagnosis of COVID-19 infection under section 564(b)(1) of the Act, 21 U.S.C. 360bbb-3(b)(1), unless the authorization is terminated or revoked sooner.

When diagnostic testing is negative, the possibility of a false negative result should be considered in the context of a patient's recent exposures and the presence of clinical signs and symptoms consistent with COVID-19. An individual without symptoms of COVID-19 and who is not shedding SARS-CoV-2 virus would expect to have a negative (not detected) result in this assay.

01 SEQCO Integrated Genetics Sequenom
3595 John Hopkins Court, San Diego, CA 92121-1121

Dir: Phillip Cacheris, MDPhD

For inquiries, the physician may contact Branch: 800-888-1113 Lab: 877-821-7266

**Patient Report****Specimen ID:** [REDACTED]
Control ID: [REDACTED]**Acct #:** 04122570**Phone:** (559) 852-2927**Rte:** 00Kings Co Adult Jail
1570 Kings Co Drive
Hanford CA 93230**Patient Details****DOB:** [REDACTED]
Age(y/m/d): [REDACTED]
Gender: [REDACTED]
Patient ID: [REDACTED]**Specimen Details****Date collected:** 11/05/2020 1200 Local
Date received: 11/06/2020
Date entered: 11/06/2020
Date reported: 11/07/2020 0709 ET**Physician Details****Ordering:**
Referring:
ID:
NPI:**Ordered Items**

SARS-CoV-2, NAA

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
SARS-CoV-2, NAA	Not Detected			Not Detected	01

This nucleic acid amplification test was developed and its performance characteristics determined by LabCorp Laboratories. Nucleic acid amplification tests include PCR and TMA. This test has not been FDA cleared or approved. This test has been authorized by FDA under an Emergency Use Authorization (EUA). This test is only authorized for the duration of time the declaration that circumstances exist justifying the authorization of the emergency use of in vitro diagnostic tests for detection of SARS-CoV-2 virus and/or diagnosis of COVID-19 infection under section 564(b)(1) of the Act, 21 U.S.C. 360bbb-3(b)(1), unless the authorization is terminated or revoked sooner.

When diagnostic testing is negative, the possibility of a false negative result should be considered in the context of a patient's recent exposures and the presence of clinical signs and symptoms consistent with COVID-19. An individual without symptoms of COVID-19 and who is not shedding SARS-CoV-2 virus would expect to have a negative (not detected) result in this assay.

01 SEQCO Integrated Genetics Sequenom
3595 John Hopkins Court, San Diego, CA 92121-1121

Dir: Phillip Cacheris, MDPhD

For inquiries, the physician may contact **Branch: 800-888-1113 Lab: 877-821-7266**

**Patient Report**Specimen ID: [REDACTED]
Control ID: [REDACTED]

Acct #: 04122570

Phone: (559) 852-2927

Rte: 00

Kings Co Adult Jail
1570 Kings Co Drive
Hanford CA 93230**Patient Details**DOB: [REDACTED]
Age(y/m/d): [REDACTED]
Gender: [REDACTED]
Patient ID: [REDACTED]**Specimen Details**Date collected: 11/05/2020 1200 Local
Date received: 11/06/2020
Date entered: 11/06/2020
Date reported: 11/07/2020 0709 ET**Physician Details**Ordering: LIBERSTEI
Referring:
ID: LIBERSTEIN
NPI:**Ordered Items**

SARS-CoV-2, NAA

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
SARS-CoV-2, NAA	Not Detected			Not Detected	01

This nucleic acid amplification test was developed and its performance characteristics determined by LabCorp Laboratories. Nucleic acid amplification tests include PCR and TMA. This test has not been FDA cleared or approved. This test has been authorized by FDA under an Emergency Use Authorization (EUA). This test is only authorized for the duration of time the declaration that circumstances exist justifying the authorization of the emergency use of in vitro diagnostic tests for detection of SARS-CoV-2 virus and/or diagnosis of COVID-19 infection under section 564(b)(1) of the Act, 21 U.S.C. 360bbb-3(b)(1), unless the authorization is terminated or revoked sooner.

When diagnostic testing is negative, the possibility of a false negative result should be considered in the context of a patient's recent exposures and the presence of clinical signs and symptoms consistent with COVID-19. An individual without symptoms of COVID-19 and who is not shedding SARS-CoV-2 virus would expect to have a negative (not detected) result in this assay.

01 SEQCO Integrated Genetics Sequenom
3595 John Hopkins Court, San Diego, CA 92121-1121

Dir: Phillip Cacheris, MDPhD

For inquiries, the physician may contact Branch: 800-888-1113 Lab: 877-821-7266

**Patient Report**Specimen ID: [REDACTED]
Control ID: [REDACTED]

Acct #: 04122570

Phone: (559) 852-2927

Rte: 00

Kings Co Adult Jail
1570 Kings Co Drive
Hanford CA 93230**Patient Details**DOB: [REDACTED]
Age(y/m/d): [REDACTED]
Gender: [REDACTED]
Patient ID: [REDACTED]**Specimen Details**Date collected: 11/05/2020 1200 Local
Date received: 11/06/2020
Date entered: 11/06/2020
Date reported: 11/07/2020 0709 ET**Physician Details**Ordering: LIBERSTEI
Referring:
ID: LIBERSTEIN
NPI:**Ordered Items**

SARS-CoV-2, NAA

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
SARS-CoV-2, NAA	Not Detected			Not Detected	01

This nucleic acid amplification test was developed and its performance characteristics determined by LabCorp Laboratories. Nucleic acid amplification tests include PCR and TMA. This test has not been FDA cleared or approved. This test has been authorized by FDA under an Emergency Use Authorization (EUA). This test is only authorized for the duration of time the declaration that circumstances exist justifying the authorization of the emergency use of in vitro diagnostic tests for detection of SARS-CoV-2 virus and/or diagnosis of COVID-19 infection under section 564(b)(1) of the Act, 21 U.S.C. 360bbb-3(b)(1), unless the authorization is terminated or revoked sooner.

When diagnostic testing is negative, the possibility of a false negative result should be considered in the context of a patient's recent exposures and the presence of clinical signs and symptoms consistent with COVID-19. An individual without symptoms of COVID-19 and who is not shedding SARS-CoV-2 virus would expect to have a negative (not detected) result in this assay.

01 SEQCO Integrated Genetics Sequenom
3595 John Hopkins Court, San Diego, CA 92121-1121

Dir: Phillip Cacheris, MDPhD

For inquiries, the physician may contact Branch: 800-888-1113 Lab: 877-821-7266

**Patient Report**Specimen ID: [REDACTED]
Control ID: [REDACTED]

Acct #: 04122570

Phone: (559) 852-2927

Rte: 00

Kings Co Adult Jail
1570 Kings Co Drive
Hanford CA 93230**Patient Details**DOB: [REDACTED]
Age(y/m/d): [REDACTED]
Gender: [REDACTED]
Patient ID: [REDACTED]**Specimen Details**Date collected: 11/05/2020 1200 Local
Date received: 11/06/2020
Date entered: 11/06/2020
Date reported: 11/07/2020 0709 ET**Physician Details**Ordering:
Referring:
ID:
NPI:**Ordered Items**

SARS-CoV-2, NAA

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
-------	--------	------	-------	--------------------	-----

SARS-CoV-2, NAA	Not Detected			Not Detected	01
-----------------	--------------	--	--	--------------	----

This nucleic acid amplification test was developed and its performance characteristics determined by LabCorp Laboratories. Nucleic acid amplification tests include PCR and TMA. This test has not been FDA cleared or approved. This test has been authorized by FDA under an Emergency Use Authorization (EUA). This test is only authorized for the duration of time the declaration that circumstances exist justifying the authorization of the emergency use of in vitro diagnostic tests for detection of SARS-CoV-2 virus and/or diagnosis of COVID-19 infection under section 564(b) (1) of the Act, 21 U.S.C. 360bbb-3(b) (1), unless the authorization is terminated or revoked sooner.

When diagnostic testing is negative, the possibility of a false negative result should be considered in the context of a patient's recent exposures and the presence of clinical signs and symptoms consistent with COVID-19. An individual without symptoms of COVID-19 and who is not shedding SARS-CoV-2 virus would expect to have a negative (not detected) result in this assay.

01 SEQCO Integrated Genetics Sequenom
3595 John Hopkins Court, San Diego, CA 92121-1121

Dir: Phillip Cacheris, MDPhD

For inquiries, the physician may contact Branch: 800-888-1113 Lab: 877-821-7266

**Patient Report**Specimen ID: [REDACTED]
Control ID: [REDACTED]

Acct #: 04122570

Phone: (559) 852-2927

Rte: 00

Kings Co Adult Jail
1570 Kings Co Drive
Hanford CA 93230**Patient Details**DOB: [REDACTED]
Age(y/m/d): [REDACTED]
Gender: [REDACTED]
Patient ID: [REDACTED]**Specimen Details**Date collected: 11/05/2020 1200 Local
Date received: 11/06/2020
Date entered: 11/06/2020
Date reported: 11/07/2020 0813 ET**Physician Details**Ordering: LIBERSTEI
Referring:
ID:
NPI:**General Comments & Additional Information**

Total Volume: Not Provided

Fasting: No

Ordered Items

SARS-CoV-2, NAA

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
SARS-CoV-2, NAA	Not Detected			Not Detected	01
<p>This nucleic acid amplification test was developed and its performance characteristics determined by LabCorp Laboratories. Nucleic acid amplification tests include PCR and TMA. This test has not been FDA cleared or approved. This test has been authorized by FDA under an Emergency Use Authorization (EUA). This test is only authorized for the duration of time the declaration that circumstances exist justifying the authorization of the emergency use of in vitro diagnostic tests for detection of SARS-CoV-2 virus and/or diagnosis of COVID-19 infection under section 564(b)(1) of the Act, 21 U.S.C. 360bbb-3(b)(1), unless the authorization is terminated or revoked sooner.</p> <p>When diagnostic testing is negative, the possibility of a false negative result should be considered in the context of a patient's recent exposures and the presence of clinical signs and symptoms consistent with COVID-19. An individual without symptoms of COVID-19 and who is not shedding SARS-CoV-2 virus would expect to have a negative (not detected) result in this assay.</p>					

01 SEQCO Integrated Genetics Sequenom
3595 John Hopkins Court, San Diego, CA 92121-1121

Dir: Phillip Cacheris, MD PhD

For inquiries, the physician may contact Branch: 800-888-1113 Lab: 877-821-7266

**Patient Report**Specimen ID: [REDACTED]
Control ID: [REDACTED]

Acct #: 04122570

Phone: (559) 852-2927

Rte: 00

Kings Co Adult Jail
1570 Kings Co Drive
Hanford CA 93230**Patient Details**DOB: [REDACTED]
Age(y/m/d): [REDACTED]
Gender: [REDACTED]
Patient ID: [REDACTED]**Specimen Details**Date collected: 11/05/2020 1200 Local
Date received: 11/06/2020
Date entered: 11/06/2020
Date reported: 11/07/2020 0709 ET**Physician Details**Ordering:
Referring:
ID:
NPI:**General Comments & Additional Information**

Total Volume: Not Provided

Fasting: No

Ordered Items

SARS-CoV-2, NAA

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
SARS-CoV-2, NAA	Not Detected			Not Detected	01
<p>This nucleic acid amplification test was developed and its performance characteristics determined by LabCorp Laboratories. Nucleic acid amplification tests include PCR and TMA. This test has not been FDA cleared or approved. This test has been authorized by FDA under an Emergency Use Authorization (EUA). This test is only authorized for the duration of time the declaration that circumstances exist justifying the authorization of the emergency use of in vitro diagnostic tests for detection of SARS-CoV-2 virus and/or diagnosis of COVID-19 infection under section 564(b)(1) of the Act, 21 U.S.C. 360bbb-3(b)(1), unless the authorization is terminated or revoked sooner.</p> <p>When diagnostic testing is negative, the possibility of a false negative result should be considered in the context of a patient's recent exposures and the presence of clinical signs and symptoms consistent with COVID-19. An individual without symptoms of COVID-19 and who is not shedding SARS-CoV-2 virus would expect to have a negative (not detected) result in this assay.</p>					

01 SEQCO Integrated Genetics Sequenom
3595 John Hopkins Court, San Diego, CA 92121-1121

Dir: Phillip Cacheris, MDPhD

For inquiries, the physician may contact Branch: 800-888-1113 Lab: 877-821-7266

Specimen ID: [REDACTED]
Control ID: [REDACTED]

Acct #: 04122570

Phone: (559) 852-2927

Rte: 00

Kings Co Adult Jail
1570 Kings Co Drive
Hanford CA 93230



Patient Details

DOB: [REDACTED]
Age(y/m/d): [REDACTED]
Gender: [REDACTED]
Patient ID: [REDACTED]

Specimen Details

Date collected: 11/05/2020 1200 Local
Date received: 11/06/2020
Date entered: 11/06/2020
Date reported: 11/07/2020 0709 ET

Physician Details

Ordering: LIBERSTEI
Referring:
ID:
NPI:

Ordered Items

SARS-CoV-2, NAA

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
-------	--------	------	-------	--------------------	-----

SARS-CoV-2, NAA	Not Detected			Not Detected	01
------------------------	--------------	--	--	--------------	----

This nucleic acid amplification test was developed and its performance characteristics determined by LabCorp Laboratories. Nucleic acid amplification tests include PCR and TMA. This test has not been FDA cleared or approved. This test has been authorized by FDA under an Emergency Use Authorization (EUA). This test is only authorized for the duration of time the declaration that circumstances exist justifying the authorization of the emergency use of in vitro diagnostic tests for detection of SARS-CoV-2 virus and/or diagnosis of COVID-19 infection under section 564(b)(1) of the Act, 21 U.S.C. 360bbb-3(b)(1), unless the authorization is terminated or revoked sooner.

When diagnostic testing is negative, the possibility of a false negative result should be considered in the context of a patient's recent exposures and the presence of clinical signs and symptoms consistent with COVID-19. An individual without symptoms of COVID-19 and who is not shedding SARS-CoV-2 virus would expect to have a negative (not detected) result in this assay.

01 SEQCO Integrated Genetics Sequenom

Dir: Phillip Cacheris, MDPhD

3595 John Hopkins Court, San Diego, CA 92121-1121

For inquiries, the physician may contact Branch: 800-888-1113 Lab: 877-821-7266

**Patient Report****Specimen ID:** [REDACTED]
Control ID: [REDACTED]**Acct #:** 04122570**Phone:** (559) 852-2927**Rte:** 00Kings Co Adult Jail
1570 Kings Co Drive
Hanford CA 93230**Patient Details****DOB:** [REDACTED]
Age(y/m/d): [REDACTED]
Gender: [REDACTED]
Patient ID: [REDACTED]**Specimen Details****Date collected:** 11/05/2020 1200 Local
Date received: 11/06/2020
Date entered: 11/06/2020
Date reported: 11/07/2020 0709 ET**Physician Details****Ordering:**
Referring:
ID:
NPI:**Ordered Items**

SARS-CoV-2, NAA

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
-------	--------	------	-------	--------------------	-----

SARS-CoV-2, NAA	Not Detected			Not Detected	01
------------------------	--------------	--	--	--------------	----

This nucleic acid amplification test was developed and its performance characteristics determined by LabCorp Laboratories. Nucleic acid amplification tests include PCR and TMA. This test has not been FDA cleared or approved. This test has been authorized by FDA under an Emergency Use Authorization (EUA). This test is only authorized for the duration of time the declaration that circumstances exist justifying the authorization of the emergency use of in vitro diagnostic tests for detection of SARS-CoV-2 virus and/or diagnosis of COVID-19 infection under section 564(b)(1) of the Act, 21 U.S.C. 360bbb-3(b)(1), unless the authorization is terminated or revoked sooner.

When diagnostic testing is negative, the possibility of a false negative result should be considered in the context of a patient's recent exposures and the presence of clinical signs and symptoms consistent with COVID-19. An individual without symptoms of COVID-19 and who is not shedding SARS-CoV-2 virus would expect to have a negative (not detected) result in this assay.

01 SEQCO Integrated Genetics Sequenom
3595 John Hopkins Court, San Diego, CA 92121-1121

Dir: Phillip Cacheris, MDPhD

For inquiries, the physician may contact **Branch: 800-888-1113 Lab: 877-821-7266**

**Patient Report**Specimen ID: [REDACTED]
Control ID: [REDACTED]

Acct #: 04122570

Phone: (559) 852-2927

Rte: 00

Kings Co Adult Jail
1570 Kings Co Drive
Hanford CA 93230**Patient Details**DOB: [REDACTED]
Age(y/m/d): [REDACTED]
Gender: [REDACTED]
Patient ID: [REDACTED]**Specimen Details**Date collected: 11/05/2020 1200 Local
Date received: 11/06/2020
Date entered: 11/06/2020
Date reported: 11/07/2020 0709 ET**Physician Details**Ordering:
Referring:
ID:
NPI:**Ordered Items**

SARS-CoV-2, NAA

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
SARS-CoV-2, NAA	Not Detected			Not Detected	01

This nucleic acid amplification test was developed and its performance characteristics determined by LabCorp Laboratories. Nucleic acid amplification tests include PCR and TMA. This test has not been FDA cleared or approved. This test has been authorized by FDA under an Emergency Use Authorization (EUA). This test is only authorized for the duration of time the declaration that circumstances exist justifying the authorization of the emergency use of in vitro diagnostic tests for detection of SARS-CoV-2 virus and/or diagnosis of COVID-19 infection under section 564(b)(1) of the Act, 21 U.S.C. 360bbb-3(b)(1), unless the authorization is terminated or revoked sooner.

When diagnostic testing is negative, the possibility of a false negative result should be considered in the context of a patient's recent exposures and the presence of clinical signs and symptoms consistent with COVID-19. An individual without symptoms of COVID-19 and who is not shedding SARS-CoV-2 virus would expect to have a negative (not detected) result in this assay.

01 SEQCO Integrated Genetics Sequenom
3595 John Hopkins Court, San Diego, CA 92121-1121

Dir: Phillip Cacheris, MDPhD

For inquiries, the physician may contact Branch: 800-888-1113 Lab: 877-821-7266

**Patient Report**Specimen ID: [REDACTED]
Control ID: [REDACTED]

Acct #: 04122570

Phone: (559) 852-2927

Rte: 00

Kings Co Adult Jail
1570 Kings Co Drive
Hanford CA 93230**Patient Details**DOB: [REDACTED]
Age(y/m/d): [REDACTED]
Gender: [REDACTED]
Patient ID: [REDACTED]**Specimen Details**Date collected: 11/05/2020 1200 Local
Date received: 11/06/2020
Date entered: 11/06/2020
Date reported: 11/07/2020 0709 ET**Physician Details**Ordering: LIBERSTEI
Referring:
ID:
NPI:**Ordered Items**

SARS-CoV-2, NAA

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
SARS-CoV-2, NAA	Not Detected			Not Detected	01

This nucleic acid amplification test was developed and its performance characteristics determined by LabCorp Laboratories. Nucleic acid amplification tests include PCR and TMA. This test has not been FDA cleared or approved. This test has been authorized by FDA under an Emergency Use Authorization (EUA). This test is only authorized for the duration of time the declaration that circumstances exist justifying the authorization of the emergency use of in vitro diagnostic tests for detection of SARS-CoV-2 virus and/or diagnosis of COVID-19 infection under section 564(b) (1) of the Act, 21 U.S.C. 360bbb-3(b) (1), unless the authorization is terminated or revoked sooner.

When diagnostic testing is negative, the possibility of a false negative result should be considered in the context of a patient's recent exposures and the presence of clinical signs and symptoms consistent with COVID-19. An individual without symptoms of COVID-19 and who is not shedding SARS-CoV-2 virus would expect to have a negative (not detected) result in this assay.

01 SEQCO Integrated Genetics Sequenom
3595 John Hopkins Court, San Diego, CA 92121-1121

Dir: Phillip Cacheris, MDPhD

For inquiries, the physician may contact Branch: 800-888-1113 Lab: 877-821-7266

**Patient Report****Specimen ID:** [REDACTED]
Control ID: [REDACTED]**Acct #:** 04122570**Phone:** (559) 852-2927**Rte:** 00Kings Co Adult Jail
1570 Kings Co Drive
Hanford CA 93230**Patient Details****DOB:** [REDACTED]
Age(y/m/d): [REDACTED]
Gender: [REDACTED]
Patient ID: [REDACTED]**Specimen Details****Date collected:** 11/05/2020 1200 Local
Date received: 11/06/2020
Date entered: 11/06/2020
Date reported: 11/07/2020 0709 ET**Physician Details****Ordering:**
Referring:
ID:
NPI:**Ordered Items**

SARS-CoV-2, NAA

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
SARS-CoV-2, NAA	Not Detected			Not Detected	01

This nucleic acid amplification test was developed and its performance characteristics determined by LabCorp Laboratories. Nucleic acid amplification tests include PCR and TMA. This test has not been FDA cleared or approved. This test has been authorized by FDA under an Emergency Use Authorization (EUA). This test is only authorized for the duration of time the declaration that circumstances exist justifying the authorization of the emergency use of in vitro diagnostic tests for detection of SARS-CoV-2 virus and/or diagnosis of COVID-19 infection under section 564(b)(1) of the Act, 21 U.S.C. 360bbb-3(b)(1), unless the authorization is terminated or revoked sooner.

When diagnostic testing is negative, the possibility of a false negative result should be considered in the context of a patient's recent exposures and the presence of clinical signs and symptoms consistent with COVID-19. An individual without symptoms of COVID-19 and who is not shedding SARS-CoV-2 virus would expect to have a negative (not detected) result in this assay.

01 SEQCO Integrated Genetics Sequenom
3595 John Hopkins Court, San Diego, CA 92121-1121

Dir: Phillip Cacheris, MDPH

For inquiries, the physician may contact **Branch: 800-888-1113 Lab: 877-821-7266**

**Patient Report**Specimen ID: [REDACTED]
Control ID: [REDACTED]

Acct #: 04122570

Phone: (559) 852-2927

Rte: 00

Kings Co Adult Jail
1570 Kings Co Drive
Hanford CA 93230**Patient Details**DOB: [REDACTED]
Age(y/m/d): [REDACTED]
Gender: [REDACTED]
Patient ID: [REDACTED]**Specimen Details**Date collected: 11/05/2020 1200 Local
Date received: 11/06/2020
Date entered: 11/06/2020
Date reported: 11/07/2020 0709 ET**Physician Details**Ordering:
Referring:
ID:
NPI:**Ordered Items**

SARS-CoV-2, NAA

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
SARS-CoV-2, NAA	Not Detected			Not Detected	01
<p>This nucleic acid amplification test was developed and its performance characteristics determined by LabCorp Laboratories. Nucleic acid amplification tests include PCR and TMA. This test has not been FDA cleared or approved. This test has been authorized by FDA under an Emergency Use Authorization (EUA). This test is only authorized for the duration of time the declaration that circumstances exist justifying the authorization of the emergency use of in vitro diagnostic tests for detection of SARS-CoV-2 virus and/or diagnosis of COVID-19 infection under section 564(b) (1) of the Act, 21 U.S.C. 360bbb-3(b) (1), unless the authorization is terminated or revoked sooner.</p> <p>When diagnostic testing is negative, the possibility of a false negative result should be considered in the context of a patient's recent exposures and the presence of clinical signs and symptoms consistent with COVID-19. An individual without symptoms of COVID-19 and who is not shedding SARS-CoV-2 virus would expect to have a negative (not detected) result in this assay.</p>					

01 SEQCO Integrated Genetics Sequenom
3595 John Hopkins Court, San Diego, CA 92121-1121

Dir: Phillip Cacheris, MD PhD

For inquiries, the physician may contact Branch: 800-888-1113 Lab: 877-821-7266

**Patient Report**Specimen ID: [REDACTED]
Control ID: [REDACTED]

Acct #: 04122570

Phone: (559) 852-2927

Rte: 00

Kings Co Adult Jail
1570 Kings Co Drive
Hanford CA 93230**Patient Details**DOB: [REDACTED]
Age(y/m/d): [REDACTED]
Gender: [REDACTED]
Patient ID: [REDACTED]**Specimen Details**Date collected: 11/05/2020 1200 Local
Date received: 11/06/2020
Date entered: 11/06/2020
Date reported: 11/07/2020 0709 ET**Physician Details**Ordering: LEBERSTEI
Referring:
ID:
NPI:**Ordered Items**

SARS-CoV-2, NAA

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
SARS-CoV-2, NAA	Not Detected			Not Detected	01

This nucleic acid amplification test was developed and its performance characteristics determined by LabCorp Laboratories. Nucleic acid amplification tests include PCR and TMA. This test has not been FDA cleared or approved. This test has been authorized by FDA under an Emergency Use Authorization (EUA). This test is only authorized for the duration of time the declaration that circumstances exist justifying the authorization of the emergency use of in vitro diagnostic tests for detection of SARS-CoV-2 virus and/or diagnosis of COVID-19 infection under section 564(b) (1) of the Act, 21 U.S.C. 360bbb-3(b) (1), unless the authorization is terminated or revoked sooner.

When diagnostic testing is negative, the possibility of a false negative result should be considered in the context of a patient's recent exposures and the presence of clinical signs and symptoms consistent with COVID-19. An individual without symptoms of COVID-19 and who is not shedding SARS-CoV-2 virus would expect to have a negative (not detected) result in this assay.

01 SEQCO Integrated Genetics Sequenom
3595 John Hopkins Court, San Diego, CA 92121-1121

Dir: Phillip Cacheris, MD PhD

For inquiries, the physician may contact Branch: 800-888-1113 Lab: 877-821-7266

**Patient Report**Specimen ID: [REDACTED]
Control ID: [REDACTED]

Acct #: 04122570

Phone: (559) 852-2927

Rte: 00

Kings Co Adult Jail
1570 Kings Co Drive
Hanford CA 93230**Patient Details**DOB: [REDACTED]
Age(y/m/d): [REDACTED]
Gender: [REDACTED]
Patient ID: [REDACTED]**Specimen Details**Date collected: 11/05/2020 1200 Local
Date received: 11/06/2020
Date entered: 11/06/2020
Date reported: 11/07/2020 0709 ET**Physician Details**Ordering:
Referring:
ID:
NPI:**Ordered Items**

SARS-CoV-2, NAA

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
-------	--------	------	-------	--------------------	-----

SARS-CoV-2, NAA	Not Detected			Not Detected	01
-----------------	--------------	--	--	--------------	----

This nucleic acid amplification test was developed and its performance characteristics determined by LabCorp Laboratories. Nucleic acid amplification tests include PCR and TMA. This test has not been FDA cleared or approved. This test has been authorized by FDA under an Emergency Use Authorization (EUA). This test is only authorized for the duration of time the declaration that circumstances exist justifying the authorization of the emergency use of in vitro diagnostic tests for detection of SARS-CoV-2 virus and/or diagnosis of COVID-19 infection under section 564(b)(1) of the Act, 21 U.S.C. 360bbb-3(b)(1), unless the authorization is terminated or revoked sooner.

When diagnostic testing is negative, the possibility of a false negative result should be considered in the context of a patient's recent exposures and the presence of clinical signs and symptoms consistent with COVID-19. An individual without symptoms of COVID-19 and who is not shedding SARS-CoV-2 virus would expect to have a negative (not detected) result in this assay.

01 SEQCO Integrated Genetics Sequenom
3595 John Hopkins Court, San Diego, CA 92121-1121

Dir: Phillip Cacheris, MD PhD

For inquiries, the physician may contact Branch: 800-888-1113 Lab: 877-821-7266

**Patient Report**Specimen ID: [REDACTED]
Control ID: [REDACTED]

Acct #: 04122570

Phone: (559) 852-2927

Rte: 00

Kings Co Adult Jail
1570 Kings Co Drive
Hanford CA 93230**Patient Details**DOB: [REDACTED]
Age(y/m/d): [REDACTED]
Gender: [REDACTED]
Patient ID: [REDACTED]**Specimen Details**Date collected: 11/05/2020 1200 Local
Date received: 11/06/2020
Date entered: 11/06/2020
Date reported: 11/07/2020 0709 ET**Physician Details**Ordering: LIBERSTEI
Referring:
ID:
NPI:**Ordered Items**

SARS-CoV-2, NAA

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
SARS-CoV-2, NAA	Not Detected			Not Detected	01

This nucleic acid amplification test was developed and its performance characteristics determined by LabCorp Laboratories. Nucleic acid amplification tests include PCR and TMA. This test has not been FDA cleared or approved. This test has been authorized by FDA under an Emergency Use Authorization (EUA). This test is only authorized for the duration of time the declaration that circumstances exist justifying the authorization of the emergency use of in vitro diagnostic tests for detection of SARS-CoV-2 virus and/or diagnosis of COVID-19 infection under section 564(b)(1) of the Act, 21 U.S.C. 360bbb-3(b)(1), unless the authorization is terminated or revoked sooner.

When diagnostic testing is negative, the possibility of a false negative result should be considered in the context of a patient's recent exposures and the presence of clinical signs and symptoms consistent with COVID-19. An individual without symptoms of COVID-19 and who is not shedding SARS-CoV-2 virus would expect to have a negative (not detected) result in this assay.

01 SEQCO Integrated Genetics Sequenom
3595 John Hopkins Court, San Diego, CA 92121-1121

Dir: Phillip Cacheris, MDPhD

For inquiries, the physician may contact Branch: 800-888-1113 Lab: 877-821-7266

**Patient Report****Specimen ID:** [REDACTED]
Control ID: [REDACTED]**Acct #:** 04122570**Phone:** (559) 852-2927**Rte:** 00Kings Co Adult Jail
1570 Kings Co Drive
Hanford CA 93230**Patient Details****DOB:** [REDACTED]
Age(y/m/d): [REDACTED]
Gender: [REDACTED]
Patient ID: [REDACTED]**Specimen Details****Date collected:** 11/05/2020 1200 Local
Date received: 11/06/2020
Date entered: 11/06/2020
Date reported: 11/07/2020 0709 ET**Physician Details****Ordering:** LIBERSTEI
Referring:
ID:
NPI:**Ordered Items**

SARS-CoV-2, NAA

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
-------	--------	------	-------	--------------------	-----

SARS-CoV-2, NAA	Not Detected			Not Detected	01
------------------------	--------------	--	--	--------------	----

This nucleic acid amplification test was developed and its performance characteristics determined by LabCorp Laboratories. Nucleic acid amplification tests include PCR and TMA. This test has not been FDA cleared or approved. This test has been authorized by FDA under an Emergency Use Authorization (EUA). This test is only authorized for the duration of time the declaration that circumstances exist justifying the authorization of the emergency use of in vitro diagnostic tests for detection of SARS-CoV-2 virus and/or diagnosis of COVID-19 infection under section 564(b) (1) of the Act, 21 U.S.C. 360bbb-3(b) (1), unless the authorization is terminated or revoked sooner.

When diagnostic testing is negative, the possibility of a false negative result should be considered in the context of a patient's recent exposures and the presence of clinical signs and symptoms consistent with COVID-19. An individual without symptoms of COVID-19 and who is not shedding SARS-CoV-2 virus would expect to have a negative (not detected) result in this assay.

01 SEQCO Integrated Genetics Sequenom
3595 John Hopkins Court, San Diego, CA 92121-1121

Dir: Phillip Cacheris, MDPhD

For inquiries, the physician may contact **Branch: 800-888-1113 Lab: 877-821-7266**

**Patient Report**Specimen ID: [REDACTED]
Control ID: [REDACTED]

Acct #: 04122570

Phone: (559) 852-2927

Rte: 00

Kings Co Adult Jail
1570 Kings Co Drive
Hanford CA 93230**Patient Details**DOB: [REDACTED]
Age(y/m/d): [REDACTED]
Gender: [REDACTED]
Patient ID: [REDACTED]**Specimen Details**Date collected: 11/05/2020 1200 Local
Date received: 11/06/2020
Date entered: 11/06/2020
Date reported: 11/07/2020 0709 ET**Physician Details**Ordering: LIBERSTEI
Referring:
ID:
NPI:**Ordered Items**

SARS-CoV-2, NAA

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
SARS-CoV-2, NAA	Not Detected			Not Detected	01

This nucleic acid amplification test was developed and its performance characteristics determined by LabCorp Laboratories. Nucleic acid amplification tests include PCR and TMA. This test has not been FDA cleared or approved. This test has been authorized by FDA under an Emergency Use Authorization (EUA). This test is only authorized for the duration of time the declaration that circumstances exist justifying the authorization of the emergency use of in vitro diagnostic tests for detection of SARS-CoV-2 virus and/or diagnosis of COVID-19 infection under section 564(b)(1) of the Act, 21 U.S.C. 360bbb-3(b)(1), unless the authorization is terminated or revoked sooner.

When diagnostic testing is negative, the possibility of a false negative result should be considered in the context of a patient's recent exposures and the presence of clinical signs and symptoms consistent with COVID-19. An individual without symptoms of COVID-19 and who is not shedding SARS-CoV-2 virus would expect to have a negative (not detected) result in this assay.

01 SEQCO Integrated Genetics Sequenom
3595 John Hopkins Court, San Diego, CA 92121-1121

Dir: Phillip Cacheris, MDPhD

For inquiries, the physician may contact Branch: 800-888-1113 Lab: 877-821-7266



Patient Report

Specimen ID: [REDACTED]
Control ID: [REDACTED]

Acct #: 04122570

Phone: (559) 852-2927

Rte: 00

Kings Co Adult Jail
1570 Kings Co Drive
Hanford CA 93230



Patient Details

DOB: [REDACTED]
Age(y/m/d): [REDACTED]
Gender: [REDACTED]
Patient ID: [REDACTED]

Specimen Details

Date collected: 11/05/2020 1200 Local
Date received: 11/06/2020
Date entered: 11/06/2020
Date reported: 11/07/2020 0709 ET

Physician Details

Ordering:
Referring:
ID:
NPI:

Ordered Items

SARS-CoV-2, NAA

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
SARS-CoV-2, NAA	Not Detected			Not Detected	01
<p>This nucleic acid amplification test was developed and its performance characteristics determined by LabCorp Laboratories. Nucleic acid amplification tests include PCR and TMA. This test has not been FDA cleared or approved. This test has been authorized by FDA under an Emergency Use Authorization (EUA). This test is only authorized for the duration of time the declaration that circumstances exist justifying the authorization of the emergency use of in vitro diagnostic tests for detection of SARS-CoV-2 virus and/or diagnosis of COVID-19 infection under section 564(b)(1) of the Act, 21 U.S.C. 360bbb-3(b)(1), unless the authorization is terminated or revoked sooner.</p> <p>When diagnostic testing is negative, the possibility of a false negative result should be considered in the context of a patient's recent exposures and the presence of clinical signs and symptoms consistent with COVID-19. An individual without symptoms of COVID-19 and who is not shedding SARS-CoV-2 virus would expect to have a negative (not detected) result in this assay.</p>					

01 SEQCO Integrated Genetics Sequenom
3595 John Hopkins Court, San Diego, CA 92121-1121

Dir: Phillip Cacheris, MDPhD

For inquiries, the physician may contact Branch: 800-888-1113 Lab: 877-821-7266

**Patient Report**Specimen ID: [REDACTED]
Control ID: [REDACTED]

Acct #: 04122570

Phone: (559) 852-2927

Rte: 00

Kings Co Adult Jail
1570 Kings Co Drive
Hanford CA 93230**Patient Details**DOB: [REDACTED]
Age(y/m/d): [REDACTED]
Gender: [REDACTED]
Patient ID: [REDACTED]**Specimen Details**Date collected: 11/05/2020 1200 Local
Date received: 11/06/2020
Date entered: 11/06/2020
Date reported: 11/07/2020 0709 ET**Physician Details**Ordering:
Referring:
ID:
NPI:**Ordered Items**

SARS-CoV-2, NAA

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
SARS-CoV-2, NAA	Not Detected			Not Detected	01

This nucleic acid amplification test was developed and its performance characteristics determined by LabCorp Laboratories. Nucleic acid amplification tests include PCR and TMA. This test has not been FDA cleared or approved. This test has been authorized by FDA under an Emergency Use Authorization (EUA). This test is only authorized for the duration of time the declaration that circumstances exist justifying the authorization of the emergency use of in vitro diagnostic tests for detection of SARS-CoV-2 virus and/or diagnosis of COVID-19 infection under section 564(b)(1) of the Act, 21 U.S.C. 360bbb-3(b)(1), unless the authorization is terminated or revoked sooner.

When diagnostic testing is negative, the possibility of a false negative result should be considered in the context of a patient's recent exposures and the presence of clinical signs and symptoms consistent with COVID-19. An individual without symptoms of COVID-19 and who is not shedding SARS-CoV-2 virus would expect to have a negative (not detected) result in this assay.

01 SEQCO Integrated Genetics Sequenom
3595 John Hopkins Court, San Diego, CA 92121-1121

Dir: Phillip Cacheris, MDPhD

For inquiries, the physician may contact Branch: 800-888-1113 Lab: 877-821-7266

**Patient Report****Specimen ID:** [REDACTED]
Control ID: [REDACTED]**Acct #:** 04122570**Phone:** (559) 852-2927**Rte:** 00Kings Co Adult Jail
1570 Kings Co Drive
Hanford CA 93230**Patient Details****DOB:** [REDACTED]
Age(y/m/d): [REDACTED]
Gender: [REDACTED]
Patient ID: [REDACTED]**Specimen Details****Date collected:** 11/05/2020 1200 Local
Date received: 11/06/2020
Date entered: 11/06/2020
Date reported: 11/07/2020 0709 ET**Physician Details****Ordering:**
Referring:
ID:
NPI:**Ordered Items**

SARS-CoV-2, NAA

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
SARS-CoV-2, NAA	Not Detected			Not Detected	01
<p>This nucleic acid amplification test was developed and its performance characteristics determined by LabCorp Laboratories. Nucleic acid amplification tests include PCR and TMA. This test has not been FDA cleared or approved. This test has been authorized by FDA under an Emergency Use Authorization (EUA). This test is only authorized for the duration of time the declaration that circumstances exist justifying the authorization of the emergency use of in vitro diagnostic tests for detection of SARS-CoV-2 virus and/or diagnosis of COVID-19 infection under section 564(b)(1) of the Act, 21 U.S.C. 360bbb-3(b)(1), unless the authorization is terminated or revoked sooner.</p> <p>When diagnostic testing is negative, the possibility of a false negative result should be considered in the context of a patient's recent exposures and the presence of clinical signs and symptoms consistent with COVID-19. An individual without symptoms of COVID-19 and who is not shedding SARS-CoV-2 virus would expect to have a negative (not detected) result in this assay.</p>					

01 SEQCO Integrated Genetics Sequenom
3595 John Hopkins Court, San Diego, CA 92121-1121

Dir: Phillip Cacheris, MDPhD

For inquiries, the physician may contact **Branch: 800-888-1113 Lab: 877-821-7266**



Patient Report

Specimen ID: [REDACTED]
Control ID: [REDACTED]

Acct #: 04122570

Phone: (559) 852-2927

Rte: 00

Kings Co Adult Jail
1570 Kings Co Drive
Hanford CA 93230



Patient Details

DOB: [REDACTED]
Age(y/m/d): [REDACTED]
Gender: [REDACTED]
Patient ID: [REDACTED]

Specimen Details

Date collected: 11/05/2020 1200 Local
Date received: 11/06/2020
Date entered: 11/06/2020
Date reported: 11/07/2020 0709 ET

Physician Details

Ordering:
Referring:
ID:
NPI:

Ordered Items

SARS-CoV-2, NAA

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
SARS-CoV-2, NAA	Not Detected			Not Detected	01

This nucleic acid amplification test was developed and its performance characteristics determined by LabCorp Laboratories. Nucleic acid amplification tests include PCR and TMA. This test has not been FDA cleared or approved. This test has been authorized by FDA under an Emergency Use Authorization (EUA). This test is only authorized for the duration of time the declaration that circumstances exist justifying the authorization of the emergency use of in vitro diagnostic tests for detection of SARS-CoV-2 virus and/or diagnosis of COVID-19 infection under section 564(b)(1) of the Act, 21 U.S.C. 360bbb-3(b)(1), unless the authorization is terminated or revoked sooner.

When diagnostic testing is negative, the possibility of a false negative result should be considered in the context of a patient's recent exposures and the presence of clinical signs and symptoms consistent with COVID-19. An individual without symptoms of COVID-19 and who is not shedding SARS-CoV-2 virus would expect to have a negative (not detected) result in this assay.

01 SEQCO Integrated Genetics Sequenom

Dir: Phillip Cacheris, MD PhD

3595 John Hopkins Court, San Diego, CA 92121-1121

For inquiries, the physician may contact Branch: 800-888-1113 Lab: 877-821-7266

**Patient Report**Specimen ID: [REDACTED]
Control ID: [REDACTED]

Acct #: 04122570

Phone: (559) 852-2927

Rte: 00

Kings Co Adult Jail
1570 Kings Co Drive
Hanford CA 93230**Patient Details**DOB: [REDACTED]
Age(y/m/d): [REDACTED]
Gender: [REDACTED]
Patient ID: [REDACTED]**Specimen Details**Date collected: 11/05/2020 1200 Local
Date received: 11/06/2020
Date entered: 11/06/2020
Date reported: 11/07/2020 0709 ET**Physician Details**Ordering: LIBERSTEI
Referring:
ID:
NPI:**General Comments & Additional Information**

Total Volume: Not Provided

Fasting: No

Ordered Items

SARS-CoV-2, NAA

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
SARS-CoV-2, NAA	Not Detected			Not Detected	01
<p>This nucleic acid amplification test was developed and its performance characteristics determined by LabCorp Laboratories. Nucleic acid amplification tests include PCR and TMA. This test has not been FDA cleared or approved. This test has been authorized by FDA under an Emergency Use Authorization (EUA). This test is only authorized for the duration of time the declaration that circumstances exist justifying the authorization of the emergency use of in vitro diagnostic tests for detection of SARS-CoV-2 virus and/or diagnosis of COVID-19 infection under section 564(b)(1) of the Act, 21 U.S.C. 360bbb-3(b)(1), unless the authorization is terminated or revoked sooner.</p> <p>When diagnostic testing is negative, the possibility of a false negative result should be considered in the context of a patient's recent exposures and the presence of clinical signs and symptoms consistent with COVID-19. An individual without symptoms of COVID-19 and who is not shedding SARS-CoV-2 virus would expect to have a negative (not detected) result in this assay.</p>					

01 SEQCO Integrated Genetics Sequenom
3595 John Hopkins Court, San Diego, CA 92121-1121

Dir: Phillip Cacheris, MDPHD

For inquiries, the physician may contact Branch: 800-888-1113 Lab: 877-821-7266

**Patient Report****Specimen ID:** [REDACTED]
Control ID: [REDACTED]**Acct #:** 04122570**Phone:** (559) 852-2927**Rte:** 00Kings Co Adult Jail
1570 Kings Co Drive
Hanford CA 93230**Patient Details****DOB:** [REDACTED]
Age(y/m/d): [REDACTED]
Gender: [REDACTED]
Patient ID: [REDACTED]**Specimen Details****Date collected:** 11/05/2020 1200 Local
Date received: 11/06/2020
Date entered: 11/06/2020
Date reported: 11/07/2020 0709 ET**Physician Details****Ordering:**
Referring:
ID:
NPI:**General Comments & Additional Information****Total Volume:** Not Provided**Fasting:** No**Ordered Items**

SARS-CoV-2, NAA

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
SARS-CoV-2, NAA	Not Detected			Not Detected	01

This nucleic acid amplification test was developed and its performance characteristics determined by LabCorp Laboratories. Nucleic acid amplification tests include PCR and TMA. This test has not been FDA cleared or approved. This test has been authorized by FDA under an Emergency Use Authorization (EUA). This test is only authorized for the duration of time the declaration that circumstances exist justifying the authorization of the emergency use of in vitro diagnostic tests for detection of SARS-CoV-2 virus and/or diagnosis of COVID-19 infection under section 564(b)(1) of the Act, 21 U.S.C. 360bbb-3(b)(1), unless the authorization is terminated or revoked sooner.

When diagnostic testing is negative, the possibility of a false negative result should be considered in the context of a patient's recent exposures and the presence of clinical signs and symptoms consistent with COVID-19. An individual without symptoms of COVID-19 and who is not shedding SARS-CoV-2 virus would expect to have a negative (not detected) result in this assay.

01 SEQCO Integrated Genetics Sequenom
3595 John Hopkins Court, San Diego, CA 92121-1121

Dir: Phillip Cacheris, MDPhD

For inquiries, the physician may contact **Branch: 800-888-1113 Lab: 877-821-7266**

**Patient Report**Specimen ID: [REDACTED]
Control ID: [REDACTED]

Acct #: 04122570

Phone: (559) 852-2927

Rte: 00

Kings Co Adult Jail
1570 Kings Co Drive
Hanford CA 93230**Patient Details**DOB: [REDACTED]
Age(y/m/d): [REDACTED]
Gender: [REDACTED]
Patient ID: [REDACTED]**Specimen Details**Date collected: 11/05/2020 1200 Local
Date received: 11/06/2020
Date entered: 11/06/2020
Date reported: 11/07/2020 0709 ET**Physician Details**Ordering: LIBERSTEI
Referring:
ID:
NPI:**Ordered Items**

SARS-CoV-2, NAA

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
SARS-CoV-2, NAA	Not Detected			Not Detected	01

This nucleic acid amplification test was developed and its performance characteristics determined by LabCorp Laboratories. Nucleic acid amplification tests include PCR and TMA. This test has not been FDA cleared or approved. This test has been authorized by FDA under an Emergency Use Authorization (EUA). This test is only authorized for the duration of time the declaration that circumstances exist justifying the authorization of the emergency use of in vitro diagnostic tests for detection of SARS-CoV-2 virus and/or diagnosis of COVID-19 infection under section 564(b)(1) of the Act, 21 U.S.C. 360bbb-3(b)(1), unless the authorization is terminated or revoked sooner.

When diagnostic testing is negative, the possibility of a false negative result should be considered in the context of a patient's recent exposures and the presence of clinical signs and symptoms consistent with COVID-19. An individual without symptoms of COVID-19 and who is not shedding SARS-CoV-2 virus would expect to have a negative (not detected) result in this assay.

01 SEQCO Integrated Genetics Sequenom
3595 John Hopkins Court, San Diego, CA 92121-1121

Dir: Phillip Cacheris, MDPhD

For inquiries, the physician may contact Branch: 800-888-1113 Lab: 877-821-7266



Patient Report


Specimen ID: [REDACTED]

Acct #: 04122570

Phone: (559) 852-2927

Rte: 00

Control ID: [REDACTED]

Kings Co Adult Jail
1570 Kings Co Drive
Hanford CA 93230

Patient Details

DOB: [REDACTED]

Age(y/m/d): [REDACTED]

Gender: [REDACTED]

Patient ID: [REDACTED]

Specimen Details

Date collected: 11/05/2020 1200 Local

Date received: 11/06/2020

Date entered: 11/06/2020

Date reported: 11/07/2020 0709 ET

Physician Details

Ordering: LIBERSTEI

Referring:

ID:

NPI:

Ordered Items

SARS-CoV-2, NAA

TESTS	RESULT	FLAG	UNITS	REFERENCE	INTERVAL	LAB
SARS-CoV-2, NAA	Not Detected			Not Detected		01

This nucleic acid amplification test was developed and its performance characteristics determined by LabCorp Laboratories. Nucleic acid amplification tests include PCR and TMA. This test has not been FDA cleared or approved. This test has been authorized by FDA under an Emergency Use Authorization (EUA). This test is only authorized for the duration of time the declaration that circumstances exist justifying the authorization of the emergency use of in vitro diagnostic tests for detection of SARS-CoV-2 virus and/or diagnosis of COVID-19 infection under section 564(b)(1) of the Act, 21 U.S.C. 360bbb-3(b)(1), unless the authorization is terminated or revoked sooner.

When diagnostic testing is negative, the possibility of a false negative result should be considered in the context of a patient's recent exposures and the presence of clinical signs and symptoms consistent with COVID-19. An individual without symptoms of COVID-19 and who is not shedding SARS-CoV-2 virus would expect to have a negative (not detected) result in this assay.

01 SEQCO Integrated Genetics Sequenom
3595 John Hopkins Court, San Diego, CA 92121-1121

Dir: Phillip Cacheris, MDPhD

For inquiries, the physician may contact Branch: 800-888-1113 Lab: 877-821-7266



Patient Report


Specimen ID: [REDACTED]
Control ID: [REDACTED]

Acct #: 04122570

Phone: (559) 852-2927

Rte: 00

Kings Co Adult Jail
1570 Kings Co Drive
Hanford CA 93230



Patient Details

DOB: [REDACTED]
Age(y/m/d): [REDACTED]
Gender: [REDACTED]
Patient ID: [REDACTED]

Specimen Details

Date collected: 11/05/2020 1200 Local
Date received: 11/06/2020
Date entered: 11/06/2020
Date reported: 11/07/2020 0709 ET

Physician Details

Ordering:
Referring:
ID:
NPI:

Ordered Items

SARS-CoV-2, NAA

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
SARS-CoV-2, NAA	Not Detected			Not Detected	01

This nucleic acid amplification test was developed and its performance characteristics determined by LabCorp Laboratories. Nucleic acid amplification tests include PCR and TMA. This test has not been FDA cleared or approved. This test has been authorized by FDA under an Emergency Use Authorization (EUA). This test is only authorized for the duration of time the declaration that circumstances exist justifying the authorization of the emergency use of in vitro diagnostic tests for detection of SARS-CoV-2 virus and/or diagnosis of COVID-19 infection under section 564(b)(1) of the Act, 21 U.S.C. 360bbb-3(b)(1), unless the authorization is terminated or revoked sooner.

When diagnostic testing is negative, the possibility of a false negative result should be considered in the context of a patient's recent exposures and the presence of clinical signs and symptoms consistent with COVID-19. An individual without symptoms of COVID-19 and who is not shedding SARS-CoV-2 virus would expect to have a negative (not detected) result in this assay.

01 SEQCO Integrated Genetics Sequenom
3595 John Hopkins Court, San Diego, CA 92121-1121

Dir: Phillip Cacheris, MDPhD

For inquiries, the physician may contact Branch: 800-888-1113 Lab: 877-821-7266

**Patient Report**Specimen ID: [REDACTED]
Control ID: [REDACTED]

Acct #: 04122570

Phone: (559) 852-2927

Rte: 00

Kings Co Adult Jail
1570 Kings Co Drive
Hanford CA 93230**Patient Details**DOB: [REDACTED]
Age(y/m/d): [REDACTED]
Gender: [REDACTED]
Patient ID: [REDACTED]**Specimen Details**Date collected: 11/05/2020 1200 Local
Date received: 11/06/2020
Date entered: 11/06/2020
Date reported: 11/07/2020 0709 ET**Physician Details**Ordering: LIBERSTEI
Referring:
ID:
NPI:**General Comments & Additional Information**

Total Volume: Not Provided

Fasting: No

Ordered Items

SARS-CoV-2, NAA

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
SARS-CoV-2, NAA	Not Detected			Not Detected	01
<p>This nucleic acid amplification test was developed and its performance characteristics determined by LabCorp Laboratories. Nucleic acid amplification tests include PCR and TMA. This test has not been FDA cleared or approved. This test has been authorized by FDA under an Emergency Use Authorization (EUA). This test is only authorized for the duration of time the declaration that circumstances exist justifying the authorization of the emergency use of in vitro diagnostic tests for detection of SARS-CoV-2 virus and/or diagnosis of COVID-19 infection under section 564(b)(1) of the Act, 21 U.S.C. 360bbb-3(b)(1), unless the authorization is terminated or revoked sooner.</p> <p>When diagnostic testing is negative, the possibility of a false negative result should be considered in the context of a patient's recent exposures and the presence of clinical signs and symptoms consistent with COVID-19. An individual without symptoms of COVID-19 and who is not shedding SARS-CoV-2 virus would expect to have a negative (not detected) result in this assay.</p>					

01 SEQCO Integrated Genetics Sequenom
3595 John Hopkins Court, San Diego, CA 92121-1121

Dir: Phillip Cacheris, MD PhD

For inquiries, the physician may contact Branch: 800-888-1113 Lab: 877-821-7266



Patient Report

Specimen ID: [REDACTED]
Control ID: [REDACTED]

Acct #: 04122570

Phone: (559) 852-2927

Rte: 00

Kings Co Adult Jail
1570 Kings Co Drive
Hanford CA 93230



Patient Details

DOB: [REDACTED]
Age(y/m/d): [REDACTED]
Gender: [REDACTED]
Patient ID: [REDACTED]

Specimen Details

Date collected: 11/05/2020 1200 Local
Date received: 11/06/2020
Date entered: 11/06/2020
Date reported: 11/07/2020 0813 ET

Physician Details

Ordering:
Referring:
ID: LIBERSTEIN
NPI:

Ordered Items

SARS-CoV-2, NAA

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
SARS-CoV-2, NAA	Not Detected			Not Detected	01

This nucleic acid amplification test was developed and its performance characteristics determined by LabCorp Laboratories. Nucleic acid amplification tests include PCR and TMA. This test has not been FDA cleared or approved. This test has been authorized by FDA under an Emergency Use Authorization (EUA). This test is only authorized for the duration of time the declaration that circumstances exist justifying the authorization of the emergency use of in vitro diagnostic tests for detection of SARS-CoV-2 virus and/or diagnosis of COVID-19 infection under section 564(b)(1) of the Act, 21 U.S.C. 360bbb-3(b)(1), unless the authorization is terminated or revoked sooner.

When diagnostic testing is negative, the possibility of a false negative result should be considered in the context of a patient's recent exposures and the presence of clinical signs and symptoms consistent with COVID-19. An individual without symptoms of COVID-19 and who is not shedding SARS-CoV-2 virus would expect to have a negative (not detected) result in this assay.

01 SEQCO Integrated Genetics Sequenom
3595 John Hopkins Court, San Diego, CA 92121-1121

Dir: Phillip Cacheris, MD PhD

For inquiries, the physician may contact Branch: 800-888-1113 Lab: 877-821-7266

**Patient Report****Specimen ID:** [REDACTED]
Control ID: [REDACTED]**Acct #:** 04122570**Phone:** (559) 852-2927**Rte:** 00Kings Co Adult Jail
1570 Kings Co Drive
Hanford CA 93230**Patient Details****DOB:** [REDACTED]
Age(y/m/d): [REDACTED]
Gender: [REDACTED]
Patient ID: [REDACTED]**Specimen Details****Date collected:** 11/05/2020 1200 Local
Date received: 11/06/2020
Date entered: 11/06/2020
Date reported: 11/07/2020 0709 ET**Physician Details****Ordering:** LIBERSTEI
Referring:
ID:
NPI:**Ordered Items**

SARS-CoV-2, NAA

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
SARS-CoV-2, NAA	Not Detected			Not Detected	01

This nucleic acid amplification test was developed and its performance characteristics determined by LabCorp Laboratories. Nucleic acid amplification tests include PCR and TMA. This test has not been FDA cleared or approved. This test has been authorized by FDA under an Emergency Use Authorization (EUA). This test is only authorized for the duration of time the declaration that circumstances exist justifying the authorization of the emergency use of in vitro diagnostic tests for detection of SARS-CoV-2 virus and/or diagnosis of COVID-19 infection under section 564(b)(1) of the Act, 21 U.S.C. 360bbb-3(b)(1), unless the authorization is terminated or revoked sooner.

When diagnostic testing is negative, the possibility of a false negative result should be considered in the context of a patient's recent exposures and the presence of clinical signs and symptoms consistent with COVID-19. An individual without symptoms of COVID-19 and who is not shedding SARS-CoV-2 virus would expect to have a negative (not detected) result in this assay.

01 SEQCO Integrated Genetics Sequenom
3595 John Hopkins Court, San Diego, CA 92121-1121

Dir: Phillip Cacheris, MDPhD

For inquiries, the physician may contact **Branch: 800-888-1113 Lab: 877-821-7266**

**Patient Report**Specimen ID: [REDACTED]
Control ID: [REDACTED]

Acct #: 04122570

Phone: (559) 852-2927

Rte: 00

Kings Co Adult Jail
1570 Kings Co Drive
Hanford CA 93230**Patient Details**DOB: [REDACTED]
Age(y/m/d): [REDACTED]
Gender: [REDACTED]
Patient ID: [REDACTED]**Specimen Details**Date collected: 11/05/2020 1200 Local
Date received: 11/06/2020
Date entered: 11/06/2020
Date reported: 11/07/2020 0709 ET**Physician Details**Ordering: LIBERSTEI
Referring:
ID:
NPI:**General Comments & Additional Information**

Total Volume: Not Provided

Fasting: No

Ordered Items

SARS-CoV-2, NAA

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
SARS-CoV-2, NAA	Not Detected			Not Detected	01
<p>This nucleic acid amplification test was developed and its performance characteristics determined by LabCorp Laboratories. Nucleic acid amplification tests include PCR and TMA. This test has not been FDA cleared or approved. This test has been authorized by FDA under an Emergency Use Authorization (EUA). This test is only authorized for the duration of time the declaration that circumstances exist justifying the authorization of the emergency use of in vitro diagnostic tests for detection of SARS-CoV-2 virus and/or diagnosis of COVID-19 infection under section 564(b)(1) of the Act, 21 U.S.C. 360bbb-3(b)(1), unless the authorization is terminated or revoked sooner.</p> <p>When diagnostic testing is negative, the possibility of a false negative result should be considered in the context of a patient's recent exposures and the presence of clinical signs and symptoms consistent with COVID-19. An individual without symptoms of COVID-19 and who is not shedding SARS-CoV-2 virus would expect to have a negative (not detected) result in this assay.</p>					

01 SEQCO Integrated Genetics Sequenom
3595 John Hopkins Court, San Diego, CA 92121-1121

Dir: Phillip Cacheris, MDPhD

For inquiries, the physician may contact Branch: 800-888-1113 Lab: 877-821-7266



Patient Report

Specimen ID: [REDACTED]
Control ID: [REDACTED]

Acct #: 04122570

Phone: (559) 852-2927

Rte: 00

Kings Co Adult Jail
1570 Kings Co Drive
Hanford CA 93230

Patient Details

DOB: [REDACTED]
Age(y/m/d): [REDACTED]
Gender: [REDACTED]
Patient ID: [REDACTED]

Specimen Details

Date collected: 11/05/2020 1200 Local
Date received: 11/06/2020
Date entered: 11/06/2020
Date reported: 11/07/2020 0709 ET

Physician Details

Ordering:
Referring:
ID:
NPI:

Ordered Items

SARS-CoV-2, NAA

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
SARS-CoV-2, NAA	Not Detected			Not Detected	01
<p>This nucleic acid amplification test was developed and its performance characteristics determined by LabCorp Laboratories. Nucleic acid amplification tests include PCR and TMA. This test has not been FDA cleared or approved. This test has been authorized by FDA under an Emergency Use Authorization (EUA). This test is only authorized for the duration of time the declaration that circumstances exist justifying the authorization of the emergency use of in vitro diagnostic tests for detection of SARS-CoV-2 virus and/or diagnosis of COVID-19 infection under section 564(b)(1) of the Act, 21 U.S.C. 360bbb-3(b)(1), unless the authorization is terminated or revoked sooner.</p> <p>When diagnostic testing is negative, the possibility of a false negative result should be considered in the context of a patient's recent exposures and the presence of clinical signs and symptoms consistent with COVID-19. An individual without symptoms of COVID-19 and who is not shedding SARS-CoV-2 virus would expect to have a negative (not detected) result in this assay.</p>					

01 SEQCO Integrated Genetics Sequenom
3595 John Hopkins Court, San Diego, CA 92121-1121

Dir: Phillip Cacheris, MD PhD

For inquiries, the physician may contact Branch: 800-888-1113 Lab: 877-821-7266

**Patient Report**Specimen ID: [REDACTED]
Control ID: [REDACTED]
[REDACTED]

Acct #: 04122570

Phone: (559) 852-2927

Rte: 00

Kings Co Adult Jail
1570 Kings Co Drive
Hanford CA 93230**Patient Details**DOB: [REDACTED]
Age(y/m/d): [REDACTED]
Gender: [REDACTED]
Patient ID: [REDACTED]**Specimen Details**Date collected: 11/05/2020 1200 Local
Date received: 11/06/2020
Date entered: 11/06/2020
Date reported: 11/07/2020 0709 ET**Physician Details**Ordering:
Referring:
ID:
NPI:**Ordered Items**

SARS-CoV-2, NAA

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
SARS-CoV-2, NAA	Not Detected			Not Detected	01
<p>This nucleic acid amplification test was developed and its performance characteristics determined by LabCorp Laboratories. Nucleic acid amplification tests include PCR and TMA. This test has not been FDA cleared or approved. This test has been authorized by FDA under an Emergency Use Authorization (EUA). This test is only authorized for the duration of time the declaration that circumstances exist justifying the authorization of the emergency use of in vitro diagnostic tests for detection of SARS-CoV-2 virus and/or diagnosis of COVID-19 infection under section 564(b)(1) of the Act, 21 U.S.C. 360bbb-3(b)(1), unless the authorization is terminated or revoked sooner.</p> <p>When diagnostic testing is negative, the possibility of a false negative result should be considered in the context of a patient's recent exposures and the presence of clinical signs and symptoms consistent with COVID-19. An individual without symptoms of COVID-19 and who is not shedding SARS-CoV-2 virus would expect to have a negative (not detected) result in this assay.</p>					

01 SEQCO Integrated Genetics Sequenom
3595 John Hopkins Court, San Diego, CA 92121-1121

Dir: Phillip Cacheris, MDPH

For inquiries, the physician may contact Branch: 800-888-1113 Lab: 877-821-7266

**Patient Report****Specimen ID:** [REDACTED]
Control ID: [REDACTED]**Acct #:** 04122570**Phone:** (559) 852-2927**Rte:** 00Kings Co Adult Jail
1570 Kings Co Drive
Hanford CA 93230**Patient Details****DOB:** [REDACTED]
Age(y/m/d): [REDACTED]
Gender: [REDACTED]
Patient ID: [REDACTED]**Specimen Details****Date collected:** 11/05/2020 1200 Local
Date received: 11/06/2020
Date entered: 11/06/2020
Date reported: 11/07/2020 0709 ET**Physician Details****Ordering:** LIBERSTEI
Referring:
ID:
NPI:**Ordered Items**

SARS-CoV-2, NAA

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
SARS-CoV-2, NAA	Not Detected			Not Detected	01

This nucleic acid amplification test was developed and its performance characteristics determined by LabCorp Laboratories. Nucleic acid amplification tests include PCR and TMA. This test has not been FDA cleared or approved. This test has been authorized by FDA under an Emergency Use Authorization (EUA). This test is only authorized for the duration of time the declaration that circumstances exist justifying the authorization of the emergency use of in vitro diagnostic tests for detection of SARS-CoV-2 virus and/or diagnosis of COVID-19 infection under section 564(b)(1) of the Act, 21 U.S.C. 360bbb-3(b)(1), unless the authorization is terminated or revoked sooner.

When diagnostic testing is negative, the possibility of a false negative result should be considered in the context of a patient's recent exposures and the presence of clinical signs and symptoms consistent with COVID-19. An individual without symptoms of COVID-19 and who is not shedding SARS-CoV-2 virus would expect to have a negative (not detected) result in this assay.

01 SEQCO Integrated Genetics Sequenom
3595 John Hopkins Court, San Diego, CA 92121-1121

Dir: Phillip Cacheris, MDPhD

For inquiries, the physician may contact **Branch: 800-888-1113 Lab: 877-821-7266**

**Patient Report**Specimen ID: [REDACTED]
Control ID: [REDACTED]

Acct #: 04122570

Phone: (559) 852-2927

Rte: 00

Kings Co Adult Jail
1570 Kings Co Drive
Hanford CA 93230**Patient Details**DOB: [REDACTED]
Age(y/m/d): [REDACTED]
Gender: [REDACTED]
Patient ID: [REDACTED]**Specimen Details**Date collected: 11/05/2020 1200 Local
Date received: 11/06/2020
Date entered: 11/06/2020
Date reported: 11/07/2020 0709 ET**Physician Details**Ordering:
Referring:
ID:
NPI:**Ordered Items**

SARS-CoV-2, NAA

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
SARS-CoV-2, NAA	Not Detected			Not Detected	01
<p>This nucleic acid amplification test was developed and its performance characteristics determined by LabCorp Laboratories. Nucleic acid amplification tests include PCR and TMA. This test has not been FDA cleared or approved. This test has been authorized by FDA under an Emergency Use Authorization (EUA). This test is only authorized for the duration of time the declaration that circumstances exist justifying the authorization of the emergency use of in vitro diagnostic tests for detection of SARS-CoV-2 virus and/or diagnosis of COVID-19 infection under section 564(b)(1) of the Act, 21 U.S.C. 360bbb-3(b)(1), unless the authorization is terminated or revoked sooner.</p> <p>When diagnostic testing is negative, the possibility of a false negative result should be considered in the context of a patient's recent exposures and the presence of clinical signs and symptoms consistent with COVID-19. An individual without symptoms of COVID-19 and who is not shedding SARS-CoV-2 virus would expect to have a negative (not detected) result in this assay.</p>					

01 SEQCO Integrated Genetics Sequenom
3595 John Hopkins Court, San Diego, CA 92121-1121

Dir: Phillip Cacheris, MDPhD

For inquiries, the physician may contact Branch: 800-888-1113 Lab: 877-821-7266

**Patient Report****Specimen ID:** [REDACTED]
Control ID: [REDACTED]**Acct #:** 04122570**Phone:** (559) 852-2927**Rte:** 00Kings Co Adult Jail
1570 Kings Co Drive
Hanford CA 93230**Patient Details****DOB:** [REDACTED]
Age(y/m/d): [REDACTED]
Gender: [REDACTED]
Patient ID: [REDACTED]**Specimen Details****Date collected:** 11/05/2020 1200 Local
Date received: 11/06/2020
Date entered: 11/06/2020
Date reported: 11/07/2020 0709 ET**Physician Details****Ordering:**
Referring:
ID:
NPI:**Ordered Items**

SARS-CoV-2, NAA

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
SARS-CoV-2, NAA	Not Detected			Not Detected	01

This nucleic acid amplification test was developed and its performance characteristics determined by LabCorp Laboratories. Nucleic acid amplification tests include PCR and TMA. This test has not been FDA cleared or approved. This test has been authorized by FDA under an Emergency Use Authorization (EUA). This test is only authorized for the duration of time the declaration that circumstances exist justifying the authorization of the emergency use of in vitro diagnostic tests for detection of SARS-CoV-2 virus and/or diagnosis of COVID-19 infection under section 564(b)(1) of the Act, 21 U.S.C. 360bbb-3(b)(1), unless the authorization is terminated or revoked sooner.

When diagnostic testing is negative, the possibility of a false negative result should be considered in the context of a patient's recent exposures and the presence of clinical signs and symptoms consistent with COVID-19. An individual without symptoms of COVID-19 and who is not shedding SARS-CoV-2 virus would expect to have a negative (not detected) result in this assay.

01 SEQCO Integrated Genetics Sequenom
3595 John Hopkins Court, San Diego, CA 92121-1121

Dir: Phillip Cacheris, MDPhD

For inquiries, the physician may contact **Branch: 800-888-1113 Lab: 877-821-7266**



Patient Report


Specimen ID: [REDACTED]
Control ID: [REDACTED]

Acct #: 04122570

Phone: (559) 852-2927

Rte: 00

Kings Co Adult Jail
1570 Kings Co Drive
Hanford CA 93230



Patient Details

DOB: [REDACTED]
Age(y/m/d): [REDACTED]
Gender: [REDACTED]
Patient ID: [REDACTED]

Specimen Details

Date collected: 11/05/2020 1200 Local
Date received: 11/06/2020
Date entered: 11/06/2020
Date reported: 11/07/2020 0709 ET

Physician Details

Ordering: LIBERSTEI
Referring:
ID:
NPI:

General Comments & Additional Information

Total Volume: Not Provided

Fasting: No

Ordered Items

SARS-CoV-2, NAA

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
-------	--------	------	-------	--------------------	-----

SARS-CoV-2, NAA	Not Detected			Not Detected	01
-----------------	--------------	--	--	--------------	----

This nucleic acid amplification test was developed and its performance characteristics determined by LabCorp Laboratories. Nucleic acid amplification tests include PCR and TMA. This test has not been FDA cleared or approved. This test has been authorized by FDA under an Emergency Use Authorization (EUA). This test is only authorized for the duration of time the declaration that circumstances exist justifying the authorization of the emergency use of in vitro diagnostic tests for detection of SARS-CoV-2 virus and/or diagnosis of COVID-19 infection under section 564(b)(1) of the Act, 21 U.S.C. 360bbb-3(b)(1), unless the authorization is terminated or revoked sooner.

When diagnostic testing is negative, the possibility of a false negative result should be considered in the context of a patient's recent exposures and the presence of clinical signs and symptoms consistent with COVID-19. An individual without symptoms of COVID-19 and who is not shedding SARS-CoV-2 virus would expect to have a negative (not detected) result in this assay.

01 SEQCO Integrated Genetics Sequenom
3595 John Hopkins Court, San Diego, CA 92121-1121

Dir: Phillip Cacheris, MDPhD

For inquiries, the physician may contact Branch: 800-888-1113 Lab: 877-821-7266

Specimen ID: [REDACTED]
Control ID: [REDACTED]

Acct #: 04122570

Phone: (559) 852-2927

Rte: 00

Kings Co Adult Jail
1570 Kings Co Drive
Hanford CA 93230

Patient Details
DOB: [REDACTED]
Age(y/m/d): [REDACTED]
Gender: [REDACTED]
Patient ID: [REDACTED]

Specimen Details
Date collected: 11/05/2020 1200 Local
Date received: 11/06/2020
Date entered: 11/06/2020
Date reported: 11/07/2020 0709 ET

Physician Details
Ordering: LIBERSTEI
Referring:
ID: LIBERSTEIN
NPI:
Ordered Items

SARS-CoV-2, NAA

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
SARS-CoV-2, NAA	Not Detected			Not Detected	01

This nucleic acid amplification test was developed and its performance characteristics determined by LabCorp Laboratories. Nucleic acid amplification tests include PCR and TMA. This test has not been FDA cleared or approved. This test has been authorized by FDA under an Emergency Use Authorization (EUA). This test is only authorized for the duration of time the declaration that circumstances exist justifying the authorization of the emergency use of in vitro diagnostic tests for detection of SARS-CoV-2 virus and/or diagnosis of COVID-19 infection under section 564(b)(1) of the Act, 21 U.S.C. 360bbb-3(b)(1), unless the authorization is terminated or revoked sooner.

When diagnostic testing is negative, the possibility of a false negative result should be considered in the context of a patient's recent exposures and the presence of clinical signs and symptoms consistent with COVID-19. An individual without symptoms of COVID-19 and who is not shedding SARS-CoV-2 virus would expect to have a negative (not detected) result in this assay.

01 SEQCO Integrated Genetics Sequenom

3595 John Hopkins Court, San Diego, CA 92121-1121

Dir: Phillip Cacheris, MDPhD

For inquiries, the physician may contact **Branch: 800-888-1113 Lab: 877-821-7266**

**Patient Report**Specimen ID: [REDACTED]
Control ID: [REDACTED]

Acct #: 04122570

Phone: (559) 852-2927

Rte: 00

Kings Co Adult Jail
1570 Kings Co Drive
Hanford CA 93230**Patient Details**DOB: [REDACTED]
Age(y/m/d): [REDACTED]
Gender: [REDACTED]
Patient ID: [REDACTED]**Specimen Details**Date collected: 11/05/2020 1200 Local
Date received: 11/06/2020
Date entered: 11/06/2020
Date reported: 11/07/2020 0709 ET**Physician Details**Ordering:
Referring:
ID:
NPI:**Ordered Items**

SARS-CoV-2, NAA

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
SARS-CoV-2, NAA	Not Detected			Not Detected	01

This nucleic acid amplification test was developed and its performance characteristics determined by LabCorp Laboratories. Nucleic acid amplification tests include PCR and TMA. This test has not been FDA cleared or approved. This test has been authorized by FDA under an Emergency Use Authorization (EUA). This test is only authorized for the duration of time the declaration that circumstances exist justifying the authorization of the emergency use of in vitro diagnostic tests for detection of SARS-CoV-2 virus and/or diagnosis of COVID-19 infection under section 564(b) (1) of the Act, 21 U.S.C. 360bbb-3(b) (1), unless the authorization is terminated or revoked sooner.

When diagnostic testing is negative, the possibility of a false negative result should be considered in the context of a patient's recent exposures and the presence of clinical signs and symptoms consistent with COVID-19. An individual without symptoms of COVID-19 and who is not shedding SARS-CoV-2 virus would expect to have a negative (not detected) result in this assay.

01 SEQCO Integrated Genetics Sequenom
3595 John Hopkins Court, San Diego, CA 92121-1121

Dir: Phillip Cacheris, MDPhD

For inquiries, the physician may contact Branch: 800-888-1113 Lab: 877-821-7266

**Patient Report**Specimen ID: [REDACTED]
Control ID: [REDACTED]

Acct #: 04122570

Phone: (559) 852-2927

Rte: 00

Kings Co Adult Jail
1570 Kings Co Drive
Hanford CA 93230**Patient Details**DOB: [REDACTED]
Age(y/m/d): [REDACTED]
Gender: [REDACTED]
Patient ID: [REDACTED]**Specimen Details**Date collected: 11/05/2020 1200 Local
Date received: 11/06/2020
Date entered: 11/06/2020
Date reported: 11/07/2020 0709 ET**Physician Details**Ordering: LIBERSTEI
Referring:
ID:
NPI:**Ordered Items**

SARS-CoV-2, NAA

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
SARS-CoV-2, NAA	Not Detected			Not Detected	01

This nucleic acid amplification test was developed and its performance characteristics determined by LabCorp Laboratories. Nucleic acid amplification tests include PCR and TMA. This test has not been FDA cleared or approved. This test has been authorized by FDA under an Emergency Use Authorization (EUA). This test is only authorized for the duration of time the declaration that circumstances exist justifying the authorization of the emergency use of in vitro diagnostic tests for detection of SARS-CoV-2 virus and/or diagnosis of COVID-19 infection under section 564(b)(1) of the Act, 21 U.S.C. 360bbb-3(b)(1), unless the authorization is terminated or revoked sooner.

When diagnostic testing is negative, the possibility of a false negative result should be considered in the context of a patient's recent exposures and the presence of clinical signs and symptoms consistent with COVID-19. An individual without symptoms of COVID-19 and who is not shedding SARS-CoV-2 virus would expect to have a negative (not detected) result in this assay.

01 SEQCO Integrated Genetics Sequenom
3595 John Hopkins Court, San Diego, CA 92121-1121

Dir: Phillip Cacheris, MDPhD

For inquiries, the physician may contact Branch: 800-888-1113 Lab: 877-821-7266

**Patient Report**Specimen ID: [REDACTED]
Control ID: [REDACTED]

Acct #: 04122570

Phone: (559) 852-2927

Rte: 00

Kings Co Adult Jail
1570 Kings Co Drive
Hanford CA 93230**Patient Details**DOB: [REDACTED]
Age(y/m/d): [REDACTED]
Gender: [REDACTED]
Patient ID: [REDACTED]**Specimen Details**Date collected: 11/05/2020 1200 Local
Date received: 11/06/2020
Date entered: 11/06/2020
Date reported: 11/07/2020 0813 ET**Physician Details**Ordering:
Referring:
ID: LIBERSTEIN
NPI:**Ordered Items**

SARS-CoV-2, NAA

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
SARS-CoV-2, NAA	Not Detected			Not Detected	01

This nucleic acid amplification test was developed and its performance characteristics determined by LabCorp Laboratories. Nucleic acid amplification tests include PCR and TMA. This test has not been FDA cleared or approved. This test has been authorized by FDA under an Emergency Use Authorization (EUA). This test is only authorized for the duration of time the declaration that circumstances exist justifying the authorization of the emergency use of in vitro diagnostic tests for detection of SARS-CoV-2 virus and/or diagnosis of COVID-19 infection under section 564(b)(1) of the Act, 21 U.S.C. 360bbb-3(b)(1), unless the authorization is terminated or revoked sooner.

When diagnostic testing is negative, the possibility of a false negative result should be considered in the context of a patient's recent exposures and the presence of clinical signs and symptoms consistent with COVID-19. An individual without symptoms of COVID-19 and who is not shedding SARS-CoV-2 virus would expect to have a negative (not detected) result in this assay.

01 SEQCO Integrated Genetics Sequenom
3595 John Hopkins Court, San Diego, CA 92121-1121

Dir: Phillip Cacheris, MD PhD

For inquiries, the physician may contact Branch: 800-888-1113 Lab: 877-821-7266

**Patient Report****Specimen ID:** [REDACTED]
Control ID: [REDACTED]**Acct #:** 04122570**Phone:** (559) 852-2927**Rte:** 00Kings Co Adult Jail
1570 Kings Co Drive
Hanford CA 93230**Patient Details****DOB:** [REDACTED]
Age(y/m/d): [REDACTED]
Gender: [REDACTED]
Patient ID: [REDACTED]**Specimen Details****Date collected:** 11/05/2020 1200 Local
Date received: 11/06/2020
Date entered: 11/06/2020
Date reported: 11/07/2020 0709 ET**Physician Details****Ordering:** LIBERSTEI
Referring:
ID:
NPI:**Ordered Items**

SARS-CoV-2, NAA

TESTS	RESULT	FLAG	UNITS	REFERENCE	INTERVAL	LAB
-------	--------	------	-------	-----------	----------	-----

SARS-CoV-2, NAA	Not Detected			Not Detected		01
-----------------	--------------	--	--	--------------	--	----

This nucleic acid amplification test was developed and its performance characteristics determined by LabCorp Laboratories. Nucleic acid amplification tests include PCR and TMA. This test has not been FDA cleared or approved. This test has been authorized by FDA under an Emergency Use Authorization (EUA). This test is only authorized for the duration of time the declaration that circumstances exist justifying the authorization of the emergency use of in vitro diagnostic tests for detection of SARS-CoV-2 virus and/or diagnosis of COVID-19 infection under section 564(b)(1) of the Act, 21 U.S.C. 360bbb-3(b)(1), unless the authorization is terminated or revoked sooner.

When diagnostic testing is negative, the possibility of a false negative result should be considered in the context of a patient's recent exposures and the presence of clinical signs and symptoms consistent with COVID-19. An individual without symptoms of COVID-19 and who is not shedding SARS-CoV-2 virus would expect to have a negative (not detected) result in this assay.

01	SEQCO Integrated Genetics Sequenom 3595 John Hopkins Court, San Diego, CA 92121-1121
----	---

Dir: Phillip Cacheris, MDPH

For inquiries, the physician may contact **Branch: 800-888-1113 Lab: 877-821-7266**

**Patient Report**Specimen ID: [REDACTED]
Control ID: [REDACTED]

Acct #: 04122570

Phone: (559) 852-2927

Rte: 00

Kings Co Adult Jail
1570 Kings Co Drive
Hanford CA 93230**Patient Details**DOB: [REDACTED]
Age(y/m/d): [REDACTED]
Gender: [REDACTED]
Patient ID: [REDACTED]**Specimen Details**Date collected: 11/05/2020 1200 Local
Date received: 11/06/2020
Date entered: 11/06/2020
Date reported: 11/07/2020 0709 ET**Physician Details**Ordering:
Referring:
ID:
NPI:**General Comments & Additional Information**

Total Volume: Not Provided

Fasting: No

Ordered Items

SARS-CoV-2, NAA

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
SARS-CoV-2, NAA	Not Detected			Not Detected	01

This nucleic acid amplification test was developed and its performance characteristics determined by LabCorp Laboratories. Nucleic acid amplification tests include PCR and TMA. This test has not been FDA cleared or approved. This test has been authorized by FDA under an Emergency Use Authorization (EUA). This test is only authorized for the duration of time the declaration that circumstances exist justifying the authorization of the emergency use of in vitro diagnostic tests for detection of SARS-CoV-2 virus and/or diagnosis of COVID-19 infection under section 564(b)(1) of the Act, 21 U.S.C. 360bbb-3(b)(1), unless the authorization is terminated or revoked sooner.

When diagnostic testing is negative, the possibility of a false negative result should be considered in the context of a patient's recent exposures and the presence of clinical signs and symptoms consistent with COVID-19. An individual without symptoms of COVID-19 and who is not shedding SARS-CoV-2 virus would expect to have a negative (not detected) result in this assay.

01 SEQCO Integrated Genetics Sequenom
3595 John Hopkins Court, San Diego, CA 92121-1121

Dir: Phillip Cacheris, MDPhD

For inquiries, the physician may contact Branch: 800-888-1113 Lab: 877-821-7266



Patient Report

Specimen ID: [REDACTED]
Control ID: [REDACTED]

Acct #: 04122570

Phone: (559) 852-2927

Rte: 00

Kings Co Adult Jail
1570 Kings Co Drive
Hanford CA 93230



Patient Details

DOB: [REDACTED]
Age(y/m/d): [REDACTED]
Gender: [REDACTED]
Patient ID: [REDACTED]

Specimen Details

Date collected: 11/05/2020 1200 Local
Date received: 11/06/2020
Date entered: 11/06/2020
Date reported: 11/07/2020 0709 ET

Physician Details

Ordering: LIBERSTIE
Referring:
ID:
NPI:

General Comments & Additional Information

Total Volume: Not Provided

Fasting: No

Ordered Items

SARS-CoV-2, NAA

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
SARS-CoV-2, NAA	Not Detected			Not Detected	01
<p>This nucleic acid amplification test was developed and its performance characteristics determined by LabCorp Laboratories. Nucleic acid amplification tests include PCR and TMA. This test has not been FDA cleared or approved. This test has been authorized by FDA under an Emergency Use Authorization (EUA). This test is only authorized for the duration of time the declaration that circumstances exist justifying the authorization of the emergency use of in vitro diagnostic tests for detection of SARS-CoV-2 virus and/or diagnosis of COVID-19 infection under section 564(b)(1) of the Act, 21 U.S.C. 360bbb-3(b)(1), unless the authorization is terminated or revoked sooner.</p> <p>When diagnostic testing is negative, the possibility of a false negative result should be considered in the context of a patient's recent exposures and the presence of clinical signs and symptoms consistent with COVID-19. An individual without symptoms of COVID-19 and who is not shedding SARS-CoV-2 virus would expect to have a negative (not detected) result in this assay.</p>					

01 SEQCO Integrated Genetics Sequenom
3595 John Hopkins Court, San Diego, CA 92121-1121

Dir: Phillip Cacheris, MDPhD

For inquiries, the physician may contact Branch: 800-888-1113 Lab: 877-821-7266

**Patient Report****Specimen ID:** [REDACTED]
Control ID: [REDACTED]**Acct #:** 04122570**Phone:** (559) 852-2927**Rte:** 00Kings Co Adult Jail
1570 Kings Co Drive
Hanford CA 93230**Patient Details****DOB:** [REDACTED]
Age(y/m/d): [REDACTED]
Gender: [REDACTED]
Patient ID: [REDACTED]**Specimen Details****Date collected:** 11/05/2020 1200 Local
Date received: 11/06/2020
Date entered: 11/06/2020
Date reported: 11/07/2020 0813 ET**Physician Details****Ordering:** S GUSTAVESO
Referring:
ID:
NPI: 1598777559**Ordered Items**

SARS-CoV-2, NAA

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
SARS-CoV-2, NAA	Not Detected			Not Detected	01

This nucleic acid amplification test was developed and its performance characteristics determined by LabCorp Laboratories. Nucleic acid amplification tests include PCR and TMA. This test has not been FDA cleared or approved. This test has been authorized by FDA under an Emergency Use Authorization (EUA). This test is only authorized for the duration of time the declaration that circumstances exist justifying the authorization of the emergency use of in vitro diagnostic tests for detection of SARS-CoV-2 virus and/or diagnosis of COVID-19 infection under section 564(b) (1) of the Act, 21 U.S.C. 360bbb-3(b) (1), unless the authorization is terminated or revoked sooner.

When diagnostic testing is negative, the possibility of a false negative result should be considered in the context of a patient's recent exposures and the presence of clinical signs and symptoms consistent with COVID-19. An individual without symptoms of COVID-19 and who is not shedding SARS-CoV-2 virus would expect to have a negative (not detected) result in this assay.

01 SEQCO Integrated Genetics Sequenom
3595 John Hopkins Court, San Diego, CA 92121-1121

Dir: Phillip Cacheris, MDPhD

For inquiries, the physician may contact **Branch: 800-888-1113 Lab: 877-821-7266**

**Patient Report****Specimen ID:** [REDACTED]
Control ID: [REDACTED]**Acct #:** 04122570**Phone:** (559) 852-2927**Rte:** 00Kings Co Adult Jail
1570 Kings Co Drive
Hanford CA 93230**Patient Details****DOB:** [REDACTED]
Age(y/m/d): [REDACTED]
Gender: [REDACTED]
Patient ID: [REDACTED]**Specimen Details****Date collected:** 11/05/2020 1200 Local
Date received: 11/06/2020
Date entered: 11/06/2020
Date reported: 11/07/2020 0709 ET**Physician Details****Ordering:** LIBERSTEI
Referring:
ID:
NPI:**Ordered Items**

SARS-CoV-2, NAA

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
SARS-CoV-2, NAA	Not Detected			Not Detected	01

This nucleic acid amplification test was developed and its performance characteristics determined by LabCorp Laboratories. Nucleic acid amplification tests include PCR and TMA. This test has not been FDA cleared or approved. This test has been authorized by FDA under an Emergency Use Authorization (EUA). This test is only authorized for the duration of time the declaration that circumstances exist justifying the authorization of the emergency use of in vitro diagnostic tests for detection of SARS-CoV-2 virus and/or diagnosis of COVID-19 infection under section 564(b)(1) of the Act, 21 U.S.C. 360bbb-3(b)(1), unless the authorization is terminated or revoked sooner.

When diagnostic testing is negative, the possibility of a false negative result should be considered in the context of a patient's recent exposures and the presence of clinical signs and symptoms consistent with COVID-19. An individual without symptoms of COVID-19 and who is not shedding SARS-CoV-2 virus would expect to have a negative (not detected) result in this assay.

01 SEQCO Integrated Genetics Sequenom
3595 John Hopkins Court, San Diego, CA 92121-1121

Dir: Phillip Cacheris, MDPhD

For inquiries, the physician may contact **Branch: 800-888-1113 Lab: 877-821-7266**

**Patient Report**Specimen ID: [REDACTED]
Control ID: [REDACTED]

Acct #: 04122570

Phone: (559) 852-2927

Rte: 00

Kings Co Adult Jail
1570 Kings Co Drive
Hanford CA 93230**Patient Details**DOB: [REDACTED]
Age(y/m/d): [REDACTED]
Gender: [REDACTED]
Patient ID: [REDACTED]**Specimen Details**Date collected: 11/05/2020 1200 Local
Date received: 11/06/2020
Date entered: 11/06/2020
Date reported: 11/07/2020 0709 ET**Physician Details**Ordering: LIBERSTEI
Referring:
ID:
NPI:**Ordered Items**

SARS-CoV-2, NAA

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
SARS-CoV-2, NAA	Not Detected			Not Detected	01

This nucleic acid amplification test was developed and its performance characteristics determined by LabCorp Laboratories. Nucleic acid amplification tests include PCR and TMA. This test has not been FDA cleared or approved. This test has been authorized by FDA under an Emergency Use Authorization (EUA). This test is only authorized for the duration of time the declaration that circumstances exist justifying the authorization of the emergency use of in vitro diagnostic tests for detection of SARS-CoV-2 virus and/or diagnosis of COVID-19 infection under section 564(b)(1) of the Act, 21 U.S.C. 360bbb-3(b)(1), unless the authorization is terminated or revoked sooner.

When diagnostic testing is negative, the possibility of a false negative result should be considered in the context of a patient's recent exposures and the presence of clinical signs and symptoms consistent with COVID-19. An individual without symptoms of COVID-19 and who is not shedding SARS-CoV-2 virus would expect to have a negative (not detected) result in this assay.

01 SEQCO Integrated Genetics Sequenom
3595 John Hopkins Court, San Diego, CA 92121-1121

Dir: Phillip Cacheris, MD PhD

For inquiries, the physician may contact Branch: 800-888-1113 Lab: 877-821-7266

**Patient Report**Specimen ID: [REDACTED]
Control ID: [REDACTED]

Acct #: 04122570

Phone: (559) 852-2927

Rte: 00

Kings Co Adult Jail
1570 Kings Co Drive
Hanford CA 93230**Patient Details**DOB: [REDACTED]
Age(y/m/d): [REDACTED]
Gender: [REDACTED]
Patient ID: [REDACTED]**Specimen Details**Date collected: 11/05/2020 1200 Local
Date received: 11/06/2020
Date entered: 11/06/2020
Date reported: 11/07/2020 0709 ET**Physician Details**Ordering:
Referring:
ID:
NPI:**General Comments & Additional Information**

Total Volume: Not Provided

Fasting: No

Ordered Items

SARS-CoV-2, NAA

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
SARS-CoV-2, NAA	Not Detected			Not Detected	01
<p>This nucleic acid amplification test was developed and its performance characteristics determined by LabCorp Laboratories. Nucleic acid amplification tests include PCR and TMA. This test has not been FDA cleared or approved. This test has been authorized by FDA under an Emergency Use Authorization (EUA). This test is only authorized for the duration of time the declaration that circumstances exist justifying the authorization of the emergency use of in vitro diagnostic tests for detection of SARS-CoV-2 virus and/or diagnosis of COVID-19 infection under section 564(b)(1) of the Act, 21 U.S.C. 360bbb-3(b)(1), unless the authorization is terminated or revoked sooner.</p> <p>When diagnostic testing is negative, the possibility of a false negative result should be considered in the context of a patient's recent exposures and the presence of clinical signs and symptoms consistent with COVID-19. An individual without symptoms of COVID-19 and who is not shedding SARS-CoV-2 virus would expect to have a negative (not detected) result in this assay.</p>					

01 SEQCO Integrated Genetics Sequenom
3595 John Hopkins Court, San Diego, CA 92121-1121

Dir: Phillip Cacheris, MDPhD

For inquiries, the physician may contact Branch: 800-888-1113 Lab: 877-821-7266

**Patient Report**Specimen ID: [REDACTED]
Control ID: [REDACTED]

Acct #: 04122570

Phone: (559) 852-2927

Rte: 00

Kings Co Adult Jail
1570 Kings Co Drive
Hanford CA 93230**Patient Details**DOB: [REDACTED]
Age(y/m/d): [REDACTED]
Gender: [REDACTED]
Patient ID: [REDACTED]**Specimen Details**Date collected: 11/05/2020 1200 Local
Date received: 11/06/2020
Date entered: 11/06/2020
Date reported: 11/07/2020 0709 ET**Physician Details**Ordering:
Referring:
ID:
NPI:**Ordered Items**

SARS-CoV-2, NAA

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
SARS-CoV-2, NAA	Not Detected			Not Detected	01

This nucleic acid amplification test was developed and its performance characteristics determined by LabCorp Laboratories. Nucleic acid amplification tests include PCR and TMA. This test has not been FDA cleared or approved. This test has been authorized by FDA under an Emergency Use Authorization (EUA). This test is only authorized for the duration of time the declaration that circumstances exist justifying the authorization of the emergency use of in vitro diagnostic tests for detection of SARS-CoV-2 virus and/or diagnosis of COVID-19 infection under section 564(b)(1) of the Act, 21 U.S.C. 360bbb-3(b)(1), unless the authorization is terminated or revoked sooner.

When diagnostic testing is negative, the possibility of a false negative result should be considered in the context of a patient's recent exposures and the presence of clinical signs and symptoms consistent with COVID-19. An individual without symptoms of COVID-19 and who is not shedding SARS-CoV-2 virus would expect to have a negative (not detected) result in this assay.

01 SEQCO Integrated Genetics Sequenom
3595 John Hopkins Court, San Diego, CA 92121-1121

Dir: Phillip Cacheris, MD PhD

For inquiries, the physician may contact Branch: 800-888-1113 Lab: 877-821-7266

**Patient Report**Specimen ID: [REDACTED]
Control ID: [REDACTED]

Acct #: 04122570

Phone: (559) 852-2927

Rte: 00

Kings Co Adult Jail
1570 Kings Co Drive
Hanford CA 93230**Patient Details**DOB: [REDACTED]
Age(y/m/d): [REDACTED]
Gender: [REDACTED]
Patient ID: [REDACTED]**Specimen Details**Date collected: 11/05/2020 1200 Local
Date received: 11/06/2020
Date entered: 11/06/2020
Date reported: 11/07/2020 0709 ET**Physician Details**Ordering: LIBERSTEI
Referring:
ID:
NPI:**General Comments & Additional Information**

Total Volume: Not Provided

Fasting: No

Ordered Items

SARS-CoV-2, NAA

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
SARS-CoV-2, NAA	Not Detected			Not Detected	01

This nucleic acid amplification test was developed and its performance characteristics determined by LabCorp Laboratories. Nucleic acid amplification tests include PCR and TMA. This test has not been FDA cleared or approved. This test has been authorized by FDA under an Emergency Use Authorization (EUA). This test is only authorized for the duration of time the declaration that circumstances exist justifying the authorization of the emergency use of in vitro diagnostic tests for detection of SARS-CoV-2 virus and/or diagnosis of COVID-19 infection under section 564(b)(1) of the Act, 21 U.S.C. 360bbb-3(b)(1), unless the authorization is terminated or revoked sooner.

When diagnostic testing is negative, the possibility of a false negative result should be considered in the context of a patient's recent exposures and the presence of clinical signs and symptoms consistent with COVID-19. An individual without symptoms of COVID-19 and who is not shedding SARS-CoV-2 virus would expect to have a negative (not detected) result in this assay.

01 SEQCO Integrated Genetics Sequenom
3595 John Hopkins Court, San Diego, CA 92121-1121

Dir: Phillip Cacheris, MD PhD

For inquiries, the physician may contact Branch: 800-888-1113 Lab: 877-821-7266



Patient Report

Specimen ID: [REDACTED]
Control ID: [REDACTED]

Acct #: 04122570

Phone: (559) 852-2927

Rte: 00

Kings Co Adult Jail
1570 Kings Co Drive
Hanford CA 93230

Patient Details

DOB: [REDACTED]
Age(y/m/d): [REDACTED]
Gender: [REDACTED]
Patient ID: [REDACTED]

Specimen Details

Date collected: 11/05/2020 1200 Local
Date received: 11/06/2020
Date entered: 11/06/2020
Date reported: 11/07/2020 0709 ET

Physician Details

Ordering:
Referring:
ID:
NPI:

Ordered Items

SARS-CoV-2, NAA

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
SARS-CoV-2, NAA	Not Detected			Not Detected	01

This nucleic acid amplification test was developed and its performance characteristics determined by LabCorp Laboratories. Nucleic acid amplification tests include PCR and TMA. This test has not been FDA cleared or approved. This test has been authorized by FDA under an Emergency Use Authorization (EUA). This test is only authorized for the duration of time the declaration that circumstances exist justifying the authorization of the emergency use of in vitro diagnostic tests for detection of SARS-CoV-2 virus and/or diagnosis of COVID-19 infection under section 564(b)(1) of the Act, 21 U.S.C. 360bbb-3(b)(1), unless the authorization is terminated or revoked sooner.

When diagnostic testing is negative, the possibility of a false negative result should be considered in the context of a patient's recent exposures and the presence of clinical signs and symptoms consistent with COVID-19. An individual without symptoms of COVID-19 and who is not shedding SARS-CoV-2 virus would expect to have a negative (not detected) result in this assay.

01 SEQCO Integrated Genetics Sequenom
3595 John Hopkins Court, San Diego, CA 92121-1121

Dir: Phillip Cacheris, MDPhD

For inquiries, the physician may contact Branch: 800-888-1113 Lab: 877-821-7266

**Patient Report****Specimen ID:** [REDACTED]
Control ID: [REDACTED]**Acct #:** 04122570**Phone:** (559) 852-2927**Rte:** 00Kings Co Adult Jail
1570 Kings Co Drive
Hanford CA 93230**Patient Details****DOB:** [REDACTED]
Age(y/m/d): [REDACTED]
Gender: [REDACTED]
Patient ID: [REDACTED]**Specimen Details****Date collected:** 11/05/2020 1200 Local
Date received: 11/06/2020
Date entered: 11/06/2020
Date reported: 11/07/2020 0813 ET**Physician Details****Ordering:** LIBERSTEI
Referring:
ID:
NPI:**General Comments & Additional Information****Total Volume:** Not Provided**Fasting:** No**Ordered Items**

SARS-CoV-2, NAA

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
SARS-CoV-2, NAA	Not Detected			Not Detected	01

This nucleic acid amplification test was developed and its performance characteristics determined by LabCorp Laboratories. Nucleic acid amplification tests include PCR and TMA. This test has not been FDA cleared or approved. This test has been authorized by FDA under an Emergency Use Authorization (EUA). This test is only authorized for the duration of time the declaration that circumstances exist justifying the authorization of the emergency use of in vitro diagnostic tests for detection of SARS-CoV-2 virus and/or diagnosis of COVID-19 infection under section 564(b)(1) of the Act, 21 U.S.C. 360bbb-3(b)(1), unless the authorization is terminated or revoked sooner.

When diagnostic testing is negative, the possibility of a false negative result should be considered in the context of a patient's recent exposures and the presence of clinical signs and symptoms consistent with COVID-19. An individual without symptoms of COVID-19 and who is not shedding SARS-CoV-2 virus would expect to have a negative (not detected) result in this assay.

01 SEQCO Integrated Genetics Sequenom
3595 John Hopkins Court, San Diego, CA 92121-1121

Dir: Phillip Cacheris, MDPhD

For inquiries, the physician may contact **Branch: 800-888-1113 Lab: 877-821-7266**

**Patient Report**Specimen ID: [REDACTED]
Control ID: [REDACTED]

Acct #: 04122570

Phone: (559) 852-2927

Rte: 00

Kings Co Adult Jail
1570 Kings Co Drive
Hanford CA 93230**Patient Details**DOB: [REDACTED]
Age(y/m/d): [REDACTED]
Gender: [REDACTED]
Patient ID: [REDACTED]**Specimen Details**Date collected: 11/05/2020 1200 Local
Date received: 11/06/2020
Date entered: 11/06/2020
Date reported: 11/07/2020 0709 ET**Physician Details**Ordering:
Referring:
ID: LIBERSTIEN
NPI:**General Comments & Additional Information**

Total Volume: Not Provided

Fasting: No

Ordered Items

SARS-CoV-2, NAA

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
SARS-CoV-2, NAA	Not Detected			Not Detected	01
<p>This nucleic acid amplification test was developed and its performance characteristics determined by LabCorp Laboratories. Nucleic acid amplification tests include PCR and TMA. This test has not been FDA cleared or approved. This test has been authorized by FDA under an Emergency Use Authorization (EUA). This test is only authorized for the duration of time the declaration that circumstances exist justifying the authorization of the emergency use of in vitro diagnostic tests for detection of SARS-CoV-2 virus and/or diagnosis of COVID-19 infection under section 564(b)(1) of the Act, 21 U.S.C. 360bbb-3(b)(1), unless the authorization is terminated or revoked sooner.</p> <p>When diagnostic testing is negative, the possibility of a false negative result should be considered in the context of a patient's recent exposures and the presence of clinical signs and symptoms consistent with COVID-19. An individual without symptoms of COVID-19 and who is not shedding SARS-CoV-2 virus would expect to have a negative (not detected) result in this assay.</p>					

01 SEQCO Integrated Genetics Sequenom
3595 John Hopkins Court, San Diego, CA 92121-1121

Dir: Phillip Cacheris, MDPhD

For inquiries, the physician may contact Branch: 800-888-1113 Lab: 877-821-7266

**Patient Report**Specimen ID: [REDACTED]
Control ID: [REDACTED]

Acct #: 04122570

Phone: (559) 852-2927

Rte: 00

Kings Co Adult Jail
1570 Kings Co Drive
Hanford CA 93230**Patient Details**DOB: [REDACTED]
Age(y/m/d): [REDACTED]
Gender: [REDACTED]
Patient ID: [REDACTED]**Specimen Details**Date collected: 11/05/2020 1200 Local
Date received: 11/06/2020
Date entered: 11/06/2020
Date reported: 11/07/2020 0709 ET**Physician Details**Ordering:
Referring:
ID:
NPI:**General Comments & Additional Information**

Total Volume: Not Provided

Fasting: No

Ordered Items

SARS-CoV-2, NAA

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
SARS-CoV-2, NAA	Not Detected			Not Detected	01

This nucleic acid amplification test was developed and its performance characteristics determined by LabCorp Laboratories. Nucleic acid amplification tests include PCR and TMA. This test has not been FDA cleared or approved. This test has been authorized by FDA under an Emergency Use Authorization (EUA). This test is only authorized for the duration of time the declaration that circumstances exist justifying the authorization of the emergency use of in vitro diagnostic tests for detection of SARS-CoV-2 virus and/or diagnosis of COVID-19 infection under section 564(b)(1) of the Act, 21 U.S.C. 360bbb-3(b)(1), unless the authorization is terminated or revoked sooner.

When diagnostic testing is negative, the possibility of a false negative result should be considered in the context of a patient's recent exposures and the presence of clinical signs and symptoms consistent with COVID-19. An individual without symptoms of COVID-19 and who is not shedding SARS-CoV-2 virus would expect to have a negative (not detected) result in this assay.

01 SEQCO Integrated Genetics Sequenom

Dir: Phillip Cacheris, MDPhD

3595 John Hopkins Court, San Diego, CA 92121-1121

For inquiries, the physician may contact Branch: 800-888-1113 Lab: 877-821-7266



Patient Report

Specimen ID: [REDACTED]
Control ID: [REDACTED]

Acct #: 04122570

Phone: (559) 852-2927

Rte: 00

Kings Co Adult Jail
1570 Kings Co Drive
Hanford CA 93230

Patient Details

DOB: [REDACTED]
Age(y/m/d): [REDACTED]
Gender: [REDACTED]
Patient ID: [REDACTED]

Specimen Details

Date collected: 11/05/2020 1200 Local
Date received: 11/06/2020
Date entered: 11/06/2020
Date reported: 11/07/2020 0709 ET

Physician Details

Ordering:
Referring:
ID:
NPI:

Ordered Items

SARS-CoV-2, NAA

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
SARS-CoV-2, NAA	Not Detected			Not Detected	01

This nucleic acid amplification test was developed and its performance characteristics determined by LabCorp Laboratories. Nucleic acid amplification tests include PCR and TMA. This test has not been FDA cleared or approved. This test has been authorized by FDA under an Emergency Use Authorization (EUA). This test is only authorized for the duration of time the declaration that circumstances exist justifying the authorization of the emergency use of in vitro diagnostic tests for detection of SARS-CoV-2 virus and/or diagnosis of COVID-19 infection under section 564(b)(1) of the Act, 21 U.S.C. 360bbb-3(b)(1), unless the authorization is terminated or revoked sooner.

When diagnostic testing is negative, the possibility of a false negative result should be considered in the context of a patient's recent exposures and the presence of clinical signs and symptoms consistent with COVID-19. An individual without symptoms of COVID-19 and who is not shedding SARS-CoV-2 virus would expect to have a negative (not detected) result in this assay.

01 SEQCO Integrated Genetics Sequenom
3595 John Hopkins Court, San Diego, CA 92121-1121

Dir: Phillip Cacheris, MD PhD

For inquiries, the physician may contact Branch: 800-888-1113 Lab: 877-821-7266



Patient Report

Specimen ID: [REDACTED]
Control ID: [REDACTED]

Acct #: 04122570

Phone: (559) 852-2927

Rte: 00

Kings Co Adult Jail
1570 Kings Co Drive
Hanford CA 93230

Patient Details

DOB: [REDACTED]
Age(y/m/d): [REDACTED]
Gender: [REDACTED]
Patient ID: [REDACTED]

Specimen Details

Date collected: 11/05/2020 1200 Local
Date received: 11/06/2020
Date entered: 11/06/2020
Date reported: 11/07/2020 0709 ET

Physician Details

Ordering:
Referring:
ID: LIBERSTIEN
NPI:

General Comments & Additional Information

Total Volume: Not Provided

Fasting: No

Ordered Items

SARS-CoV-2, NAA

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
SARS-CoV-2, NAA	Not Detected			Not Detected	01

This nucleic acid amplification test was developed and its performance characteristics determined by LabCorp Laboratories. Nucleic acid amplification tests include PCR and TMA. This test has not been FDA cleared or approved. This test has been authorized by FDA under an Emergency Use Authorization (EUA). This test is only authorized for the duration of time the declaration that circumstances exist justifying the authorization of the emergency use of in vitro diagnostic tests for detection of SARS-CoV-2 virus and/or diagnosis of COVID-19 infection under section 564(b)(1) of the Act, 21 U.S.C. 360bbb-3(b)(1), unless the authorization is terminated or revoked sooner.

When diagnostic testing is negative, the possibility of a false negative result should be considered in the context of a patient's recent exposures and the presence of clinical signs and symptoms consistent with COVID-19. An individual without symptoms of COVID-19 and who is not shedding SARS-CoV-2 virus would expect to have a negative (not detected) result in this assay.

01 SEQCO Integrated Genetics Sequenom
3595 John Hopkins Court, San Diego, CA 92121-1121

Dir: Phillip Cacheris, MDPhD

For inquiries, the physician may contact Branch: 800-888-1113 Lab: 877-821-7266



Patient Report

Specimen ID: [REDACTED]
Control ID: [REDACTED]

Acct #: 04122570 Phone: (559) 852-2927 Rte: 00

Kings Co Adult Jail
1570 Kings Co Drive
Hanford CA 93230



Patient Details

DOB: [REDACTED]
Age(y/m/d): [REDACTED]
Gender: [REDACTED]
Patient ID: [REDACTED]

Specimen Details

Date collected: 11/05/2020 1200 Local
Date received: 11/06/2020
Date entered: 11/06/2020
Date reported: 11/07/2020 0709 ET

Physician Details

Ordering:
Referring:
ID:
NPI:

General Comments & Additional Information

Total Volume: Not Provided

Fasting: No

Ordered Items

SARS-CoV-2, NAA

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
SARS-CoV-2, NAA	Not Detected			Not Detected	01

This nucleic acid amplification test was developed and its performance characteristics determined by LabCorp Laboratories. Nucleic acid amplification tests include PCR and TMA. This test has not been FDA cleared or approved. This test has been authorized by FDA under an Emergency Use Authorization (EUA). This test is only authorized for the duration of time the declaration that circumstances exist justifying the authorization of the emergency use of in vitro diagnostic tests for detection of SARS-CoV-2 virus and/or diagnosis of COVID-19 infection under section 564(b)(1) of the Act, 21 U.S.C. 360bbb-3(b)(1), unless the authorization is terminated or revoked sooner.

When diagnostic testing is negative, the possibility of a false negative result should be considered in the context of a patient's recent exposures and the presence of clinical signs and symptoms consistent with COVID-19. An individual without symptoms of COVID-19 and who is not shedding SARS-CoV-2 virus would expect to have a negative (not detected) result in this assay.

01 SEQCO Integrated Genetics Sequenom
3595 John Hopkins Court, San Diego, CA 92121-1121

Dir: Phillip Cacheris, MDPhD

For inquiries, the physician may contact Branch: 800-888-1113 Lab: 877-821-7266

**Patient Report**Specimen ID: [REDACTED]
Control ID: [REDACTED]

Acct #: 04122570

Phone: (559) 852-2927

Rte: 00

Kings Co Adult Jail
1570 Kings Co Drive
Hanford CA 93230**Patient Details**DOB: [REDACTED]
Age(y/m/d): [REDACTED]
Gender: [REDACTED]
Patient ID: [REDACTED]**Specimen Details**Date collected: 11/05/2020 1200 Local
Date received: 11/06/2020
Date entered: 11/06/2020
Date reported: 11/07/2020 0709 ET**Physician Details**Ordering: LIBERSTEI
Referring:
ID:
NPI:**General Comments & Additional Information**

Total Volume: Not Provided

Fasting: No

Ordered Items

SARS-CoV-2, NAA

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
SARS-CoV-2, NAA	Not Detected			Not Detected	01

This nucleic acid amplification test was developed and its performance characteristics determined by LabCorp Laboratories. Nucleic acid amplification tests include PCR and TMA. This test has not been FDA cleared or approved. This test has been authorized by FDA under an Emergency Use Authorization (EUA). This test is only authorized for the duration of time the declaration that circumstances exist justifying the authorization of the emergency use of in vitro diagnostic tests for detection of SARS-CoV-2 virus and/or diagnosis of COVID-19 infection under section 564(b)(1) of the Act, 21 U.S.C. 360bbb-3(b)(1), unless the authorization is terminated or revoked sooner.

When diagnostic testing is negative, the possibility of a false negative result should be considered in the context of a patient's recent exposures and the presence of clinical signs and symptoms consistent with COVID-19. An individual without symptoms of COVID-19 and who is not shedding SARS-CoV-2 virus would expect to have a negative (not detected) result in this assay.

01 SEQCO Integrated Genetics Sequenom
3595 John Hopkins Court, San Diego, CA 92121-1121

Dir: Phillip Cacheris, MDPhD

For inquiries, the physician may contact Branch: 800-888-1113 Lab: 877-821-7266



Patient Report

Specimen ID: [REDACTED]
Control ID: [REDACTED]

Acct #: 04122570

Phone: (559) 852-2927

Rte: 00

Kings Co Adult Jail
1570 Kings Co Drive
Hanford CA 93230



Patient Details

DOB: [REDACTED]
Age(y/m/d): [REDACTED]
Gender: [REDACTED]
Patient ID: [REDACTED]

Specimen Details

Date collected: 11/05/2020 1200 Local
Date received: 11/06/2020
Date entered: 11/06/2020
Date reported: 11/07/2020 0709 ET

Physician Details

Ordering: 9 LIBERSTEI
Referring:
ID:
NPI:

General Comments & Additional Information

Total Volume: Not Provided

Fasting: No

Ordered Items


SARS-CoV-2, NAA

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
SARS-CoV-2, NAA	Not Detected			Not Detected	01
<p>This nucleic acid amplification test was developed and its performance characteristics determined by LabCorp Laboratories. Nucleic acid amplification tests include PCR and TMA. This test has not been FDA cleared or approved. This test has been authorized by FDA under an Emergency Use Authorization (EUA). This test is only authorized for the duration of time the declaration that circumstances exist justifying the authorization of the emergency use of in vitro diagnostic tests for detection of SARS-CoV-2 virus and/or diagnosis of COVID-19 infection under section 564(b)(1) of the Act, 21 U.S.C. 360bbb-3(b)(1), unless the authorization is terminated or revoked sooner.</p> <p>When diagnostic testing is negative, the possibility of a false negative result should be considered in the context of a patient's recent exposures and the presence of clinical signs and symptoms consistent with COVID-19. An individual without symptoms of COVID-19 and who is not shedding SARS-CoV-2 virus would expect to have a negative (not detected) result in this assay.</p>					

01 SEQCO Integrated Genetics Sequenom
3595 John Hopkins Court, San Diego, CA 92121-1121

Dir: Phillip Cacheris, MD PhD

For inquiries, the physician may contact Branch: 800-888-1113 Lab: 877-821-7266

**Patient Report****Specimen ID:** [REDACTED]
Control ID: [REDACTED]**Acct #:** 04122570**Phone:** (559) 852-2927**Rte:** 00Kings Co Adult Jail
1570 Kings Co Drive
Hanford CA 93230**Patient Details****DOB:** [REDACTED]
Age(y/m/d): [REDACTED]
Gender: [REDACTED]
Patient ID: [REDACTED]**Specimen Details****Date collected:** 11/05/2020 1200 Local
Date received: 11/06/2020
Date entered: 11/06/2020
Date reported: 11/07/2020 0709 ET**Physician Details****Ordering:**
Referring:
ID:
NPI:**Ordered Items**

SARS-CoV-2, NAA

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
SARS-CoV-2, NAA	Not Detected			Not Detected	01

This nucleic acid amplification test was developed and its performance characteristics determined by LabCorp Laboratories. Nucleic acid amplification tests include PCR and TMA. This test has not been FDA cleared or approved. This test has been authorized by FDA under an Emergency Use Authorization (EUA). This test is only authorized for the duration of time the declaration that circumstances exist justifying the authorization of the emergency use of in vitro diagnostic tests for detection of SARS-CoV-2 virus and/or diagnosis of COVID-19 infection under section 564(b)(1) of the Act, 21 U.S.C. 360bbb-3(b)(1), unless the authorization is terminated or revoked sooner.

When diagnostic testing is negative, the possibility of a false negative result should be considered in the context of a patient's recent exposures and the presence of clinical signs and symptoms consistent with COVID-19. An individual without symptoms of COVID-19 and who is not shedding SARS-CoV-2 virus would expect to have a negative (not detected) result in this assay.

01 SEQCO Integrated Genetics Sequenom
3595 John Hopkins Court, San Diego, CA 92121-1121

Dir: Phillip Cacheris, MD PhD

For inquiries, the physician may contact **Branch: 800-888-1113 Lab: 877-821-7266**

**Patient Report**

Specimen ID: [REDACTED]

Acct #: 04122570

Phone: (559) 852-2927

Rte: 00

Control ID: [REDACTED]

Kings Co Adult Jail
1570 Kings Co Drive
Hanford CA 93230**Patient Details**DOB: [REDACTED]
Age(y/m/d): [REDACTED]
Gender: [REDACTED]
Patient ID: [REDACTED]**Specimen Details**Date collected: 11/05/2020 1200 Local
Date received: 11/06/2020
Date entered: 11/06/2020
Date reported: 11/07/2020 0709 ET**Physician Details**Ordering:
Referring:
ID:
NPI:**Ordered Items**

SARS-CoV-2, NAA

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
SARS-CoV-2, NAA	Not Detected			Not Detected	01

This nucleic acid amplification test was developed and its performance characteristics determined by LabCorp Laboratories. Nucleic acid amplification tests include PCR and TMA. This test has not been FDA cleared or approved. This test has been authorized by FDA under an Emergency Use Authorization (EUA). This test is only authorized for the duration of time the declaration that circumstances exist justifying the authorization of the emergency use of in vitro diagnostic tests for detection of SARS-CoV-2 virus and/or diagnosis of COVID-19 infection under section 564(b)(1) of the Act, 21 U.S.C. 360bbb-3(b)(1), unless the authorization is terminated or revoked sooner.

When diagnostic testing is negative, the possibility of a false negative result should be considered in the context of a patient's recent exposures and the presence of clinical signs and symptoms consistent with COVID-19. An individual without symptoms of COVID-19 and who is not shedding SARS-CoV-2 virus would expect to have a negative (not detected) result in this assay.

01 SEQCO Integrated Genetics Sequenom
3595 John Hopkins Court, San Diego, CA 92121-1121

Dir: Phillip Cacheris, MD PhD

For inquiries, the physician may contact Branch: 800-888-1113 Lab: 877-821-7266

**Patient Report**Specimen ID: [REDACTED]
Control ID: [REDACTED]

Acct #: 04122570

Phone: (559) 852-2927

Rte: 00

Kings Co Adult Jail
1570 Kings Co Drive
Hanford CA 93230**Patient Details**DOB: [REDACTED]
Age(y/m/d): [REDACTED]
Gender: [REDACTED]
Patient ID: [REDACTED]**Specimen Details**Date collected: 11/05/2020 1200 Local
Date received: 11/06/2020
Date entered: 11/06/2020
Date reported: 11/07/2020 0709 ET**Physician Details**Ordering: S GUSTAVESO
Referring:
ID: LIBERSTEIN
NPI: 1598777559**Ordered Items**

SARS-CoV-2, NAA

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
SARS-CoV-2, NAA	Not Detected			Not Detected	01

This nucleic acid amplification test was developed and its performance characteristics determined by LabCorp Laboratories. Nucleic acid amplification tests include PCR and TMA. This test has not been FDA cleared or approved. This test has been authorized by FDA under an Emergency Use Authorization (EUA). This test is only authorized for the duration of time the declaration that circumstances exist justifying the authorization of the emergency use of in vitro diagnostic tests for detection of SARS-CoV-2 virus and/or diagnosis of COVID-19 infection under section 564(b)(1) of the Act, 21 U.S.C. 360bbb-3(b)(1), unless the authorization is terminated or revoked sooner.

When diagnostic testing is negative, the possibility of a false negative result should be considered in the context of a patient's recent exposures and the presence of clinical signs and symptoms consistent with COVID-19. An individual without symptoms of COVID-19 and who is not shedding SARS-CoV-2 virus would expect to have a negative (not detected) result in this assay.

01 SEQCO Integrated Genetics Sequenom
3595 John Hopkins Court, San Diego, CA 92121-1121

Dir: Phillip Cacheris, MDPhD

For inquiries, the physician may contact Branch: 800-888-1113 Lab: 877-821-7266



Patient Report

Specimen ID: [REDACTED]
Control ID: [REDACTED]

Acct #: 04122570

Phone: (559) 852-2927

Rte: 00

Kings Co Adult Jail
1570 Kings Co Drive
Hanford CA 93230



Patient Details

DOB: [REDACTED]
Age(y/m/d): [REDACTED]
Gender: [REDACTED]
Patient ID: [REDACTED]

Specimen Details

Date collected: 11/05/2020 1200 Local
Date received: 11/06/2020
Date entered: 11/06/2020
Date reported: 11/07/2020 0813 ET

Physician Details

Ordering:
Referring:
ID: LIBERSTEIN
NPI:

General Comments & Additional Information

Total Volume: Not Provided

Fasting: No

Ordered Items

SARS-CoV-2, NAA

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
-------	--------	------	-------	--------------------	-----

SARS-CoV-2, NAA	Not Detected			Not Detected	01
-----------------	--------------	--	--	--------------	----

This nucleic acid amplification test was developed and its performance characteristics determined by LabCorp Laboratories. Nucleic acid amplification tests include PCR and TMA. This test has not been FDA cleared or approved. This test has been authorized by FDA under an Emergency Use Authorization (EUA). This test is only authorized for the duration of time the declaration that circumstances exist justifying the authorization of the emergency use of in vitro diagnostic tests for detection of SARS-CoV-2 virus and/or diagnosis of COVID-19 infection under section 564(b)(1) of the Act, 21 U.S.C. 360bbb-3(b)(1), unless the authorization is terminated or revoked sooner.

When diagnostic testing is negative, the possibility of a false negative result should be considered in the context of a patient's recent exposures and the presence of clinical signs and symptoms consistent with COVID-19. An individual without symptoms of COVID-19 and who is not shedding SARS-CoV-2 virus would expect to have a negative (not detected) result in this assay.

01 SEQCO Integrated Genetics Sequenom
3595 John Hopkins Court, San Diego, CA 92121-1121

Dir: Phillip Cacheris, MD PhD

For inquiries, the physician may contact Branch: 800-888-1113 Lab: 877-821-7266



Patient Report

Specimen ID: [REDACTED]
Control ID: [REDACTED]

Acct #: 04122570

Phone: (559) 852-2927

Rte: 00

Kings Co Adult Jail
1570 Kings Co Drive
Hanford CA 93230



Patient Details

DOB: [REDACTED]
Age(y/m/d): [REDACTED]
Gender: [REDACTED]
Patient ID: [REDACTED]

Specimen Details

Date collected: 11/05/2020 1200 Local
Date received: 11/06/2020
Date entered: 11/06/2020
Date reported: 11/07/2020 0709 ET

Physician Details

Ordering:
Referring:
ID:
NPI:

Ordered Items

SARS-CoV-2, NAA

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
SARS-CoV-2, NAA	Not Detected			Not Detected	01

This nucleic acid amplification test was developed and its performance characteristics determined by LabCorp Laboratories. Nucleic acid amplification tests include PCR and TMA. This test has not been FDA cleared or approved. This test has been authorized by FDA under an Emergency Use Authorization (EUA). This test is only authorized for the duration of time the declaration that circumstances exist justifying the authorization of the emergency use of in vitro diagnostic tests for detection of SARS-CoV-2 virus and/or diagnosis of COVID-19 infection under section 564(b)(1) of the Act, 21 U.S.C. 360bbb-3(b)(1), unless the authorization is terminated or revoked sooner.

When diagnostic testing is negative, the possibility of a false negative result should be considered in the context of a patient's recent exposures and the presence of clinical signs and symptoms consistent with COVID-19. An individual without symptoms of COVID-19 and who is not shedding SARS-CoV-2 virus would expect to have a negative (not detected) result in this assay.

01 SEQCO Integrated Genetics Sequenom
3595 John Hopkins Court, San Diego, CA 92121-1121

Dir: Phillip Cacheris, MDPhD

For inquiries, the physician may contact Branch: 800-888-1113 Lab: 877-821-7266

**Patient Report**Specimen ID: [REDACTED]
Control ID: [REDACTED]

Acct #: 04122570

Phone: (559) 852-2927

Rte: 00

Kings Co Adult Jail
1570 Kings Co Drive
Hanford CA 93230**Patient Details**DOB: [REDACTED]
Age(y/m/d): [REDACTED]
Gender: [REDACTED]
Patient ID: [REDACTED]**Specimen Details**Date collected: 11/05/2020 1200 Local
Date received: 11/06/2020
Date entered: 11/06/2020
Date reported: 11/07/2020 0709 ET**Physician Details**Ordering:
Referring:
ID:
NPI:**General Comments & Additional Information**

Total Volume: Not Provided

Fasting: No

Ordered Items

SARS-CoV-2, NAA

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
SARS-CoV-2, NAA	Not Detected			Not Detected	01
<p>This nucleic acid amplification test was developed and its performance characteristics determined by LabCorp Laboratories. Nucleic acid amplification tests include PCR and TMA. This test has not been FDA cleared or approved. This test has been authorized by FDA under an Emergency Use Authorization (EUA). This test is only authorized for the duration of time the declaration that circumstances exist justifying the authorization of the emergency use of in vitro diagnostic tests for detection of SARS-CoV-2 virus and/or diagnosis of COVID-19 infection under section 564(b) (1) of the Act, 21 U.S.C. 360bbb-3(b) (1), unless the authorization is terminated or revoked sooner.</p> <p>When diagnostic testing is negative, the possibility of a false negative result should be considered in the context of a patient's recent exposures and the presence of clinical signs and symptoms consistent with COVID-19. An individual without symptoms of COVID-19 and who is not shedding SARS-CoV-2 virus would expect to have a negative (not detected) result in this assay.</p>					

01 SEQCO Integrated Genetics Sequenom
3595 John Hopkins Court, San Diego, CA 92121-1121

Dir: Phillip Cacheris, MD PhD

For inquiries, the physician may contact Branch: 800-888-1113 Lab: 877-821-7266



Patient Report

Specimen ID: [REDACTED]
Control ID: [REDACTED]

Acct #: 04122570

Phone: (559) 852-2927

Rte: 00

Kings Co Adult Jail
1570 Kings Co Drive
Hanford CA 93230



Patient Details

DOB: [REDACTED]
Age(y/m/d): [REDACTED]
Gender: [REDACTED]
Patient ID: [REDACTED]

Specimen Details

Date collected: 11/05/2020 1200 Local
Date received: 11/06/2020
Date entered: 11/06/2020
Date reported: 11/07/2020 0709 ET

Physician Details

Ordering:
Referring:
ID: LIBERSTEIN
NPI:

General Comments & Additional Information

Total Volume: Not Provided

Fasting: No

Ordered Items

SARS-CoV-2, NAA

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
SARS-CoV-2, NAA	Not Detected			Not Detected	01

This nucleic acid amplification test was developed and its performance characteristics determined by LabCorp Laboratories. Nucleic acid amplification tests include PCR and TMA. This test has not been FDA cleared or approved. This test has been authorized by FDA under an Emergency Use Authorization (EUA). This test is only authorized for the duration of time the declaration that circumstances exist justifying the authorization of the emergency use of in vitro diagnostic tests for detection of SARS-CoV-2 virus and/or diagnosis of COVID-19 infection under section 564(b)(1) of the Act, 21 U.S.C. 360bbb-3(b)(1), unless the authorization is terminated or revoked sooner.

When diagnostic testing is negative, the possibility of a false negative result should be considered in the context of a patient's recent exposures and the presence of clinical signs and symptoms consistent with COVID-19. An individual without symptoms of COVID-19 and who is not shedding SARS-CoV-2 virus would expect to have a negative (not detected) result in this assay.

01 SEQCO Integrated Genetics Sequenom
3595 John Hopkins Court, San Diego, CA 92121-1121

Dir: Phillip Cacheris, MDPhD

For inquiries, the physician may contact Branch: 800-888-1113 Lab: 877-821-7266

**Patient Report**Specimen ID: [REDACTED]
Control ID: [REDACTED]

Acct #: 04122570

Phone: (559) 852-2927

Rte: 00

Kings Co Adult Jail
1570 Kings Co Drive
Hanford CA 93230**Patient Details**DOB: [REDACTED]
Age(y/m/d): [REDACTED]
Gender: [REDACTED]
Patient ID: [REDACTED]**Specimen Details**Date collected: 11/05/2020 1200 Local
Date received: 11/06/2020
Date entered: 11/06/2020
Date reported: 11/07/2020 0709 ET**Physician Details**Ordering:
Referring:
ID:
NPI:**General Comments & Additional Information**

Total Volume: Not Provided

Fasting: No

Ordered Items

SARS-CoV-2, NAA

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
SARS-CoV-2, NAA	Not Detected			Not Detected	01

This nucleic acid amplification test was developed and its performance characteristics determined by LabCorp Laboratories. Nucleic acid amplification tests include PCR and TMA. This test has not been FDA cleared or approved. This test has been authorized by FDA under an Emergency Use Authorization (EUA). This test is only authorized for the duration of time the declaration that circumstances exist justifying the authorization of the emergency use of in vitro diagnostic tests for detection of SARS-CoV-2 virus and/or diagnosis of COVID-19 infection under section 564(b)(1) of the Act, 21 U.S.C. 360bbb-3(b)(1), unless the authorization is terminated or revoked sooner.

When diagnostic testing is negative, the possibility of a false negative result should be considered in the context of a patient's recent exposures and the presence of clinical signs and symptoms consistent with COVID-19. An individual without symptoms of COVID-19 and who is not shedding SARS-CoV-2 virus would expect to have a negative (not detected) result in this assay.

01 SEQCO Integrated Genetics Sequenom
3595 John Hopkins Court, San Diego, CA 92121-1121

Dir: Phillip Cacheris, MDPH

For inquiries, the physician may contact Branch: 800-888-1113 Lab: 877-821-7266

**Patient Report**Specimen ID: [REDACTED]
Control ID: [REDACTED]

Acct #: 04122570

Phone: (559) 852-2927

Rte: 00

Kings Co Adult Jail
1570 Kings Co Drive
Hanford CA 93230**Patient Details**DOB: [REDACTED]
Age(y/m/d): [REDACTED]
Gender: [REDACTED]
Patient ID: [REDACTED]**Specimen Details**Date collected: 11/05/2020 1200 Local
Date received: 11/06/2020
Date entered: 11/06/2020
Date reported: 11/07/2020 0709 ET**Physician Details**Ordering: LIBERSTEI
Referring:
ID:
NPI:**General Comments & Additional Information**

Total Volume: Not Provided

Fasting: No

Ordered Items

SARS-CoV-2, NAA

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
SARS-CoV-2, NAA	Not Detected			Not Detected	01
<p>This nucleic acid amplification test was developed and its performance characteristics determined by LabCorp Laboratories. Nucleic acid amplification tests include PCR and TMA. This test has not been FDA cleared or approved. This test has been authorized by FDA under an Emergency Use Authorization (EUA). This test is only authorized for the duration of time the declaration that circumstances exist justifying the authorization of the emergency use of in vitro diagnostic tests for detection of SARS-CoV-2 virus and/or diagnosis of COVID-19 infection under section 564(b)(1) of the Act, 21 U.S.C. 360bbb-3(b)(1), unless the authorization is terminated or revoked sooner.</p> <p>When diagnostic testing is negative, the possibility of a false negative result should be considered in the context of a patient's recent exposures and the presence of clinical signs and symptoms consistent with COVID-19. An individual without symptoms of COVID-19 and who is not shedding SARS-CoV-2 virus would expect to have a negative (not detected) result in this assay.</p>					

01 SEQCO Integrated Genetics Sequenom
3595 John Hopkins Court, San Diego, CA 92121-1121

Dir: Phillip Cacheris, MDPhD

For inquiries, the physician may contact Branch: 800-888-1113 Lab: 877-821-7266

**Patient Report**Specimen ID: [REDACTED]
Control ID: [REDACTED]

Acct #: 04122570

Phone: (559) 852-2927

Rte: 00

Kings Co Adult Jail
1570 Kings Co Drive
Hanford CA 93230**Patient Details**DOB: [REDACTED]
Age(y/m/d): [REDACTED]
Gender: [REDACTED]
Patient ID: [REDACTED]**Specimen Details**Date collected: 11/05/2020 1200 Local
Date received: 11/06/2020
Date entered: 11/06/2020
Date reported: 11/07/2020 0709 ET**Physician Details**Ordering: S GUSTAVESO
Referring:
ID: LIBERSTEIN
NPI: 1598777559**Ordered Items**

SARS-CoV-2, NAA

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
SARS-CoV-2, NAA	Not Detected			Not Detected	01

This nucleic acid amplification test was developed and its performance characteristics determined by LabCorp Laboratories. Nucleic acid amplification tests include PCR and TMA. This test has not been FDA cleared or approved. This test has been authorized by FDA under an Emergency Use Authorization (EUA). This test is only authorized for the duration of time the declaration that circumstances exist justifying the authorization of the emergency use of in vitro diagnostic tests for detection of SARS-CoV-2 virus and/or diagnosis of COVID-19 infection under section 564(b)(1) of the Act, 21 U.S.C. 360bbb-3(b)(1), unless the authorization is terminated or revoked sooner.

When diagnostic testing is negative, the possibility of a false negative result should be considered in the context of a patient's recent exposures and the presence of clinical signs and symptoms consistent with COVID-19. An individual without symptoms of COVID-19 and who is not shedding SARS-CoV-2 virus would expect to have a negative (not detected) result in this assay.

01 SEQCO Integrated Genetics Sequenom
3595 John Hopkins Court, San Diego, CA 92121-1121

Dir: Phillip Cacheris, MDPhD

For inquiries, the physician may contact Branch: 800-888-1113 Lab: 877-821-7266

**Patient Report**Specimen ID: [REDACTED]
Control ID: [REDACTED]

Acct #: 04122570

Phone: (559) 852-2927

Rte: 00

Kings Co Adult Jail
1570 Kings Co Drive
Hanford CA 93230**Patient Details**DOB: [REDACTED]
Age(y/m/d): [REDACTED]
Gender: [REDACTED]
Patient ID: [REDACTED]**Specimen Details**Date collected: 11/05/2020 1200 Local
Date received: 11/06/2020
Date entered: 11/06/2020
Date reported: 11/07/2020 0709 ET**Physician Details**Ordering: LIBERSTEI
Referring:
ID:
NPI:**Ordered Items**

SARS-CoV-2, NAA

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
SARS-CoV-2, NAA	Not Detected			Not Detected	01

This nucleic acid amplification test was developed and its performance characteristics determined by LabCorp Laboratories. Nucleic acid amplification tests include PCR and TMA. This test has not been FDA cleared or approved. This test has been authorized by FDA under an Emergency Use Authorization (EUA). This test is only authorized for the duration of time the declaration that circumstances exist justifying the authorization of the emergency use of in vitro diagnostic tests for detection of SARS-CoV-2 virus and/or diagnosis of COVID-19 infection under section 564(b) (1) of the Act, 21 U.S.C. 360bbb-3(b) (1), unless the authorization is terminated or revoked sooner.

When diagnostic testing is negative, the possibility of a false negative result should be considered in the context of a patient's recent exposures and the presence of clinical signs and symptoms consistent with COVID-19. An individual without symptoms of COVID-19 and who is not shedding SARS-CoV-2 virus would expect to have a negative (not detected) result in this assay.

01 SEQCO Integrated Genetics Sequenom
3595 John Hopkins Court, San Diego, CA 92121-1121

Dir: Phillip Cacheris, MDPhD

For inquiries, the physician may contact Branch: 800-888-1113 Lab: 877-821-7266

**Patient Report**Specimen ID: [REDACTED]
Control ID: [REDACTED]

Acct #: 04122570

Phone: (559) 852-2927

Rte: 00

Kings Co Adult Jail
1570 Kings Co Drive
Hanford CA 93230**Patient Details**DOB: [REDACTED]
Age(y/m/d): [REDACTED]
Gender: [REDACTED]
Patient ID: [REDACTED]**Specimen Details**Date collected: 11/05/2020 1200 Local
Date received: 11/06/2020
Date entered: 11/06/2020
Date reported: 11/07/2020 0709 ET**Physician Details**Ordering:
Referring:
ID:
NPI:**General Comments & Additional Information**

Total Volume: Not Provided

Fasting: No

Ordered Items

SARS-CoV-2, NAA

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
SARS-CoV-2, NAA	Not Detected			Not Detected	01
<p>This nucleic acid amplification test was developed and its performance characteristics determined by LabCorp Laboratories. Nucleic acid amplification tests include PCR and TMA. This test has not been FDA cleared or approved. This test has been authorized by FDA under an Emergency Use Authorization (EUA). This test is only authorized for the duration of time the declaration that circumstances exist justifying the authorization of the emergency use of in vitro diagnostic tests for detection of SARS-CoV-2 virus and/or diagnosis of COVID-19 infection under section 564(b)(1) of the Act, 21 U.S.C. 360bbb-3(b)(1), unless the authorization is terminated or revoked sooner.</p> <p>When diagnostic testing is negative, the possibility of a false negative result should be considered in the context of a patient's recent exposures and the presence of clinical signs and symptoms consistent with COVID-19. An individual without symptoms of COVID-19 and who is not shedding SARS-CoV-2 virus would expect to have a negative (not detected) result in this assay.</p>					

01 SEQCO Integrated Genetics Sequenom
3595 John Hopkins Court, San Diego, CA 92121-1121

Dir: Phillip Cacheris, MDPhD

For inquiries, the physician may contact Branch: 800-888-1113 Lab: 877-821-7266

**Patient Report****Specimen ID:** [REDACTED]
Control ID: [REDACTED]**Acct #:** 04122570**Phone:** (559) 852-2927**Rte:** 00Kings Co Adult Jail
1570 Kings Co Drive
Hanford CA 93230**Patient Details****DOB:** [REDACTED]
Age(y/m/d): [REDACTED]
Gender: [REDACTED]
Patient ID: [REDACTED]**Specimen Details****Date collected:** 11/05/2020 1200 Local
Date received: 11/06/2020
Date entered: 11/06/2020
Date reported: 11/07/2020 0709 ET**Physician Details****Ordering:**
Referring:
ID:
NPI:**General Comments & Additional Information****Total Volume:** Not Provided**Fasting:** No**Ordered Items**

SARS-CoV-2, NAA

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
SARS-CoV-2, NAA	Not Detected			Not Detected	01
<p>This nucleic acid amplification test was developed and its performance characteristics determined by LabCorp Laboratories. Nucleic acid amplification tests include PCR and TMA. This test has not been FDA cleared or approved. This test has been authorized by FDA under an Emergency Use Authorization (EUA). This test is only authorized for the duration of time the declaration that circumstances exist justifying the authorization of the emergency use of in vitro diagnostic tests for detection of SARS-CoV-2 virus and/or diagnosis of COVID-19 infection under section 564(b)(1) of the Act, 21 U.S.C. 360bbb-3(b)(1), unless the authorization is terminated or revoked sooner.</p> <p>When diagnostic testing is negative, the possibility of a false negative result should be considered in the context of a patient's recent exposures and the presence of clinical signs and symptoms consistent with COVID-19. An individual without symptoms of COVID-19 and who is not shedding SARS-CoV-2 virus would expect to have a negative (not detected) result in this assay.</p>					

01 SEQCO Integrated Genetics Sequenom
3595 John Hopkins Court, San Diego, CA 92121-1121

Dir: Phillip Cacheris, MDPhD

For inquiries, the physician may contact **Branch: 800-888-1113 Lab: 877-821-7266**

**Patient Report**Specimen ID: [REDACTED]
Control ID: [REDACTED]

Acct #: 04122570

Phone: (559) 852-2927

Rte: 00

Kings Co Adult Jail
1570 Kings Co Drive
Hanford CA 93230**Patient Details**DOB: [REDACTED]
Age(y/m/d): [REDACTED]
Gender: [REDACTED]
Patient ID: [REDACTED]**Specimen Details**Date collected: 11/05/2020 1200 Local
Date received: 11/06/2020
Date entered: 11/06/2020
Date reported: 11/07/2020 0709 ET**Physician Details**Ordering:
Referring:
ID:
NPI:**Ordered Items**

SARS-CoV-2, NAA

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
SARS-CoV-2, NAA	Not Detected			Not Detected	01

This nucleic acid amplification test was developed and its performance characteristics determined by LabCorp Laboratories. Nucleic acid amplification tests include PCR and TMA. This test has not been FDA cleared or approved. This test has been authorized by FDA under an Emergency Use Authorization (EUA). This test is only authorized for the duration of time the declaration that circumstances exist justifying the authorization of the emergency use of in vitro diagnostic tests for detection of SARS-CoV-2 virus and/or diagnosis of COVID-19 infection under section 564(b)(1) of the Act, 21 U.S.C. 360bbb-3(b)(1), unless the authorization is terminated or revoked sooner.

When diagnostic testing is negative, the possibility of a false negative result should be considered in the context of a patient's recent exposures and the presence of clinical signs and symptoms consistent with COVID-19. An individual without symptoms of COVID-19 and who is not shedding SARS-CoV-2 virus would expect to have a negative (not detected) result in this assay.

01 SEQCO Integrated Genetics Sequenom
3595 John Hopkins Court, San Diego, CA 92121-1121

Dir: Phillip Cacheris, MDPhD

For inquiries, the physician may contact Branch: 800-888-1113 Lab: 877-821-7266



Patient Report


Specimen ID: [REDACTED]
Control ID: [REDACTED]

Acct #: 04122570

Phone: (559) 852-2927

Rte: 00

Kings Co Adult Jail
1570 Kings Co Drive
Hanford CA 93230



Patient Details

DOB: [REDACTED]
Age(y/m/d): [REDACTED]
Gender: [REDACTED]
Patient ID: [REDACTED]

Specimen Details

Date collected: 11/05/2020 1200 Local
Date received: 11/06/2020
Date entered: 11/06/2020
Date reported: 11/07/2020 0709 ET

Physician Details

Ordering:
Referring:
ID:
NPI:

General Comments & Additional Information

Total Volume: Not Provided

Fasting: No

Ordered Items

SARS-CoV-2, NAA

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
SARS-CoV-2, NAA	Not Detected			Not Detected	01
<p>This nucleic acid amplification test was developed and its performance characteristics determined by LabCorp Laboratories. Nucleic acid amplification tests include PCR and TMA. This test has not been FDA cleared or approved. This test has been authorized by FDA under an Emergency Use Authorization (EUA). This test is only authorized for the duration of time the declaration that circumstances exist justifying the authorization of the emergency use of in vitro diagnostic tests for detection of SARS-CoV-2 virus and/or diagnosis of COVID-19 infection under section 564(b)(1) of the Act, 21 U.S.C. 360bbb-3(b)(1), unless the authorization is terminated or revoked sooner.</p> <p>When diagnostic testing is negative, the possibility of a false negative result should be considered in the context of a patient's recent exposures and the presence of clinical signs and symptoms consistent with COVID-19. An individual without symptoms of COVID-19 and who is not shedding SARS-CoV-2 virus would expect to have a negative (not detected) result in this assay.</p>					

01 SEQCO Integrated Genetics Sequenom
3595 John Hopkins Court, San Diego, CA 92121-1121

Dir: Phillip Cacheris, MDPhD

For inquiries, the physician may contact Branch: 800-888-1113 Lab: 877-821-7266



Patient Report

Specimen ID: [REDACTED]
Control ID: [REDACTED]

Acct #: 04122570

Phone: (559) 852-2927

Rte: 00

Kings Co Adult Jail
1570 Kings Co Drive
Hanford CA 93230



Patient Details

DOB: [REDACTED]
Age(y/m/d): [REDACTED]
Gender: [REDACTED]
Patient ID: [REDACTED]

Specimen Details

Date collected: 11/05/2020 1200 Local
Date received: 11/06/2020
Date entered: 11/06/2020
Date reported: 11/07/2020 0709 ET

Physician Details

Ordering:
Referring:
ID:
NPI:

Ordered Items

SARS-CoV-2, NAA

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
SARS-CoV-2, NAA	Not Detected			Not Detected	01

This nucleic acid amplification test was developed and its performance characteristics determined by LabCorp Laboratories. Nucleic acid amplification tests include PCR and TMA. This test has not been FDA cleared or approved. This test has been authorized by FDA under an Emergency Use Authorization (EUA). This test is only authorized for the duration of time the declaration that circumstances exist justifying the authorization of the emergency use of in vitro diagnostic tests for detection of SARS-CoV-2 virus and/or diagnosis of COVID-19 infection under section 564(b)(1) of the Act, 21 U.S.C. 360bbb-3(b)(1), unless the authorization is terminated or revoked sooner.

When diagnostic testing is negative, the possibility of a false negative result should be considered in the context of a patient's recent exposures and the presence of clinical signs and symptoms consistent with COVID-19. An individual without symptoms of COVID-19 and who is not shedding SARS-CoV-2 virus would expect to have a negative (not detected) result in this assay.

01 SEQCO Integrated Genetics Sequenom

3595 John Hopkins Court, San Diego, CA 92121-1121

Dir: Phillip Cacheris, MD PhD

For inquiries, the physician may contact Branch: 800-888-1113 Lab: 877-821-7266

**Patient Report**Specimen ID: [REDACTED]
Control ID: [REDACTED]

Acct #: 04122570

Phone: (559) 852-2927

Rte: 00

Kings Co Adult Jail
1570 Kings Co Drive
Hanford CA 93230**Patient Details**DOB: [REDACTED]
Age(y/m/d): [REDACTED]
Gender: [REDACTED]
Patient ID: [REDACTED]**Specimen Details**Date collected: 11/05/2020 1200 Local
Date received: 11/06/2020
Date entered: 11/06/2020
Date reported: 11/07/2020 0813 ET**Physician Details**Ordering: S GUSTAVESO
Referring:
ID:
NPI: 1598777559**Ordered Items**

SARS-CoV-2, NAA

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
-------	--------	------	-------	--------------------	-----

SARS-CoV-2, NAA	Not Detected			Not Detected	01
-----------------	--------------	--	--	--------------	----

This nucleic acid amplification test was developed and its performance characteristics determined by LabCorp Laboratories. Nucleic acid amplification tests include PCR and TMA. This test has not been FDA cleared or approved. This test has been authorized by FDA under an Emergency Use Authorization (EUA). This test is only authorized for the duration of time the declaration that circumstances exist justifying the authorization of the emergency use of in vitro diagnostic tests for detection of SARS-CoV-2 virus and/or diagnosis of COVID-19 infection under section 564(b)(1) of the Act, 21 U.S.C. 360bbb-3(b)(1), unless the authorization is terminated or revoked sooner.

When diagnostic testing is negative, the possibility of a false negative result should be considered in the context of a patient's recent exposures and the presence of clinical signs and symptoms consistent with COVID-19. An individual without symptoms of COVID-19 and who is not shedding SARS-CoV-2 virus would expect to have a negative (not detected) result in this assay.

01 SEQCO Integrated Genetics Sequenom
3595 John Hopkins Court, San Diego, CA 92121-1121

Dir: Phillip Cacheris, MDPhD

For inquiries, the physician may contact Branch: 800-888-1113 Lab: 877-821-7266

**Patient Report**Specimen ID: [REDACTED]
Control ID: [REDACTED]

Acct #: 04122570

Phone: (559) 852-2927

Rte: 00

Kings Co Adult Jail
1570 Kings Co Drive
Hanford CA 93230**Patient Details**DOB: [REDACTED]
Age(y/m/d): [REDACTED]
Gender: [REDACTED]
Patient ID: [REDACTED]**Specimen Details**Date collected: 11/05/2020 1200 Local
Date received: 11/06/2020
Date entered: 11/06/2020
Date reported: 11/07/2020 0709 ET**Physician Details**Ordering:
Referring:
ID:
NPI:**General Comments & Additional Information**

Total Volume: Not Provided

Fasting: No

Ordered Items

SARS-CoV-2, NAA

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
SARS-CoV-2, NAA	Not Detected			Not Detected	01
<p>This nucleic acid amplification test was developed and its performance characteristics determined by LabCorp Laboratories. Nucleic acid amplification tests include PCR and TMA. This test has not been FDA cleared or approved. This test has been authorized by FDA under an Emergency Use Authorization (EUA). This test is only authorized for the duration of time the declaration that circumstances exist justifying the authorization of the emergency use of in vitro diagnostic tests for detection of SARS-CoV-2 virus and/or diagnosis of COVID-19 infection under section 564(b)(1) of the Act, 21 U.S.C. 360bbb-3(b)(1), unless the authorization is terminated or revoked sooner.</p> <p>When diagnostic testing is negative, the possibility of a false negative result should be considered in the context of a patient's recent exposures and the presence of clinical signs and symptoms consistent with COVID-19. An individual without symptoms of COVID-19 and who is not shedding SARS-CoV-2 virus would expect to have a negative (not detected) result in this assay.</p>					

01 SEQCO Integrated Genetics Sequenom
3595 John Hopkins Court, San Diego, CA 92121-1121

Dir: Phillip Cacheris, MDPhD


For inquiries, the physician may contact Branch: 800-888-1113 Lab: 877-821-7266

**Patient Report**Specimen ID: [REDACTED]
Control ID: [REDACTED]

Acct #: 04122570

Phone: (559) 852-2927

Rte: 00

Kings Co Adult Jail
1570 Kings Co Drive
Hanford CA 93230**Patient Details**DOB: [REDACTED]
Age(y/m/d): [REDACTED]
Gender: [REDACTED]
Patient ID: [REDACTED]**Specimen Details**Date collected: 11/05/2020 1200 Local
Date received: 11/06/2020
Date entered: 11/06/2020
Date reported: 11/07/2020 0709 ET**Physician Details**Ordering:
Referring:
ID:
NPI:**General Comments & Additional Information**

Total Volume: Not Provided

Fasting: No

Ordered Items

SARS-CoV-2, NAA

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
SARS-CoV-2, NAA	Not Detected			Not Detected	01
<p>This nucleic acid amplification test was developed and its performance characteristics determined by LabCorp Laboratories. Nucleic acid amplification tests include PCR and TMA. This test has not been FDA cleared or approved. This test has been authorized by FDA under an Emergency Use Authorization (EUA). This test is only authorized for the duration of time the declaration that circumstances exist justifying the authorization of the emergency use of in vitro diagnostic tests for detection of SARS-CoV-2 virus and/or diagnosis of COVID-19 infection under section 564(b)(1) of the Act, 21 U.S.C. 360bbb-3(b)(1), unless the authorization is terminated or revoked sooner.</p> <p>When diagnostic testing is negative, the possibility of a false negative result should be considered in the context of a patient's recent exposures and the presence of clinical signs and symptoms consistent with COVID-19. An individual without symptoms of COVID-19 and who is not shedding SARS-CoV-2 virus would expect to have a negative (not detected) result in this assay.</p>					

01 SEQCO Integrated Genetics Sequenom
3595 John Hopkins Court, San Diego, CA 92121-1121

Dir: Phillip Cacheris, MDPhD

For inquiries, the physician may contact Branch: 800-888-1113 Lab: 877-821-7266



Patient Report

Specimen ID: [REDACTED]
Control ID: [REDACTED]

Acct #: 04122570

Phone: (559) 852-2927

Rte: 00

Kings Co Adult Jail
1570 Kings Co Drive
Hanford CA 93230



Patient Details

DOB: [REDACTED]
Age(y/m/d): [REDACTED]
Gender: [REDACTED]
Patient ID: [REDACTED]

Specimen Details

Date collected: 11/05/2020 1200 Local
Date received: 11/06/2020
Date entered: 11/06/2020
Date reported: 11/07/2020 0709 ET

Physician Details

Ordering: LIBERSTEI
Referring:
ID: LIBERSTEIN
NPI:

Ordered Items

SARS-CoV-2, NAA

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
SARS-CoV-2, NAA	Not Detected			Not Detected	01

This nucleic acid amplification test was developed and its performance characteristics determined by LabCorp Laboratories. Nucleic acid amplification tests include PCR and TMA. This test has not been FDA cleared or approved. This test has been authorized by FDA under an Emergency Use Authorization (EUA). This test is only authorized for the duration of time the declaration that circumstances exist justifying the authorization of the emergency use of in vitro diagnostic tests for detection of SARS-CoV-2 virus and/or diagnosis of COVID-19 infection under section 564(b)(1) of the Act, 21 U.S.C. 360bbb-3(b)(1), unless the authorization is terminated or revoked sooner.

When diagnostic testing is negative, the possibility of a false negative result should be considered in the context of a patient's recent exposures and the presence of clinical signs and symptoms consistent with COVID-19. An individual without symptoms of COVID-19 and who is not shedding SARS-CoV-2 virus would expect to have a negative (not detected) result in this assay.

01 SEQCO Integrated Genetics Sequenom
3595 John Hopkins Court, San Diego, CA 92121-1121

Dir: Phillip Cacheris, MD PhD

For inquiries, the physician may contact Branch: 800-888-1113 Lab: 877-821-7266



Patient Report


Specimen ID: [REDACTED]
Control ID: [REDACTED]

Acct #: 04122570

Phone: (559) 852-2927

Rte: 00

Kings Co Adult Jail
1570 Kings Co Drive
Hanford CA 93230



Patient Details

DOB: [REDACTED]
Age(y/m/d): [REDACTED]
Gender: [REDACTED]
Patient ID: [REDACTED]

Specimen Details

Date collected: 11/20/2020 1550 Local
Date received: 11/21/2020
Date entered: 11/21/2020
Date reported: 11/24/2020 0708 ET

Physician Details

Ordering: A LIBERSTEI
Referring:
ID:
NPI: 1164613899

General Comments & Additional Information

A courtesy copy of this report has been sent to 5595828546.

Ordered Items

SARS-CoV-2, NAA

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
SARS-CoV-2, NAA	Not Detected			Not Detected	01
<p>This nucleic acid amplification test was developed and its performance characteristics determined by LabCorp Laboratories. Nucleic acid amplification tests include PCR and TMA. This test has not been FDA cleared or approved. This test has been authorized by FDA under an Emergency Use Authorization (EUA). This test is only authorized for the duration of time the declaration that circumstances exist justifying the authorization of the emergency use of in vitro diagnostic tests for detection of SARS-CoV-2 virus and/or diagnosis of COVID-19 infection under section 564(b)(1) of the Act, 21 U.S.C. 360bbb-3(b)(1), unless the authorization is terminated or revoked sooner.</p> <p>When diagnostic testing is negative, the possibility of a false negative result should be considered in the context of a patient's recent exposures and the presence of clinical signs and symptoms consistent with COVID-19. An individual without symptoms of COVID-19 and who is not shedding SARS-CoV-2 virus would expect to have a negative (not detected) result in this assay.</p>					

01 SEQCO Integrated Genetics Sequenom
3595 John Hopkins Court, San Diego, CA 92121-1121

Dir: Phillip Cacheris, MDPhD

For inquiries, the physician may contact Branch: 800-888-1113 Lab: 877-821-7266



Patient Report

Specimen ID: [REDACTED]
Control ID: [REDACTED]

Acct #: 04122570

Phone: (559) 852-2927

Rte: 00

[REDACTED]
1570 KINGS CO DRIVE
HANFORD CA 93230

Kings Co Adult Jail
1570 Kings Co Drive
Hanford CA 93230



Patient Details

DOB: [REDACTED]
Age(y/m/d): [REDACTED]
Gender: [REDACTED]
Patient ID: [REDACTED]

Specimen Details

Date collected: 11/21/2020 1200 Local
Date received: 11/22/2020
Date entered: 11/22/2020
Date reported: 11/25/2020 0709 ET

Physician Details

Ordering: A LIBERSTEI
Referring:
ID:
NPI: 1164613899

General Comments & Additional Information

A courtesy copy of this report has been sent to
5595828546.

Alternate Control Number: Not Provided

Alternate Patient ID: [REDACTED]

Ordered Items

SARS-CoV-2, NAA

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
SARS-CoV-2, NAA	Not Detected			Not Detected	01

This nucleic acid amplification test was developed and its performance characteristics determined by LabCorp Laboratories. Nucleic acid amplification tests include PCR and TMA. This test has not been FDA cleared or approved. This test has been authorized by FDA under an Emergency Use Authorization (EUA). This test is only authorized for the duration of time the declaration that circumstances exist justifying the authorization of the emergency use of in vitro diagnostic tests for detection of SARS-CoV-2 virus and/or diagnosis of COVID-19 infection under section 564(b)(1) of the Act, 21 U.S.C. 360bbb-3(b)(1), unless the authorization is terminated or revoked sooner.

When diagnostic testing is negative, the possibility of a false negative result should be considered in the context of a patient's recent exposures and the presence of clinical signs and symptoms consistent with COVID-19. An individual without symptoms of COVID-19 and who is not shedding SARS-CoV-2 virus would expect to have a negative (not detected) result in this assay.

01 SEQCO Integrated Genetics Sequenom
3595 John Hopkins Court, San Diego, CA 92121-1121

Dir: Phillip Cacheris, MDPhD

For inquiries, the physician may contact Branch: 800-888-1113 Lab: 877-821-7266

**Patient Report**Specimen ID: [REDACTED]
Control ID: [REDACTED]

Acct #: 04122570

Phone: (559) 852-2927

Rte: 00

Kings Co Adult Jail
1570 Kings Co Drive
Hanford CA 93230**Patient Details**DOB: [REDACTED]
Age(y/m/d): [REDACTED]
Gender: [REDACTED]
Patient ID: [REDACTED]**Specimen Details**Date collected: 12/01/2020 1115 Local
Date received: 12/02/2020
Date entered: 12/02/2020
Date reported: 12/03/2020 0709 ET**Physician Details**Ordering: A LIBERSTEI
Referring:
ID:
NPI: 1164613899**Ordered Items**

SARS-CoV-2, NAA

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
SARS-CoV-2, NAA	Not Detected			Not Detected	01

This nucleic acid amplification test was developed and its performance characteristics determined by LabCorp Laboratories. Nucleic acid amplification tests include PCR and TMA. This test has not been FDA cleared or approved. This test has been authorized by FDA under an Emergency Use Authorization (EUA). This test is only authorized for the duration of time the declaration that circumstances exist justifying the authorization of the emergency use of in vitro diagnostic tests for detection of SARS-CoV-2 virus and/or diagnosis of COVID-19 infection under section 564(b) (1) of the Act, 21 U.S.C. 360bbb-3(b) (1), unless the authorization is terminated or revoked sooner.

When diagnostic testing is negative, the possibility of a false negative result should be considered in the context of a patient's recent exposures and the presence of clinical signs and symptoms consistent with COVID-19. An individual without symptoms of COVID-19 and who is not shedding SARS-CoV-2 virus would expect to have a negative (not detected) result in this assay.

01 SEQCO Integrated Genetics Sequenom
3595 John Hopkins Court, San Diego, CA 92121-1121

Dir: Phillip Cacheris, MDPhD

For inquiries, the physician may contact Branch: 800-888-1113 Lab: 877-821-7266